

(43) International Publication Date 30 October 2003 (30.10.2003)

PCT

(10) International Publication Number WO 03/089583 A2

(51) International Patent Classification7:

......

- (21) International Application Number: PCT/US03/11497
- (22) International Filing Date: 15 April 2003 (15.04.2003)
- (25) Filing Language:

English

C12N

(26) Publication Language:

English

(30) Priority Data:


,	TIMINITY Data.		
	60/372,669	16 April 2002 (16.04.2002)	US
	60/374.823	24 April 2002 (24.04.2002)	US
	60/376,558	I May 2002 (01.05.2002)	US
	60/381,366	20 May 2002 (20.05.2002)	US
	60/403,648	16 August 2002 (16.08.2002)	US
	60/411,882	20 September 2002 (20.09.2002)	US
	60/424,336	7 November 2002 (07.11.2002)	US

(71) Applicant (for all designated States except US): ORI-GENE TECHNOLOGIES, INC. [US/US]; Suite 100, 6 Tafi Court, Rockville, MD 20850 (US).

- (72) Inventors; and
- (75) Inventors/Applicants (for US only): JAY, Gilbert [US/US]; 5801 Nicholson Lane, North Bethesda, MD 20852 (US). LEBOVITZ. Richard, M. [US/US]; 3800 North Fairfax Drive, Arlington, VA 22203 (US). LIU, Xuan [US/US]; 14213 Dav Road, Rockville, MD 20850 (US). SHU, Youmin [US/US]; 2508 Chilham Place, Potomac, MD 20854 (US). SUN, Zairen [CN/US]; 1083 Copperstone Court. Rockville, MD 20852 (US). WU, Meng [PG/US]; 18016 Rockingham Place, Germantown, MD 20874 (US).
- (74) Agent: LEBOVITZ, Richard, M.; Origene Technologies, Inc., Suite 100, 6 Taft Court, Rockville, MD 20850 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: TISSUE SPECIFIC GENES AND GENE CLUSTERS



XM_061785



(57) Abstract: The present invention relates to genes and genes clusters which are expressed in a tissue specific manner. For example, the invention relates to a group of genes encoding GPCR-like receptors that are involved in the function and activity of the immune system. These genes are organized into a discrete cluster at chromosomal location 1q22 (the "immune gene complex") and span about 700 kb of DNA. The region closest to the centromere comprises genes that are expressed predominantly in the thymus, while the distal region comprises genes which are expressed predominantly in the bone marrow and other hematopoietic cells, Another cluster of GPCR genes is located at chromosomal band 11q24. These genes are expressed predominantly in pancreatic tissue, establishing this region of chromosome 11 as a unique gene complex involved in

pancreatic function. A cluster of transmembrane and GPCR-type receptor genes is also located at chromosomal band 11q12.2. These genes are expressed predominantly in the spleen (hence, "spleen gene" cluster), as well as other tissues of the immune and reticuloendothelial system (RES), indicating that establishing this region of the chromosome is involved is spleen, lymphoid, and/or reticuloendothelial function. Finally, genes coding for membrane proteins have been identified which are expressed selectively in bone marrow, kidney, pancreas, and retina.

OCID: <WO 03089583A2_1 >

03/089583



(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, Cl, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE. AG. AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH. CN. CO. CR. CU. CZ. DE. DK. DM. DZ. EC. EE. ES. FI. GB. GD. GE. GH. GM. HR. HU. ID. IL. IN. IS. JP. KE. KG. KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK. MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC. SD. SE. SG. SK. SL. TJ. TM. TN. TR. TT. TZ. UA. UG. UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB. GR. HU. IE. IT. LU. MC. NL. PT. RO. SE. SI. SK. TR). OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML. MR. NE. SN. TD. TG)

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN. IS, JP. KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PH, PL, PT. RO, RU. SC, SD, SE, SG, SK, SL, TJ, TM. TN. TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ. TM). European patent (AT, BE, BG, CH, CY, CZ, DE, DK. EE. ES. FI, FR. GB. GR. HU. IE. IT, LU, MC. NL, PT. RO. SE. SI. SK. TR). OAPI patent (BF, BJ. CF, CG, CI. CM, GA. GN. GQ. GW. ML. MR. NE. SN. TD. TG)
- of inventorship (Rule 4.17(iv)) for US only

Published:

without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

10

15

20

25

30

TISSUE SPECIFIC GENES AND GENE CLUSTERS

This application claims the benefit of U.S. Application Serial Nos. 60/372,669 April 16, 2002, 60/374,823 filed April 24, 2002, 60/376,558 filed May 1, 2002, 60/381,366 filed May 20, 2002, 60/403,648 filed August 16, 2002, 60/411,882 filed September 20, 2002, and 60/424,336 filed November 7, 2002, which are hereby incorporated by reference in their entirety.

DESCRIPTION OF THE DRAWINGS

Figs. 1 and 2 show a physical map of the immune system gene complex. Sequence-tagged site ("STS") markers are used to characterize the chromosomal regions. An STS is defined by two short synthetic sequences (typically 20 to 25 bases each) that have been designed from a region of sequence that appears as a single-copy in the human genome (the reference numbers, and the sequences which they represent, are hereby incorporated by reference in their entirety). These sequences can be used as primers in a polymerase chain reaction (PCR) assay to determine whether the site is present or absent from a DNA sample.

Fig. 3 shows the expression pattern of transmembrane proteins homologous to the olfactory G-protein-coupled receptor ("GPCR") family in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 5 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Fig. 4 shows the expression pattern of two olfactory G-protein-coupled receptor ("GPCR") family members in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 6 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Figs. 5 (a and b) and 6 show the expression pattern in human tissues of genes selectively expressed in kidney tissue. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 11 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Fig. 7 (a-b) show organization of pancreatic gene complex on chromosome 11q24.

)OCID: <WO_____03089583A2_I, >

10

15

20

25

30

Fig. 8 is a schematic drawing of five of the pancreatic olfactory G-protein-coupled receptor ("GPCR") family members located in the gene complex showing regions of overlap. The numbering underneath the lines indicates amino acid position.

Fig. 9 (a and b) show the expression pattern of TMD0986, XM_061780 (TMD0987), XM_061781 (TMD0353), XM_061784 (TMD0989), and XM_061785 (TMD058) in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 12 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Fig. 10 shows the expression pattern of TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), and TMD0621 (XM_166205) in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 17 indicates the SEQ ID NO for each primer ("F-oligo" is the forward primer and "R-oligo" is the reverse primer).

Fig. 11 shows the organization of the spleen gene complex on chromosome 11q12.2.

Fig. 12 (a-c) shows the expression of the pancreas genes in human tissues. To detect gene expression, PCR was carried out on aliquots of the normalized tissue samples using a forward and reverse gene-specific primers. Table 23 indicates the SEQ ID NO for each primer ("FOR" is the forward primer and "REV" is the reverse primer).

Expression patterns were analyzed as described below. A twenty-four tissue panel was used (lanes from left to right): 1, adrenal gland; 2, bone marrow; 3, brain; 4, colon; 5, heart; 6, intestine; 7, pancreas; 8, liver; 9, lung; 10, lymph node; 11, lymphocytes; 12, mammary gland; 13, muscle; 14, ovary; 15, pancreas; 16, pituitary; 17, prostate; 18, skin; 19, spleen; 20, stomach; 21, testis; 22, thymus; 23, thyroid; 24, uterus. The lane at the far left of each panel contains molecular weight standards. Polyadenylated mRNA was isolated from tissue samples, and used as a template for first-strand cDNA synthesis. The resulting cDNA samples were normalized using beta-actin as a standard. For the normalization procedure, PCR was performed on aliquots of the first-strand cDNA using beta-actin specific primers. The PCR products were visualized on an ethidium bromide stained agarose gel to estimate the quantity of beta-actin cDNA present in each sample. Based on these estimates, each sample was diluted with buffer until each contained the same quantity of beta-actin cDNA per unit volume. PCR was carried out using the primers described above, and reaction

10

15

20

products were loaded on to an agarose (e.g., 1.5-2%) gel and separated electrophoretically.

DESCRIPTION OF THE INVENTION

The present invention relates to tissue-selective genes and tissue-selective gene clusters. The polynucleotides and polypeptides are useful in variety of ways, including, but not limited to, as molecular markers, as drug targets, and for detecting, diagnosing, staging, monitoring, prognosticating, preventing or treating, determining predisposition to, etc., diseases and conditions, associated with genes of the present invention. The identification of specific genes, and groups of genes, expressed in pathways physiologically relevant to particular tissues, permits the definition of functional and disease pathways, and the delineation of targets in these pathways which are useful in diagnostic, therapeutic, and clinical applications. The present invention also relates to methods of using the polynucleotides and related products (proteins, antibodies, etc.) in business and computer-related methods, e.g., advertising, displaying, offering, selling, etc., such products for sale, commercial use, licensing, etc.

Immune Gene Complex

The present invention relates to a group of genes involved in the function and activity of the immune system. These genes are organized into a discrete cluster at chromosomal location 1q22 (the "immune gene complex") and span hundreds of kb of DNA, e.g., about 700 kb of DNA. See, Figs. 1 and 2. The region closest to the centromere comprises genes that are expressed predominantly in the thymus, while the distal region comprises genes which are expressed predominantly in the bone marrow and other hematopoietic cells.

The present invention relates to a composition consisting essentially of the 1q22

immune gene complex, comprising TMD0024 (XM_060945), TMD1779 (XM_060946),

TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781

(XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890

(XM_060959) genes, or a fragment thereof comprising at least two said genes. As discussed in more detail, the composition can comprise or consist essentially of the chromosome region

between STS markers that define the genomic DNA, e.g., between SHGC-81033 and SHGC-145403, or a fragment thereof comprising at least two said genes.

10

15

20

25-

The CD1 family, a cluster of genes previously identified as coding for proteins involved in antigen presentation (Sugita and Brenner, Seminars in Immunology, 12:511-516, 2000), are located at the proximal boundary of the immune gene complex. The expression of CD1a, b, and c genes are restricted to professional antigen-presenting cells, including dendritic cells and some B-cell subsets (Sugita and Brenner, ibid). CD1d is present on other cell types, in addition to hematopoietic cells, such as intestinal cells (Sugita and Brenner, ibid).

Adjacent to the CD1 family, is a cluster of genes coding for transmembrane proteins homologous to the olfactory G-protein-coupled receptor ("GPCR") family. These genes include XM_060945 (TMD0024), XM_060346 (TMD1779), XM_060947 (TMD0884), and XM_060948 (TMD0025), and are expressed predominantly in thymus tissues (e.g., thymocytes). XM_089421 (TMD1781) is also expressed in thymus, but it is present in much higher amounts in lymphocytes ("PBL"). This chromosomal region can be defined by STS markers, e.g., between SHGC-81033 and D1S3249, G15944, GDB:191077, GDB:196442, RH68459, RH102597, RH69635, or RH65132, or fragments thereof, such as fragments which comprise two or more genes.

The gene for human erythroid alpha spectrin (SPTA1) is distal to the GPCR thymus-restricted family. It is expressed in bone marrow cells, and is localized to the red cell membrane (Wilmotte et al., Blood, 90(10):4188-96, 1997). Next to it, is another cluster of genes coding for proteins that resemble the olfactory GPCR family. These include XM_060956 (TMD0304), XM_060957 (TMD0888), and XM_060959 (TMD089), and are expressed predominantly in the bone marrow, although other sites of expression are observed as well. See, e.g., Table 1. This chromosomal region can be defined by STS markers, e.g., between GDB:181583 or RH118729, and D1S2577 or SHGC-145403.

The gene for myeloid cell nuclear differentiation antigen ("MNDA") is next. MNDA is also expressed in bone marrow cells, particularly in normal and neoplastic myelomonocytic cells and a subset of normal and neoplastic B lymphocytes (Miranda et al., Hum. Pathol., 30(9):1040-9, 1999).

The phrase "immune system" indicates any processes and cells which are involved in generating and carrying out an immune response. Immune system cells includes, but are not limited to, e.g., stem cells, pluripotent stem cell, myeloid progenitor, lymphoid progenitor,

15

20

25

30

lymphocytes, B-lymphocytes, T-lymphocytes (e.g., naive, effector, memory, cytotoxic, etc.), thymocytes, natural killer, erythroid, megakaryocyte, basophil, eosinophil, granulocytemonocyte, accessory cells (e.g., cells that participate in initiating lymphocyte responses to antigens), antigen-presenting cells ("APC"), mononuclear phagocytes, dendritic cells, macrophages, alveolar macrophages, etc., and any precursors, progenitors, or mature stages thereof.

Table 1 is a summary of the genes and their expression patterns in accordance with the present invention. The genes and the polypeptides they encode can be used as diagnostic, prognostic, therapeutic, and research tools for any conditions, diseases, disorders, or applications associated with the tissues and cells in which they are expressed.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

In view of their selectivity and display on the cell surface, the olfactory GPCR family members of the present invention are a useful target for histological, diagnostic, and therapeutic applications relating to the cells in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies to identify bone marrow and thymus tissue, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc.

Useful antibodies or other binding partners include those that are specific for parts of the

10

15

20

25

30

polypeptide which are exposed extracellularly as indicated in Table 2. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo (e.g., bone marrow cells or peripheral blood lymphocytes can be treated ex vivo and then returned to the body).

The expression patterns of the selectively expressed polynucleotides disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by a tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify an unknown tissue, to determine the origin of metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, to evaluate the toxicity of a compound on a tissue of interest, etc.

For example, the tissue-selective polynucleotides disclosed herein represent the configuration of genes expressed by a normal tissue. To determine the effect of a toxin on a tissue, a sample of tissue can be obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of tissue-selective probes can be used to assess the expression patterns for both the control and experimental samples. As discussed in more detail below, any suitable method can be used. For instance, a DNA microarray can be prepared having a set of tissue-selective genes arranged on to a small surface area in fixed and addressable positions. RNA isolated from samples can be labeled using reverse transcriptase and radioactive nucleotides, hybridized to the array, and then expression levels determined using a detection system. Several kinds of information can be extracted: presence or absence of expression, and the corresponding expression levels. The normal tissue would be expected to express substantially all the genes represented by the tissue-selective probes. The various experimental conditions can be compared to it to determine whether a gene is expressed, and how its levels match up to the normal control.

While the expression profile of the complete gene set represented by the sequences disclosed here may be most informative, a fingerprint containing expression information from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify

10

15

20

25

30

the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, because of heterogeneity of the population, as well differences in the particular physiological state of the tissue, a tissue's "normal" expression profile is expected to differ between samples, albeit in ways that do not change the overall expression pattern. As a result of these individual differences, each gene although expressed selectively in spleen, may not on its own 100% of the time be adequately enough expressed to distinguish said tissue. Thus, the genes can be used in any of the methods and processes mentioned above and below as a group, or one at a time.

Binding partners can also be used as to specifically deliver therapeutic agents to a tissue of interest. For example, a gene to be delivered to a tissue can be conjugated to a binding partner (directly or through a polymer, etc.), in liposomes comprising cell surface, and then administered as appropriate to the subject who is to be treated. Additionally, cytotoxic, cytostatic, and other therapeutic agents can be delivered specifically to the tissue to treat and/or prevent any of the conditions associated with the tissue of interest.

The present invention relates to methods of detecting immune system cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene selected from Table 1, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 3, 4, 8, 9, 14, 15, 22, 23, 27, 28, 35, 36, 42, 43, 49, 50, 57, and 58 (see, Table 5), and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting an immune system cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by gene selected from Table 1, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be

10

15

20

25

30

accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 2.

As indicated above, binding partners can be used to deliver agents specifically to the immune system, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to an immune cell can comprise, e.g., contacting an immune cell with an agent coupled to binding partner specific for a gene selected from Table 1 (i.e., TMD0024 (XM 060945), TMD1779 (XM 060946), TMD0884 (XM 060947), TMD0025 (XM 060948), TMD1780 (XM 089422), TMD1781 (XM 089421), TMD0304 (XM 060956), TMD0888 (XM 060957), and TMD0890 (XM 060959)), whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the immune system can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

The maturation of the immune system can also be modulated in accordance with the

15

20

25

30

present invention, e.g., by methods of modulating the maturation of an immune system cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 1, or a mammalian homolog thereof, whereby the maturation of an immune cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

The phrase "immune system cell maturation" includes indirect or direct effects on immune system cell maturation, i.e., where modulating the gene directly effects the maturational process by modulating a gene in a immune system cell, or less directly, e.g., where the gene is expressed in a cell-type that delivers a maturational signal to the immune system cell. Immune system maturation includes B-cell maturation, T-cell maturation, such as positive selection, negative selection, apoptosis, recombination, expression of T-cell receptor genes, CD4 and CD8 receptors, antigen recognition, MHC recognition, tolerization, RAG expression, differentiation, TCR expression, antigen expression, etc. See also below and, e.g., Abbas et al., *Cellular and Molecular Immunology*, 4th Edition, W.B. Saunders Company, 2000, e.g., Pages 149-160. Process include reception of a signal, such as cytokinin or other GPCR ligand. Any suitable agent can be used, e.g., agents that block the maturation, such as an antibody to a GPCR of Table 1, or other GPCR antagonist.

The interactions between lymphoid and non-lymphoid immune system cells can also be modulated comprising, e.g., contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 1, or a mammalian homolog thereof, whereby the interaction is modulated. Lymphoid cells, includes, e.g., lymphocytes (T- and B-), natural killer cells, and other progeny of a lymphoid progenitor cell. Non-lymphoid cells include accessory cells, such as antigen presenting cells, macrophages, mononuclear phagocytes dendritic cells, non-lymphoid thymocytes, and other cell types which do not normally arise from lymphoid progenitors. Interactions that can be modulated included, e.g., antigen presentation, positive selection, negative selection, progenitor cell differentiation, antigen expression, tolerization, TCR expression, apoptosis. See, also above and below, for other immune system processes.

Promoter sequences obtained from GPCR genes of the present invention can be utilized to selectively express heterologous genes in immune system cells. Methods of

expressing a heterologous polynucleotide in immune system cells can comprise, e.g., expressing a nucleic acid construct in immune system cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected from Table 5. In addition to the cell lines mentioned below, the construct can be expressed in primary cells, such as thymocytes, bone marrow cells, stem cells, lymphoid progenitor cells, myeloid progenitor cells, monocytes, antigen presenting cells, macrophages, and cell lines derived therefom, cell lines such as JHK3 (CRL-10991), KG-1 (CCL-246), KG-1a (CCL-246.1), U-937 (CRL-1593.2), VA-ES-BJ (CRL-2138), TUR (CRL-2367), ELI (CRL-9854), 28SC (CRL-9855), KMA (CRL-9856), THP-1 (TIB-2002), WEHI-274.1 (CRL-1679), M-NFS-60 (CRL-1838), MH-S (CRL-2019), SR-4987 (CRL-2028),NCTC 3749 (CCL-461), AMJ2-C8 (CRL 2455), AMJ2-C11 (CRL2456), PMJ2-PC (CRL-2457), EOC2 (CRL-2467), as well as any primary and established immune system cell lines.

15 Thymus

5

10

20

25

30

The thymus is the site of T-cell lymphocyte maturation. Immature lymphocytes migrate into the thymus from the bone marrow and other organs in which they are generated. The selection process that shape the antigen repertoire of T-cells takes place in the thymus organ. Both positive and negative selection processes take place. For a review, see, e.g., Abbas et al., Cellular and Molecular Immunology, 4th Edition, W.B. Saunders Company, 2000, e.g., Pages 126-130 and 149-160.

There are various diseases and disorders related to thymus tissue, including, but not limited to, thymic carcinoma, thymoma, Omenn syndrome, autoimmune diseases, allergy, Graves disease, Myasthenia gravis, thymic hyperplasia, DiGeorge syndrome, Good syndrome, promoting immune system regeneration after bone marrow transplantation, immuno-responsiveness, etc. The thymic selective genes and polypeptides encoded thereby can be use to treat or diagnose any thymic condition. For instance, chemotherapeutic and cytotoxic agents can be conjugated to thymic selective antibodies and used to ablate a thymoma or carcinoma. They can be used alone or in combination with other treatments. See, e.g., Graeber and Tamin, Semin. Thorac. Cardiovasc. Surg., 12:268-277, 2000; Loehrer, Ann. Med., 31 Suppl. 2:73-79, 1999.

Bone marrow

5

10

15

20

25

30

All circulating blood cells in the adult, including all immature lymphocytes, are produced in the bone marrow. In addition, the bone marrow is also the site of B-cell maturation. The marrow consists of a spongelike reticular framework located between long trabeculae. It is filled with fat cells, stromal cells, and precursor hematopoietic cells. The precursors mature and exit through the vascular sinuses

All the blood cells are believed to arise from a common stem cell. Lineages that develop from this common stem cell include, e.g., myeloid and lymphoid progenitor cells. The myeloid progenitor develops into, erythrocytes (erythroid), platelets (megokaryocytic), basophils, eosinophils, granulocytes, neutrophils, and monocytes. The lymphoid progenitor is the precursor to B-lymphocytes, T-lymphocytes, and natural killer cells.

There are various diseases and disorders related to bone marrow, including, not limited to, e.g., red cell diseases, aplastic anemia (e.g., where there is a defect in the myeloid stem cell), pure red cell aplasia, white cell diseases, leukopenia, neutropenia, reactive (inflammatory) proliferation of white cells and nodes such as leukocytosis and lymphadenitis, neoplastic proliferation of white cells, malignant lymphoma, Non-Hodgkin's Lymphomas, Hodgkins disease, acute leukemias (e.g., acute lymphoblastic leukemia, acute myeloblastic leukemia, myelodysplatic snydrome), chromic myeloid leukemia, chronic leukemia hairy cell leukemia, myeloproliferative disorders, plasma cell disorders, multiple myeloma, histiocytoses, etc.

Immune System Selective Genes

The present invention relates to genes involved in the function and activity of the immune system. XM_062147 (TMD0088) and XM_061676 (TMD0045) code for seven membrane spanning polypeptides which are homologous to members of the olfactory G-protein-coupled receptor ("GPCR") family. XM_062147 is expressed predominantly in bone marrow tissue, with no detectable expression in other tissues. XM_061676 is also expressed predominantly in bone marrow tissue, but it is detected in peripheral blood lymphocytes, as well. As discussed in more detail below, XM_062147 (TMD0088), XM_061676 (TMD0045), and the polypeptides they encode, can be used as diagnostic, prognostic, therapeutic, and research tools for any conditions, diseases, disorders, or applications

10

15

20

25.

30

associated with the immune system and the cells in which they are expressed.

In view of their selectivity and display on the cell surface, the GPCR family members of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., B-cells and B-cell progenitors) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies to identify bone marrow, lymphocytes, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 2. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo (e.g., bone marrow cells or peripheral blood lymphocytes can be treated ex vivo and then returned to the body). Ex vivo methods can be used to eliminate cancerous cells from the bone marrow, to modulate bone marrow cells, to prime bone marrow cells for an immune response, to expand a particular class of cells expressing XM 062147 (TMD0088) or XM_061676 (TMD0045), to transfer genes into said cells (e.g., Banerjee and Bertino, Lancet Oncol., 3:154-158, 2002), etc.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The phrase "immune system" indicates any processes and cells which are involved in

10

15

20

25

30

引等 強禁 人物の種

generating and carrying out an immune response. Immune system cells includes, but are not limited to, e.g., stem cells, pluripotent stem cell, myeloid progenitor, lymphoid progenitor, lymphocytes, B-lymphocytes, T-lymphocytes (e.g., naive, effector, memory, cytotoxic, etc.), thymocytes, natural killer, erythroid, megakaryocyte, basophil, eosinophil, granulocytemonocyte, accessory cells (e.g., cells that participate in initiating lymphocyte responses to antigens), antigen-presenting cells ("APC"), mononuclear phagocytes, dendritic cells, macrophages, etc., and any precursors, progenitors, or mature stages thereof.

XM_062147 contains seven transmembrane segments. It is located on chromosomal band 11q12 within proximity to the locus for an inherited form of atopic hypersenstivity (OMIM 147050, e.g., associated with asthma, hay fever, and eczema). It has been suggested that the condition is a result of defect in the regulation of immunoglobulin E. XM_061676 also is seven membrane spanning polypeptide. The chromosomal locus, 11p15, to which it maps is rich in genes associated with immune disorders, including Fanconi anemia, nucleoporin, myeloid leukemia, and T-cell lymphoblastic leukemia. Arthrogryposis multiplex congenita (distal type IIB) also maps closely to this chromosomal location.

The present invention relates to methods of detecting immune system cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene selected from Table 6, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 67, 68, 76, and 77 (see, Table 6), and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting an immune system cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by gene selected from Table 6, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be

XOCID: <WO_____03089583A2_I_>

10

15

20

25

30

accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc.

Useful epitopes include those exposed to the surface as indicated in Table 7.

As indicated above, binding partners can be used to deliver agents specifically to the immune system, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to an immune cell can comprise, e.g., contacting an immune cell with an agent coupled to binding partner specific for a gene selected from Table 6, whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the immune system can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos. 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

The maturation of the immune system can also be modulated in accordance with the present invention, e.g., by methods of modulating the maturation of an immune system cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 6, or a mammalian homolog thereof,

10

15

20

25

30

whereby the maturation of an immune cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

The phrase "immune system cell maturation" includes indirect or direct effects on immune system cell maturation, i.e., where modulating the gene directly effects the maturational process by modulating a gene in a immune system cell, or less directly, e.g., where the gene is expressed in a cell-type that delivers a maturational signal to the immune system cell. Immune system maturation includes B-cell maturation, T-cell maturation, such as positive selection, negative selection, apoptosis, recombination, expression of T-cell receptor genes, CD4 and CD8 receptors, antigen recognition, MHC recognition, tolerization, RAG expression, differentiation, TCR expression, antigen expression, etc. See also below and, e.g., Abbas et al., Cellular and Molecular Immunology, 4th Edition, W.B. Saunders Company, 2000, e.g., Pages 149-160. Processes include reception of a signal, such as cytokinin or other GPCR ligand. Any suitable agent can be used, e.g., agents that block the maturation, such as an antibody to a GPCR of Table 6, or other GPCR antagonist.

The interactions between lymphoid and non-lymphoid immune system cells can also be modulated comprising, e.g., contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from Table 6, or a mammalian homolog thereof, whereby the interaction is modulated. Lymphoid cells, includes, e.g., lymphocytes (T- and B-), natural killer cells, and other progeny of a lymphoid progenitor cell. Non-lymphoid cells include accessory cells, such as antigen presenting cells, macrophages, mononuclear phagocytes dendritic cells, non-lymphoid thymocytes, and other cell types which do not normally arise from lymphoid progenitors. Interactions that can be modulated included, e.g., antigen presentation, positive selection, negative selection, progenitor cell differentiation, antigen expression, tolerization, TCR expression, apoptosis. See, also above and below, for other immune system processes.

Promoter sequences obtained from GPCR genes of the present invention can be utilized to selectively express heterologous genes in immune system cells. Methods of expressing a heterologous polynucleotide in immune system cells can comprise, e.g., expressing a nucleic acid construct in immune system cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said

promoter sequence is selected from Table 6. In addition to the cell lines mentioned below, the construct can be expressed in primary cells, such as thymocytes, bone marrow cells, stem cells, lymphoid progenitor cells, myeloid progenitor cells, monocytes, B-cells, antigen presenting cells, macrophages, and cell lines derived therefrom.

5

10

15

20

Kidney Selective Genes

The present invention relates to genes and polypeptides which are selectively expressed in kidney tissues: TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108). These genes and polypeptides are expressed predominantly in kidney tissues, making them, and the polypeptides they encode, useful as selective markers for kidney tissue and function, as well as diagnostic, prognostic, therapeutic, and research tools for any conditions, diseases, disorders, or applications associated with the kidney and the cells in which they are expressed. TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108) includes both human and mammalian homologs of it. SEQ ID NOS 78-103 represent particular alleles, but the present invention relates to other alleles, including naturally-occurring polymorphisms (i.e., a polymorphism in the nucleotide sequence which is identified in populations of mammals) and homologs thereof. More information on these genes is summarized in Tables 8-11.

25

30

In view of their selectivity and display on the cell surface, the polypeptides and polynucleotides of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., juxtaglomerular cells which secrete renin, peritubular cells, endothelial cells, e.g., of the cortex and outer medulla, mesangial cells which secrete inflammatory mediators including NO and products of cyclooxygenase, visceral epithelial cells, parietal epithelial cells, podocytes, early proximal tubule cells which secrete, e.g., angiotensin converting enzyme and neutral endopeptidase, late distal tubule

10

15

20

25

30

cells that produce, e.g., prolyl endopeptidase, serine endopeptidase, carboxypeptidase, and neutral endopeptidase, renomedullary interstitial cells, etc) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies, to identify kidney, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 9. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The present invention relates to methods of detecting kidney cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108), or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below,

10

15

20

25

30

such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 104, 105, 107, 108, 111, 112, 115, 116, 119, 120, 122, 123, 126, 127, 131, 132, 135, 136, 138, 139, 142, 143, 145, 146, 149, 150, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a kidney cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108), or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 9.

As indicated above, binding partners can be used to deliver agents specifically to the kidney, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a kidney cell can comprise, e.g., contacting a kidney cell with an agent coupled to binding partner specific for TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108), whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the kidney can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target),

10

15

20

25

30

present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108) can be targeted, including, e.g., juxtaglomerular, peritubular, endothelial, mesangial, visceral epithelial, parietal epithelial, podocytes, early proximal tubule, late distal tubule, renomedullary interstitial, etc.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

A kidney cell (see above for examples of kidney cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a kidney cell, comprising, e.g., contacting said cell with an agent effective to modulate TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108), or the biological activity of a polypeptide encoded thereby, or a mammalian homolog thereof, whereby said kidney cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

10

15

20

25

30

An activity or function of the kidney cell can be modulated, including, e.g., glomerular filtration rate, filtration pressure, renal autoregulation (including via myogenic mechanism and tubuloglomerular feedback mechanism), tubular reabsorption, tubular secretion, and renal clearance. In addition, the transcription, translation, synthesis, degradation, expression, etc., of any secretory or polypeptide produced by a kidney cell can be modulated, including, but not limited to, renin-angiotensin activity, production and secretion of prostaglandins, nitric oxide, kallikrein, adenosine, endothelin, erythropoietin, and other hormones, enzymes, and other secretory and intracellular factors. The response of a kidney cell to stimuli can also be modulated, including, but not limited to, ligands to TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108), oxygen levels, blood pressure, etc.

The present invention also relates to polypeptide detection methods for assessing kidney function, e.g., methods of assessing kidney function, comprising, detecting a polypeptide coded for by TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108), fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of kidney function. Kidney function tests are usually performed to determine whether the kidney is functioning normally as a way of diagnosing kidney disease. Various tests are commonly used, including, e.g., BUN (blood urea nitrogen), serum creatinine, estimated GFR, ability to concentrate urine, BUN/creatine ratio, urine sodium and other electrolytes, urine NAG (N-acetyl-beta-glucosaminidase, adenosine deaminase, urinary alkaline phosphatase, serum and urine beta-2-microglobulin, serum uric acid, isotope scans, Doppler sonogram, positron emission tomography, specific gravity of urine, microalbumin, total protein, etc. Detection of TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148

(XM_087108) provides an additional assessment tool, especially in diseases such as chromic renal failure, urinary tract infections, kidney stones, nephrotic syndrome, nephritic syndrome, kidney disease due to diabetes or high blood pressure, etc., As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired kidney function. Values can be determined routinely, as they are for other kidney function markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc.

Promoter sequences obtained from genes of the present invention can be utilized to selectively express heterologous genes in kidney cells. Methods of expressing a heterologous polynucleotide in kidney cells can comprise, e.g., expressing a nucleic acid construct in kidney cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NOS 106, 109, 110, 113, 114, 117, 118, 121, 124, 125, 128-130, 133, 134, 137, 140, 141, 144, 147, 148, and 151. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

Kidney

10

15

20

25

30

The kidney maintains the constancy of fluids in an organism's internal environment, and is therefore of great importance in maintaining health and vitality. Each day, the kidney filters the blood, removing and concentrating toxins, metabolic wastes, and excess ions, allowing them to be excreted by the body in the form of urine. The excretory function of the kidney is performed by over one million blood units called nephrons, each a miniature blood filtering and processing unit. A nephron consists of a glomerulus, a tuft of capillaries, and a renal tubule. In addition to their excretory function, kidneys produce a number of different hormones, enzymes, and other secreted molecules, including the enzyme renin and the hormone erythropoietin. The kidney also is responsible for metabolizing vitamin D into its active form, calcitriol. For a full description of the kidney's function and structure, see, e.g., *Human Anatomy and Physiology*, Marieb, E.N., 3rd Edition, Benjamin/Cummings Publishing Company, Inc., 1995, pp 896-923.

The glomerulus is a high pressure capillary bed which filters out most substances smaller than large plasma proteins across the fenestrated glomerular epithelium, the

10

15

20

25-

30

intervening basement membrane, and the podocyte-containing visceral membrane of the glomerulus capsule. The external layer of the glomerulus is called the parietal layer, consisting predominaly of a squamous epithelium. This layer is structural. Underneath it, is the visceral layer which consists of the modified branching epithelial cells called podocytes. These sit on top of the fenestratrated glomerular endothelium. The glomerulus is connected to the renal tubule, a highly differentiated and long tube, having three major elements: the proximal convoluted tubule, the loop of Henel, and the distal convoluted tubule. Different regions of the tubule have different functions in absorption and secretion.

Renal cells produce a variety of different hormones and chemicals, including, prostaglandins, nitric oxide, kallikrein family, adenosine, endothelin family, renin, erythropoietin, aldosterone, antidiuretic hormone (vasopressin), natriuretic hormones, etc. Renin is involved in modulating blood pressure. It cleaves angiotensinogen, a plasma peptide, splitting off a fragment containing 10 amino acids called angiotensin I. Angiotensin I is cleaved by a peptidase secreted by blood vessels called angiotensin converting enzyme (ACE), producing angiotensin II, which contains 8 amino acids. Angiotensin II has many direct effects on blood pressure. Erythropoietin stimulates red blood cell production in the bone marrow.

TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108) can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the kidney. These include, but are not limited to, diseases that affect the four basic morphologic components, glomeruli, tubules, interstitium, and blood vessels. Diseases include, e.g., acute nephritic syndrome, nephritic syndrome, renal failure, urinary tract infections, renal stones, cystic diseases of the kidney, e.g., cystic renal dysplasia, polycystic disease (autosomal dominant and recessive types), medullary cystic disease, acquired cystic disease, renal cysts, parenchymal cysts, perihilar renal cysts (pyelocalyceal cysts, hilar lymphangitic cysts), glomerular diseases, diseases of tubules, tubulointerstitial diseases, tumors of the kidney, such as benign tumors (cortical adenoma, renal fibroma, renomedullary interstitial cell tumor), malignant tumors (renal cell carcinoma, hypernephroma,

adenocarcinoma of kidney, Wilms' tumor, nephroblastoma, urothelial carcinoma), renal coloboma, nephorblastoma, clear cell sarcoma of kidney (CCSK), rhabdoid tumor of kidney (RTK), von Hippel-Lindau disease, oncocytoid renal cell carcinoma (RCC), renal leiomyoblastoma, etc. TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108) can also be used for staging and classifying conditions and diseases of the present invention, alone, or in combination with conventional staging and classification schemes.

10

15

20

25.

30

5

Pancreatic Gene Complex

The present invention relates to a cluster of olfactory GPCR (G-protein coupled) receptor genes located at chromosomal band 11q24. These genes are expressed predominantly in pancreatic tissue, establishing this region of chromosome 11 as a unique gene complex involved in pancreatic function. See, Table 12. Because of their exquisite selectivity for pancreatic tissues, the pancreatic gene complex ("PGC"), and the genes which comprise it, are useful to assess pancreas tissue and function for diagnostic, prognostic, therapeutic, and research purposes.

The spatial organization of the pancreatic gene complex ("PGC") is illustrated in Fig. 7. It spans several hundred kilobases of chromosome 11, e.g., from about LOC160205 to LOC119954, from about LOC119944-LOC119954, and any part thereof. Within this region, is a cluster of genes coding for polypeptides which share sequence identity with the olfactory GPCR family. These include, but are not limited to, TMD0986, XM_061780 (TMD0987), XM_061781 (TMD0353), XM_061784 (TMD0989), XM_061785 (TMD058). Fig. 8 illustrates the relationship between the lengths of the different coding sequences. As shown in the figure, XM_061784 is shorter at its C-terminus than the other family members.

As members of the GPCR family, the PGC genes all share a degree of amino acid sequence identity and similarity. See, Table 14 for values (% sequence identity is the first place; % sequence similarity is in parenthesis in the second place; calculations were performed using the publicly-available BLASTP pair-wise alignment program). TMD0986, XM_061780, XM_061781, and XM_061785 each share about 40% sequence identity.

10

15

20

30

BLAST searching of publicly available sequences indicates that these polypeptides share less amino acid sequence identity with each other than they do with other olfactory GPCR homologs located elsewhere in the genome. Significantly higher amino acid sequence identity – 81% – is observed between the adjacent genes XM_061784 and XM_061785. These genes appear to be part of a sub-cluster within PGC that share high polypeptide similarity between them.

The phrase "a gene of Table 12" which is used throughout the description include the specific sequences for the listed XM numbers as well as other human alleles, and mammalian homologs, such as murine homologs. For example, Table 14 lists several of the mouse homologs that are included in the present invention. While SEQ ID NOS. 152, 153, 162, 163, 167, 168, 171, 172, 175, and 176 may represent particular alleles, the present invention relates to other alleles, as well, including naturally-occurring polymorphisms (i.e., a polymorphism in a nucleotide sequence which is identified in populations of mammals).

TMD0986 (SEQ ID NO 152 and 153) is a full-length sequence of the previously identified XM_061779. It contains an additional 117 amino acids not present in XM_061779. The present invention relates to nucleic acids comprising or consisting essentially of this sequence in its entirety (e.g., amino acids 1-314), comprising or consisting essentially of nucleic acids coding for amino acids 1-117, and comprising or consisting essentially of fragments of nucleic acids coding for amino acids 1-117. Polypeptides encoded by these nucleic acids are also claimed, including polypeptide fragments of 1-117, such as 1-23, 79-97, 164-198, 261-274, and other extracellularly exposed peptides. In addition, the present invention relates to binding partners, such as antibodies, that bind to epitopes within amino acids 1-117 (e.g., SEQ ID NO 153).

25 Pancreas

Diabetes and other pancreatic disorders are a major health concern. Worldwide, it is estimated that 5-10% of the population suffers from some form of diabetes. Pancreatic cancer is the fifth leading cause of cancer-related mortality. In 2002, it was estimated that about 30,000 Americans would be diagnosed with pancreatic cancer, and 90% would die within 12 months. Despite the prevalence of pancreatic disease, the genetics and physiology of normal pancreatic function and pancreatic disease is still poorly understood.

10

15

20

30

The pancreas is a mixed gland comprised of exocrine and endocrine tissues. The exocrine portion comprises about 80-85% of the organ. It is divided into lobes by connective tissue septa, and each lobe is divided into several lobules. These lobules are composed of grape-like clusters of secretory cells that form sacs known as acini. An acinus is a functional unit of the pancreatic exocrine gland. All acini drain into interlobular ducts which merge to form the main pancreatic duct. It, in turn, joins together with the bile duct from the liver to form the common bile duct that empties into the duodenum. Pancreatic acinar cells make up more than 80% of the total volume of the pancreas and function in the secretion of the various enzymes that assist digestion in the gastrointestinal tract. Scattered among the acinar cells are approximately a million pancreatic islets ("islets of Langerhans") that secrete the pancreatic endocrine hormones. These dispersed islets comprise approximately 2% of the total volume of the pancreas.

The basic function of the pancreatic endocrine cells is to secrete certain hormones that participate in the metabolism of proteins, carbohydrates, and fats. The hormones secreted by the islets include, e.g., insulin, glucagon, somatostatin, pancreatic polypeptide, amylin, adrenomedullin, gastrin, secretin, and peptide-YY. See, also, Shimizu et al., Endocrin., 139:389-396, 1998. The islets contain about four major and two minor cell types. The major cell types are alpha (glucagon producing), beta (insulin and amylin producing), delta (somatostatin producing which suppresses both insulin and glucagon release), and F (pancreatic polypeptide and adrenomedullin producing) cells. The minor cell types are D1 (produce vasoactive intestinal peptide or VIP) and enterochromaffin (produce serotonin) cells. The cells can be distinguished, e.g., by their morphology, hormonal content, and polynucleotide expression patterns.

The ability of the pancreas to respond to a wide variety of metabolic signals is conferred by an expression profile comprising a rich assortment of receptor proteins. G-25 protein coupled receptors have been previously identified in the pancreas, including, e.g., receptors for glucagon, secretin, CCK (e.g., Roettger et al., J. Cell Biol., 130:579-590, 1995), purines (e.g., P2 purinoreceptors), gastrin, KiSS-1 peptides (e.g., Kotani et al., J. Biol. Chem., 276:34631-6, 2001), adrenomedullin (Martinez et al., Endocrin., 141:406, 2000), and interleukins. G-protein subunits have also been localized to the pancreas, including Gproteins which were previously associated with the olfactory epithelium. See, e.g., Zigman et

10

15

20

25

30

al., *Endocrin.*, 133:2508-2514, 1993. In addition, pancreatic cells express neurotropin, neurotensin, and interleukin receptors.

As mentioned, the pancreas is sensitive to a variety of metabolic, soluble and hormonal signals involved in regulating blood sugar, modulating synthesis and release of pancreatic digestive enzymes, and other physiologically important processes involved in pancreas function. In analogy to the ability of olfactory receptors to detect odors and pheromones in the environment, the pancreatic GPCRs of the present invention can be used to "sniff" out and respond to various ligands in the blood which pass through the pancreas, including peptides, metabolites, and other biologically-active molecules. Biological activities include, but are not limited to, e.g., regulation of blood sugar, modulation of all aspects of the various secreted polypeptides (hormones, enzymes, etc.) produced by the pancreas, ligand-binding, exocytosis, amylase (and any of the other 20 or so digestive enzymes produced by the pancreas) secretion, autocrine responses, apoptosis (e.g., in the survival of beta-islet cells), zymogen granule processing, G-protein coupling activity, etc.

The polynucleotides, polypeptides, and ligands thereto, of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of pancreas. These include, but are not limited to, e.g., disorders associated with loss or mutation to 11q24, such as Jacobsen syndrome (OMIM #147791), cystic fibrosis, acute and chronic pancreatitis, pancreatic abscess, pancreatic pseudocyst, nonalcoholic pancreatitis, alcoholic pancreatitis, classic acute hemorrhagic pancreatitis, chronic calcifying pancreatitis, familial hereditary pancreatitis, carcinomas of the pancreas, primary (idiopathic) diabetes (e.g., Type I (insulin dependent diabetes mellitus, IDDM) [insulin deficiency, beta cell depletion], Type II (non-insulin dependent diabetes mellitus, NIDDM) [insulin resistance, relative insulin deficiency, mild beta cell depletion]), nonobese NIDDM, obese NIDDM, maturity-onset diabetes of the young (MODY), islet cell tumors, diffuse hyperplasia of the islets of Langerhans, benign adenomas, malignant islet tumors, hyperfunction of the islets of Langerhans, hyperinsulinism and hypoglycemia, Zollinger-Ellison syndrome, beta cell tumors (insulinoma), alpha cell tumors (glucagonoma), delta cell tumors (somatostatinoma), vipoma (diarrheogenic islet cell tumor), pancreatic cancers, pancreatic carcinoid tumors, multihormonal tumors, multiple endocrine neoplasia (MEN), MEN I (Wermer syndrome), MEN II (Sipple syndrome), MEN III or IIb, pancreatic endocrine tumors, etc.

10

15

20

25

30

In view of its selectivity and display on the cell surface, the olfactory GPCR family members of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., pancreatic progenitor, exocrine, endocrine, 5 acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells, in biopsies to identify bone marrow, lymphocytes, etc. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 14. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The present invention relates to methods of detecting pancreas cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene of Table 12, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and

10

15

20

25

30

technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 154, 155, 164, 165, 169, 170, 173, 174, 177, and 178, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a pancreas cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by a polypeptide of Table 12, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface as indicated in Table 14.

As indicated above, binding partners can be used to deliver agents specifically to the pancreas, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a pancreas cell can comprise, e.g., contacting a pancreas cell with an agent coupled to a binding partner specific for a polypeptide coding for a gene of Table 12, whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the pancreas can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by a gene of Table 12 can be targeted, including, e.g., pancreatic progenitor, exocrine, endocrine, secretory, acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.

lmaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body.

10

15

25

30

Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose. See, Bruehlmeier et al., *Nucl. Med. Biol.*, 29:321-327, 2002, for imaging pancreas using labeled receptor ligands. Antibodies and other ligands to receptors of the present invention can be used analogously.

A pancreas cell (see above for examples of pancreas cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a pancreas cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene of Table 12, or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NO 153, 163, 168, 172, or 176), or a mammalian homolog thereof, whereby said pancreas cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

An activity or function of the pancreas cell can be modulated, including, e.g., regulation of blood sugar, modulation of all aspects of the various secreted polypeptides (hormones, enzymes, etc.) produced by the pancreas, ligand-binding, exocytosis, amylase (and any of the other 20 or so digestive enzymes produced by the pancreas) secretion, autocrine responses, apoptosis (e.g., in the survival of beta-islet cells), etc.

The present invention also relates to polypeptide detection methods for assessing pancreas function, e.g., methods of assessing pancreas function, comprising, detecting a polypeptide coded for by a gene of Table 12, fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of pancreas function. Pancreas function tests are usually performed to determine whether the pancreas is functioning normally as a way of diagnosing pancreas disease. Various tests are commonly used, including, e.g., assays for the presence of pancreatic enzymes in body fluids (e.g.,

10

15

20

25

amylase, serum lipase, serum trypsin-like immuoreactivity), studies of pancreatic structure (e.g., using x-ray, sonography, CT-scan, angiography, endoscopic retrograde cholangiopancreatography), and tests for pancreatic function (e.g., secretin-pancreozymin (CCK) tst, Lundh meal test, Bz-Ty-PABA test, chymotrypsin in feces, etc). Detection of a polypeptide coded for by a gene of Table 12 provides an additional assessment tool, especially in diseases such as pancreatitis and pancreatic cancer where pancreatic markers can appear in the blood, stool, urine, and other body fluids. As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired pancreas function. Values can be determined routinely, as they are for other markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc., in analogy to the tests for pancreatic enzymes in body fluids.

Promoter sequences obtained from GPCR genes of the present invention can be utilized to selectively express heterologous genes in pancreas cells. Methods of expressing a heterologous polynucleotide in pancreas cells can comprise, e.g., expressing a nucleic acid construct in pancreas cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NOS 156-161, 166, 179, or 180. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

The genes and polypeptides of Table 12 can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the pancreas as mentioned above. The present invention relates to methods of identifying a pancreatic disease or pancreatic disease-susceptibility, comprising, e.g., determining the association of a pancreatic disease or pancreatic disease-susceptibility with a nucleotide sequence present within the pancreatic gene complex. An association between a pancreas disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target.

Any region of the pancreatic gene complex can be used as a source of the DNA marker (e.g., a nucleotide sequence present with PGC), including, e.g., TMD0986,

10

15

20

25

30

XM_061780 (TMD0987), XM_061781 (TMD0353), XM_061784 (TMD0989), XM_061785 (TMD058), and any part thereof, introns, intergenic regions, any DNA from about 29160-29310 kb of 11q24, NT_009215, etc.

Human linkage maps can be constructed to establish a relationship between a region within 11q24 and a pancreatic disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the various individual molecular markers. Maps can be produced individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identity the gene responsible for the phenotype.

Retina Selective Gene

The present invention relates to NM 013941 (GPCR181 or OR10C1), a multiple transmembrane spanning polypeptide which shares sequence identity with the olfactory Gprotein coupled receptor (GPCR) family. Like other GPCR, NM 013941 has seven transmembrane domains, at about amino acid positions 20-42, 54-76, 91-113, 134-156, 190-212, 233-255, and 265-287, of SEQ ID NO 182. It is located at about chromosomal band 6p21.31-22.2. There are several other GPCRs located nearby (e.g., OR2B3, AL022727; OR2J3, AL022727). NM 013941 is highly expressed in brain tissue, at lower levels in heart, pituitary, and skin, and at minimally detectable levels in colon, small intestine, kidney, lymphocytes, and mammary gland. In the neuronal tissue, it was selectively expressed in the retina, but was not detected in any other brain tissue regions. The selective expression of NM_013941 in the retina makes it useful as a marker for retinal tissue, e.g., in stem cell cultures and biopsy samples, as well as a diagnostic, prognostic, therapeutic, and research tool for any conditions, diseases, disorders, or applications associated with the retina and the cells in which it is expressed. NM 013941 includes both human and mammalian homologs of it (e.g., mouse XM_111729 which is similar to olfactory receptor MOR263-6). SEQ ID NOS. 181 and 182 represent a particular allele of NM 013941; the present invention relates to other alleles, as well, including naturally-occurring polymorphisms (i.e., a polymorphism in the nucleotide sequence which is identified in populations of mammals).

10

15

20

25-

30

The chromosomal region within which NM_013941 is located comprises a number of genes involved in retinal function. These include, e.g., retinal cone dystrophy (OMIM 602093) which appears to be a result of mutation in guanylate cyclase activator-1A (e.g., Payne et al., *Human Molec. Genet.*, 7:273-277, 1998), retinal degeneration slow (OMIM 179605) which appears to be a defect in specific retinal protein homologous to rod outer segment protein-1, retinitis pigmentosa-7, retinitis pigmentosa-14 (OMIM 600132) which is associated with a mutation in the tubby-like protein TULP1 (e.g., Banerjee et al., *Nature Genet.*, 18:177-179, 1998; Hagstrom et al., *Nature Genet.*, 18:174-176, 1998), and others. Thus, this region appears to be important in eye function.

In view of its selectivity and display on the cell surface, the olfactory GPCR family members of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to retinal cells. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat retinal carcinomas (e.g., retinoblastoma) in analogy to how c-erbB-2 antibodies are used to breast cancer. See, e.g., Hayashi et al., *Invest. Ophthalmol. Vis. Sci.*, 40:265-72, 1999 for an example treating retinoblastoma using HSV-TK. Transfer of the gene into the retinal cells can be achieved by incorporating the gene into liposomes which have been made cell-selective by incorporating a NM_013941 specific antibody into its bilayer. See, also, Wu and Wu, *J. Biol. Chem.*, 262: 4429-4432, 1987.

The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule

10

15

20

25-

30

comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

The present invention relates to methods of detecting retinal cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for NM_013941 (e.g., SEQ ID NOS 181), or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 183 and 184, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a retinal cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by NM_013941 (e.g., SEQ ID NO 182), or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface.

As indicated above, binding partners can be used to deliver agents specifically to the retina, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a retinal cell can comprise, e.g., contacting a retinal cell with an agent coupled to binding partner specific for NM_013941 (SEQ ID NO 182), whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the retinal can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent

is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by NM_013941 can be targeted, including, e.g., pigmented epithelial cells, photoreceptor cells, cones, rods, bipolar cells, ganglion cells, etc.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose.

A retinal cell (see above for examples of retinal cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a retinal cell, comprising, e.g., contacting said cell with an agent effective to modulate NM_013941, or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NO 182), or a mammalian homolog thereof, whereby said retinal cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

Any activity or function of the retinal cell can be modulated, including, e.g., light reception, phototransduction, excitation of rods, excitation of cones, metabolism of vitamin A, retinal, rhodopsin, and other functional molecules, cGMP binding and hydrolysis, sodium channel flux, membrane potential, phosphodiesterase activity, G-protein activity and coupling, vitamin A processing, sodium pump activity, calcium flux, etc. The response of a retinal cell to stimuli can also be modulated, including, but not limited to, ligands to

5

10

15

20

25

30

NM_013941, light, ion levels, second messenger levels, etc.

Promoter sequences can be utilized to selectively express heterologous genes in retinal cells. Methods of expressing a heterologous polynucleotide in retinal cells can comprise, e.g., expressing a nucleic acid construct in retinal cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is obtained from NM_01394, e.g., on genomic NT_007592. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

10 Retina

5

15

20

25

30

The retina is a two-layered structure located on the back of the eye. It is the primary organ responsible for vision. The outer pigmented layer is comprised of pigmented epithelial cells that absorb light, preventing it from scattering in the eye, and store vitamin A needed by the photoreceptor cells. The inner neural layer is comprised of three main cell types: photoreceptor cells, bipolar cells, and ganglion cells. The local currents generated by a light stimulus spreads from the photoreceptor cells to the bipolar cells, and then on to the innermost ganglion cells. The optic disc is the exit site of the retinal ganglion axons which then bundle into the optic nerve

Photoreceptors consist of rods and cones which are the photosensitive cells of the retina. Each rod and cone elaborates a specialized cilium, called the outer segment, that contains the phototransduction machinery. The rods contain a specific light-absorbing visual pigment, rhodopsin. In humans, there are three classes of cones, each characterized by the expression of distinct visual pigments: the blue cone, green cone and red cone pigments. Each type of visual pigment protein is tuned to absorb light maximally at different wavelengths. The rod rhodopsin mediates scotopic vision (in dim light), whereas the cone pigments are responsible for photopic vision (in bright light). The red, blue and green pigments also form the basis of color vision.

NM_013941 can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the retinal. These include, but are not limited to, diseases that affect the basic morphologic components as mentioned above, e.g., the outer and inner cell layers, and the optic nerve the retina. Diseases include, e.g.,

10

15

20

25

30

retinal degeneration, retinal degenerations such as retinitis pigmentosa, Bardet-Biedl syndrome, Bassen-Kornzweig syndrome (abetalipoproteinemia), Best disease (vitelliform dystrophy), choroidemia, gyrate atrophy, congenital amaurosis, Refsum syndrome, Stargardt disease, Usher syndrome, macular degeneration (dry and wet forms), diabetic retinopathy, peripheral vitreoretinopathies, photic retinopathies, surgery-induced retinopathies, viral retinopathies (such as HIV retinopathy related to AIDS), ischemic retinopathies, retinal detachment, traumatic retinopathy, optic neuropathy, optic neuritis, ischemic optic neuropathy, Leber optic neuropathy, diseases of Bruch's membrane, glaucoma, cancer, retinoblastoma, cancer- associated retinopathy syndrome (CAR syndrome), melanoma-associated retinopathy (MAR), etc. NM_013941 can also be used for staging and classifying conditions and diseases of the present invention, alone, or in combination with conventional staging and classification schemes.

Spleen Gene Cluster

The present invention relates to a cluster of transmembrane and GPCR-type receptor genes located at chromosomal band 11q12.2. The genes of the present invention are expressed predominantly in the spleen (e.g., Fig. 10, lane 19) (hence, "spleen gene" cluster), as well as other tissues of the immune and reticuloendothelial system (RES), establishing this region of the chromosome as a unique gene complex involved in spleen, lymphoid, and/or reticuloendothelial function. TMD1030 and TMD0621 are highly expressed in spleen tissue, with insignificant levels in other tissues. In addition to spleen. TMD1029 and TMD1029 show significant expression in the liver and lymphocytes, as well. Because of their selectivity for spleen, lymphoid, and/or reticuloendothelial tissues, the gene complex, and the chromosomal region which comprises it, are useful to assess spleen, lymphoid, and/or reticuloendothelial tissue function and for diagnostic, prognostic, therapeutic, and research purposes. Information on the genes is summarized in Tables 15-19.

The spatial organization of the gene complex is illustrated in Fig. 11. The complex spans about at least 100 kb, from about EST markers G62658, SHGC-82134, etc. (located at the end closest to the centromere and TMD1030) to SHGC-154002, SHGC-9433, etc. (located at the end furthest from the centromere and TMD0621). All the genes have the same orientation of transcription. TMD1799 (XM_166849) (SEQ ID NO 193-194), located at the

10

15

20

25

30

upper region, shows very high expression in lymphocytes, but only marginal expression in spleen, indicating that expression in lymphocytes may predominate at the boundaries of the gene complex. In the lower region, TMD1027 (XM_166856) (SEQ ID NO 195-196), spleen expression virtually disappears, while lymph node expression becomes very high. The present invention includes this entire region, and any parts thereof. For instance, the present invention includes any DNA fragments within it which confer the observed tissue specificities described herein.

The gene complex is involved in spleen, immune, and RES functions. The spleen is located in the left upper region of the abdomen. In the adult, it weights about 90-180 grams, and is about 15 by 7.5 cm in size. The spleen is anatomically and functionally compartmentalized into two distinct regions, the red and white pulp. The red pulp comprises blood vessels interwoven with connective tissue ("pulp cords") that is lined with reticuloendothelial cells. It possesses a blood filtering function, removing opsonized cells and trapping abnormal red blood cells. It also is a storage reservoir for platelets and other blood cells. In the fetus, the red pulp has a hematopoietic function. Inside the red pulp, is lymphoid tissue know as the white pulp. Antibodies are made inside the white pulp. Similar to other lymphatic tissues, B- and T-cell's mature inside the white pulp, where they are involved in antigen presentation and lymphocyte maturation. The white pulp is clustered around the periarteriolar lymphoid sheath, and is comprised of follicles and marginal zone.

Naive B-cells are located in the primary follicle, memory cells, macrophages, and dendritic cells in the secondary follicle, and macrophages and B-cells in the marginal zone. The integrins LFA-1 and alpha4-beta1 are involved in localization of the B-cells to the marginal zone of the white pulp (Lu and Cyster, Science, 297:409, 2002).

The reticuloendothelial system (RES) is a multi-organ phagocytic system involved in removing particulates from the blood. It is comprised of the spleen and liver. It has the ability to sequester inert particles and dyes. Cells of the RES system include, macrophages, liver Kuppfer cells, endothelial cells lining the sinusoids of the liver, spleen, and bone marrow, and reticular cells of lymphatic and bone marrow tissues.

The polynucleotides, polypeptides, and ligands thereto, of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of spleen, lymphoid, and/or reticuloendothelial tissues. These include, but are not limited to, splenomegaly, hypersplenism, hemolytic anemis, hereditary

10

15

20

25

30

spherocytosis, hereditary eliptocytosis, thalassemia minor and major, autoimmune hemolytic anemia, thrombocytopenia, idiopathic thrombocytopenic purpura, immunologic thrombocytopenia associated with chronic lymphocytic leukemia or systemic lupus erythematosis, TTP, leukemia, lymphoma, primary and metastatic tumors, splenic cysts, infection, inflammatory diseases, anemias, blood cancers, etc. See, Table 19 for other examples.

In view of their selectivity and display on the cell surface, the genes of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., reticuloendothelial cells, macrophages, Kupffer cells, monocytes, B-lymphocytes, T-lymphocytes, etc) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to treat breast cancer. They can also be used to detect metastatic cells in biopsies. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly. See, Table 16. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types. TMD1030 and TMD0621 are predominantly and selectively expressed in spleen tissue.

10

15

20

30

The expression patterns of the selectively expressed polynucleotides disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by a tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify an unknown tissue, to determine the origin of metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, to evaluate the toxicity of a compound on a tissue of interest, etc.

For example, the tissue-selective polynucleotides disclosed herein represent the configuration of genes expressed by a normal tissue. To determine the effect of a toxin on a tissue, a sample of tissue can be obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of tissue-selective probes can be used to assess the expression patterns for both the control and experimental samples. As discussed in more detail below, any suitable method can be used. For instance, a DNA microarray can be prepared having a set of tissue-selective genes arranged on to a small surface area in fixed and addressable positions. RNA isolated from samples can be labeled using reverse transcriptase and radioactive nucleotides, hybridized to the array, and then expression levels determined using a detection system. Several kinds of information can be extracted: presence or absence of expression, and the corresponding expression levels. The normal tissue would be expected to express substantially all the genes represented by the tissue-selective probes. The various experimental conditions can be compared to it to determine whether a gene is expressed, and how its levels match up to the normal control.

While the expression profile of the complete gene set represented by the sequences disclosed here may be most informative, a fingerprint containing expression information 25from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, because of heterogeneity of the population, as well differences in the particular physiological state of the tissue, a tissue's "normal" expression profile is expected to differ

10

15

20

25

30

between samples, albeit in ways that do not change the overall expression pattern. As a result of these individual differences, each gene although expressed selectively in spleen, may not on its own 100% of the time be adequately enough expressed to distinguish said tissue. Thus, the genes can be used in any of the methods and processes mentioned above and below as a group, or one at a time.

The present invention relates to methods of detecting spleen, lymphoid, and/or reticuloendothelial cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include SEQ ID NOS 197-204 listed in Table 17, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g., monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a spleen, lymphoid, and/or reticuloendothelial cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by a polypeptide of the present invention, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface. Detection can be useful for assessing spleen integrity, e.g., when it is suspected that the spleen is damaged and undergoing deterioration. The appearance of polypeptides of the present invention in body fluids, such as blood, can indicate spleen damage, including neoplastic and/or apoptotic changes.

As indicated above, binding partners can be used to deliver agents specifically to the spleen, lymphoid, and/or reticuloendothelial tissues, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a spleen, lymphoid, and/or

B-lymphocytes, T-lymphocytes, etc.

5

10

15

20

reticuloendothelial cell can comprise, e.g., contacting a spleen, lymphoid, and/or reticuloendothelial cell with an agent coupled to a binding partner specific for a polypeptide coding for TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM 166205), whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the spleen, lymphoid, and/or reticuloendothelial tissue can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parenterally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by TMD1030 (XM 166853), TMD1029 (XM 166854), TMD1028 (XM 166855), or TMD0621 (XM 166205) can be targeted, including, e.g., reticuloendothelial cells, macrophages, Kupffer cells, lymphocytes,

Antibodies (alone or conjugated to active agents) can be used to ablate spleen and other tissues. For instance, in diseases where splenectomy is indicated (e.g., immune thrombocytopenic purpura, autoimmune hemolytic anemia, blood cell disorders, myeloproliferative disorders, tumors, hypersplenism, etc.), antibodies to TMD1030 and TMD0621 can be used to ablate spleen tissue, or block spleen function.

other binding partners that selectively target contrast agents to a specific site in the body.

Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintiographic imaging. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917, 6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The

10

15

20

25-

30

methods described therein can be used generally to associate a partner with an agent for any desired purpose. See, Bruehlmeier et al., *Nucl. Med. Biol.*, 29:321-327, 2002, for imaging using labeled receptor ligands. Antibodies and other ligands to receptors of the present invention can be used analogously.

A cell (see above for examples of spleen, lymphoid, and/or reticuloendothelial cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a spleen, lymphoid, and/or reticuloendothelial cell, comprising, e.g., contacting said cell with an agent effective to modulate TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NOS 185-192), or a mammalian homolog thereof, whereby said spleen, lymphoid, and/or reticuloendothelial cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

Any activity or function of the spleen, lymphoid, and/or reticuloendothelial tissues can be modulated, including, e.g., immune modulation (e.g., modulating antigen presentation, antibody production and secretion, humoral and cellular responses, etc.), sequestration and removal of red blood cells, clearance of microorganisms and particular antigens from blood, migration into the marginal zone or other immune and RES compartments, etc.

The present invention also relates to polypeptide detection methods for assessing spleen, lymphoid, and/or reticuloendothelial tissue function, e.g., methods of assessing spleen, lymphoid, and/or reticuloendothelial function, comprising, detecting a polypeptide coded for by TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of spleen, lymphoid, and/or reticuloendothelial function. spleen, lymphoid, and/or reticuloendothelial function tests are usually performed to determine whether the spleen, lymphoid, and/or reticuloendothelial tissue is functioning normally as a way of diagnosing spleen, lymphoid, and/or reticuloendothelial disease. Various tests are commonly used, including, e.g., 99Tc-colloid liver-spleen scan, computed tomography, ultrasound scanning of left upper quandrant, MRI,

liver enzymes, etc.

10

15

20

25

30

Detection of a polypeptide coded for by TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), provides an additional assessment tool, especially in diseases or disorders, such as splenomegaly, hypersplenism, or ruptured spleen, where said polypeptides can appear in the blood, stool, urine, and other body fluids. As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired spleen, lymphoid, and/or reticuloendothelial function. Values can be determined routinely, as they are for other markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc., in analogy to the tests for enzymes and other proteins in body fluids.

Promoter sequences obtained from genes of the present invention can be utilized to selectively express heterologous genes in cells. Methods of expressing a heterologous polynucleotide in cells, e.g., spleen, lymphoid, and/or reticuloendothelial cells can comprise, e.g., expressing a nucleic acid construct in spleen, lymphoid, and/or reticuloendothelial cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NOS 205-213. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

The genes and polypeptides of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the spleen, lymphoid, and/or reticuloendothelial tissues mentioned above. The present invention relates to methods of identifying a genetic basis for a disease or disease-susceptibility, comprising, e.g., determining the association of a spleen, lymphoid, and/or reticuloendothelial disease-susceptibility with the gene complex of the present invention, e.g., a nucleotide sequence present in the gene complex at 11q12.2. An association between a spleen, lymphoid, and/or reticuloendothelial disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target.

Any region of the gene can be used as a source of the DNA marker, exons, introns,

10

15

20

25

30

intergenic regions, or any DNA from the gene cluster of the present invention at chromosomal region 11q12.2, etc.

Human linkage maps can be constructed to establish a relationship between a gene and a spleen, lymphoid, and/or reticuloendothelial disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the various individual molecular markers. Maps can be produced for an individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identity the gene responsible for the phenotype.

The present invention also relates to methods of expressing a polynucleotide in spleen, lymphoid, and/or reticuloendothelial tissue, comprising, e.g., inserting a polynucleotide, which is operably linked to an expression control sequence, into the spleen, lymphoid, and/or reticuloendothelial gene complex at chromosomal location 11q12.2 of a target cell, and growing said cell under conditions effective to express said polynucleotide.

The polynucleotide of interest can be inserted into the target chromosomal region by any suitable method, including, e.g., by gene targeting methods, such as homologous recombination, or by random insertion methods where transformed cells are subsequently screened for insertion into the desired chromosomal site. Chromosome engineering methods are discussed in more detail below, e.g., in the section on transgenic animals. By the phrase "spleen, lymphoid, and/or reticuloendothelial gene complex," it is meant the region of the chromosome in which the cluster of genes, e.g., TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), and TMD0621 (XM_166205), of the present invention are located. Inserting an expressible polynucleotide (e.g., a polynucleotide operably linked to a promoter sequence) into this region confers the tissue expression selectivity which is characteristic of the gene cluster. Any polynucleotide of interest can be inserted into the chromosomal region, including, e.g., polynucleotides encoding polypeptides, antisense polynucleotides, etc.

A cell comprising a polynucleotide inserted into the target chromosomal location can be utilized in vitro or in vivo, e.g., in a transgenic animal. The cell is grown under conditions

10

15

20

25

30

which are suitable to achieve polynucleotide expression. These conditions depend upon the cell's environment, e.g., tissue culture cell, or in the form of a transgenic animal.

Pancreas membrane protein genes

The present invention relates to all facets of pancreas membrane protein genes, polypeptides encoded by them, antibodies and specific binding partners thereto, and their applications to research, diagnosis, drug discovery, therapy, clinical medicine, forensic science and medicine, etc. The polynucleotides and polypeptides are useful in variety of ways, including, but not limited to, as molecular markers, as drug targets, and for detecting, diagnosing, staging, monitoring, prognosticating, preventing or treating, determining predisposition to, etc., diseases and conditions, such as pancreatic cancer, diabetes, pancreatitis, and other disorders especially relating to the pancreas and the functions its performs. The identification of specific genes, and groups of genes, expressed in pathways physiologically relevant to pancreas tissue permits the definition of functional and disease pathways, and the delineation of targets in these pathways which are useful in diagnostic, therapeutic, and clinical applications. The present invention also relates to methods of using the polynucleotides and related products (proteins, antibodies, etc.) in business and computer-related methods, e.g., advertising, displaying, offering, selling, etc., such products for sale, commercial use, licensing, etc.

The function, structure, and diseases of the pancreas were described previously. The polynucleotides, polypeptides, and ligands thereto, of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of pancreas. These include, but are not limited to, e.g., acute and chronic pancreatitis, pancreatic abscess, pancreatic pseudocyst, nonalcoholic pancreatitis, alcoholic pancreatitis, classic acute hemorrhagic pancreatitis, chronic calcifying pancreatitis, familial hereditary pancreatitis, carcinomas of the pancreas, primary (idiopathic) diabetes (e.g., Type I (insulin dependent diabetes mellitus, IDDM) [insulin deficiency, beta cell depletion], Type II (non-insulin dependent diabetes mellitus, NIDDM) [insulin resistance, relative insulin deficiency, mild beta cell depletion]), nonobese NIDDM, obese NIDDM, maturity-onset diabetes of the young (MODY), islet cell tumors, diffuse hyperplasia of the islets of Langerhans, benign adenomas, malignant islet tumors, hyperfunction of the islets of Langerhans, hyperinsulinism and hypoglycemia, Zollinger-Ellison syndrome, beta cell

10

15

20

25

30

tumors (insulinoma), alpha cell tumors (glucagonoma), delta cell tumors (somatostatinoma), vipoma (diarrheogenic islet cell tumor), pancreatic cancers, pancreatic carcinoid tumors, multihormonal tumors, multiple endocrine neoplasia (MEN), MEN I (Wermer syndrome), MEN II (Sipple syndrome), MEN III or IIb, pancreatic endocrine tumors, etc.

For example, five different pancreatic tumor samples were examined (Nos. 1, 2, 3, 4, and 5). TMD0639 was up-regulated in about 1/5 pancreatic cancers (No. 4), TMD0645 was up-regulated in about 3/5 pancreatic cancers (Nos. 2, 3, and 5), and TMD1127 was up-regulated in about 2/5 pancreatic cancers (Nos. 1 and 4). These results indicate that the probes can be used in combination in order to maximize the detection of different types of pancreatic cancers and tumors. Thus, a sample from a patient can be assesses for expression of both TMD0645 and TMD1127 to increase the probability that the pancreas cancer will be detected.

In view of their selectivity and display on the cell surface, the membrane proteins of the present invention are useful targets for histological, diagnostic, and therapeutic applications relating to the cells (e.g., pancreatic progenitor, exocrine, endocrine, acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.) in which they are expressed. Antibodies and other protein binding partners (e.g., ligands, aptamers, small peptides, etc.) can be used to selectively target agents to a tissue for any purpose, included, but not limited to, imaging, therapeutic, diagnostic, drug delivery, gene therapy, etc. For example, binding partners, such as antibodies, can be used to treat carcinomas in analogy to how c-erbB-2 antibodies are used to breast cancer. They can also be used to detect metastatic cells in biopsies and other tissue samples. The genes and polypeptides encoded thereby can also be used in tissue engineering to identify tissues as they appear during the differentiation process, to target tissues, to modulate tissue growth (e.g., from starting stem cell populations), etc. Useful antibodies or other binding partners include those that are specific for parts of the polypeptide which are exposed extracellularly as indicated in Table 21. Any of the methods described above and below can be accomplished in vivo, in vitro, or ex vivo.

When expression is described as being "predominantly" in a given tissue, this indicates that the gene's mRNAs levels are highest in this tissue as compared to the other tissues in which it was measured. Expression can also be "selective," where expression is observed. By the phrase "selectively expressed," it is meant that a nucleic acid molecule

10

15

20

25

30

comprising the defined sequence of nucleotides, when produced as a transcript, is characteristic of the tissue or cell-type in which it is made. This can mean that the transcript is expressed only in that tissue and in no other tissue-type, or it can mean that the transcript is expressed preferentially, differentially, and more abundantly (e.g., at least 5-fold, 10-fold, etc., or more) in that tissue when compared to other tissue-types.

Table 20 is a summary of the genes of the present invention which are expressed selectively and/or predominantly in pancreas tissue. Fig. 12 is an illustration of these expression patterns. Each gene is associated with a Clone ID and Accession Number ("ACCN"). The Clone ID is an arbitrary identification number for the clone, and the accession number is the number by which it is listed in GenBank. Although specific sequences are disclosed herein, and listed in GenBank by an accession number), the present invention includes all forms of the gene, including polymorphisms, allelic variations, SNPs, splice variants, and any full-length versions when the disclosed or Genbank version is partial. For convenience, these genes, and their homologs in other species, are referred to throughout the disclosure in shorthand as "the genes of Table 20," "a gene of Table 20," "polynucleotides of Table 20," "tolly peptides of Table 20," etc..., because Table 20 contains a listing of the genes by accession number and clone ID.

The expression patterns of the selectively and/or predominantly expressed polynucleotides disclosed herein can be described as a "fingerprint" in that they are a distinctive pattern displayed by pancreas tissue. Just as with a fingerprint, an expression pattern can be used as a unique identifier to characterize the status of a tissue sample. The list of expressed sequences disclosed herein provides an example of such a tissue expression profile. It can be used as a point of reference to compare and characterize samples. Tissue fingerprints can be used in many ways, e.g., to classify an unknown tissue, to determine the origin of metastatic cells, to assess the physiological status of a tissue, to determine the effect of a particular treatment regime on a tissue, to evaluate the toxicity of a compound on a tissue of interest, etc.

For example, the pancreas-selective polynucleotides disclosed herein represent the configuration of genes expressed by a normal pancreas tissue. To determine the effect of a toxin on a tissue, a sample of tissue can be obtained prior to toxin exposure ("control") and then at one or more time points after toxin exposure ("experimental"). An array of pancreas-

10

15

20

25-

30

selective probes can be used to assess the expression patterns for both the control and experimental samples. As discussed in more detail below, any suitable method can be used. For instance, a DNA microarray can be prepared having a set of pancreas-selective genes arranged on to a small surface area in fixed and addressable positions. RNA isolated from samples can be labeled using reverse transcriptase and radioactive nucleotides, hybridized to the array, and then expression levels determined using a detection system. Several kinds of information can be extracted: presence or absence of expression, and the corresponding expression levels. The normal tissue would be expected to express substantially all the genes represented by the tissue-selective probes. The various experimental conditions can be compared to it to determine whether a gene is expressed, and how its levels match up to the normal control.

While the expression profile of the complete gene set represented by the sequences disclosed here may be most informative, a fingerprint containing expression information from less than the full collection can be useful, as well. In the same way that an incomplete fingerprint may contain enough of the pattern of whorls, arches, loops, and ridges, to identify the individual, a cell expression fingerprint containing less than the full complement may be adequate to provide useful and unique identifying and other information about the sample. Moreover, because of heterogeneity of the population, as well differences in the particular physiological state of the tissue, a tissue's "normal" expression profile is expected to differ between samples, albeit in ways that do not change the overall expression pattern. As a result, a complete match with a particular tissue expression profile, as shown herein, is not necessary.

The present invention relates to methods of detecting pancreas cells, comprising one or more of the following steps, e.g., contacting a sample comprising cells with a polynucleotide specific for a gene of Table 20, or a mammalian homolog thereof, under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization. Detecting can be accomplished by any suitable method and technology, including, e.g., any of those mentioned and discussed below, such as Northern blot and PCR. Specific polynucleotides include the primer sequences shown in Table 23, and complements thereto.

Detection can also be achieved using binding partners, such as antibodies (e.g.,

10

15

20

25

30

monoclonal or polyclonal antibodies) that specifically recognize polypeptides coded for by genes of the present invention. Thus, the present invention relates to methods of detecting a pancreas cell, comprising, one or more the following steps, e.g. contacting a sample comprising cells with a binding partner (e.g. an antibody, an Fab fragment, a single-chain antibody, an aptamer) specific for a polypeptide coded for by a polypeptide of Table 20, or a mammalian homolog thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding. Protein binding assays can be accomplished routinely, e.g., using immunocytochemistry, ELISA format, Western blots, etc. Useful epitopes include those exposed to the surface.

As indicated above, binding partners can be used to deliver agents specifically to the pancreas, e.g., for diagnostic, therapeutic, and prognostic purposes. Methods of delivering an agent to a pancreas cell can comprise, e.g., contacting a pancreas cell with an agent coupled to a binding partner specific for a polypeptide coding for a gene of Table 20, whereby said agent is delivered to said cell. Any type of agent can be used, including, therapeutic and imaging agents. Contact with the pancreas can be achieved in any effective manner, including by administering effective amounts of the agent to a host orally, parentally, locally, systemically, intravenously, etc. The phrase "an agent coupled to binding partner" indicates that the agent is associated with the binding partner in such a manner that it can be carried specifically to the target site. Coupling includes, chemical bonding, covalent bonding, noncovalent bonding (where such bonding is sufficient to carry the agent to the target), present in a liposome or in a lipid membrane, associated with a carrier, such as a polymeric carrier, etc. The agent can be directly linked to the binding partner, or via chemical linkers or spacers. Any cell expressing a polypeptide coded for by a gene of Table 20 can be targeted, including, e.g., pancreatic progenitor, exocrine, endocrine, secretory, acinar, islet, alpha, beta, delta, F, D1, enterochromaffin, etc.

Imaging of specific organs can be facilitated using tissue selective antibodies and other binding partners that selectively target contrast agents to a specific site in the body. Various imaging techniques have been used in this context, including, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic. A reporter agent can be conjugated or associated routinely with a binding partner. Ultrasound contrast agents combined with binding partners, such as antibodies, are described in, e.g., U.S. Pat. Nos, 6,264,917,

10

15

20

25

30

6,254,852, 6,245,318, and 6,139,819. MRI contrast agents, such as metal chelators, radionucleotides, paramagnetic ions, etc., combined with selective targeting agents are also described in the literature, e.g., in U.S. Pat. Nos. 6,280,706 and 6,221,334. The methods described therein can be used generally to associate a partner with an agent for any desired purpose. See, Bruehlmeier et al., *Nucl. Med. Biol.*, 29:321-327, 2002, for imaging pancreas using labeled receptor ligands. Antibodies and other ligands to receptors of the present invention can be used analogously.

A pancreas cell (see above for examples of pancreas cell types) can also be modulated in accordance with the present invention, e.g., by methods of modulating a pancreas cell, comprising, e.g., contacting said cell with an agent effective to modulate a gene of Table 20, or the biological activity of a polypeptide encoded thereby (e.g., SEQ ID NO 215, 217, 219, 221, 223, 225, 227, 229, 231, 233, 235, 237, 239, 241, 243, 245, 247, 249, 251, 253, and 255), or a mammalian homolog thereof, whereby said pancreas cell is modulated. Modulation as used throughout includes, e.g., stimulating, increasing, agonizing, activating, amplifying, blocking, inhibiting, reducing, antagonizing, preventing, decreasing, diminishing, etc.

An activity or function of the pancreas cell can be modulated, including, e.g., regulation of blood sugar, modulation of all aspects of the various secreted polypeptides (hormones, enzymes, etc.) produced by the pancreas, ligand-binding, exocytosis, amylase (and any of the other 20 or so digestive enzymes produced by the pancreas) secretion, autocrine responses, apoptosis (e.g., in the survival of beta-islet cells), etc.

The present invention also relates to polypeptide detection methods for assessing pancreas function, e.g., methods of assessing pancreas function, comprising, detecting a polypeptide coded for by a gene of Table 20, fragments thereof, polymorphisms thereof, in a body fluid, whereby the level of said polypeptide in said fluid is a measure of pancreas function. Pancreas function tests are usually performed to determine whether the pancreas is functioning normally as a way of diagnosing pancreas disease. Various tests are commonly used, including, e.g., assays for the presence of pancreatic enzymes in body fluids (e.g., amylase, serum lipase, serum trypsin-like immuoreactivity), studies of pancreatic structure (e.g., using x-ray, sonography, CT-scan, angiography, endoscopic retrograde cholangiopancreatography), and tests for pancreatic function (e.g., secretin-pancreozymin

10

15

20

25-

(CCK) tst, Lundh meal test, Bz-Ty-PABA test, chymotrypsin in feces, etc). Detection of a polypeptide coded for by a gene of Table 20 provides an additional assessment tool, especially in diseases such as pancreatitis and pancreatic cancer where pancreatic markers can appear in the blood, stool, urine, and other body fluids. As with the other tests, elevated levels of said polypeptide in blood, or other fluids, can indicate impaired pancreas function. Values can be determined routinely, as they are for other markers, such as those mentioned above. Detecting can be performed routinely (see below), e.g., using an antibody which is specific for said polypeptide, by RIA, ELISA, or Western blot, etc., in analogy to the tests for pancreatic enzymes in body fluids.

Promoter sequences obtained from genes of the present invention can be utilized to selectively express heterologous genes in pancreas cells. Methods of expressing a heterologous polynucleotide in pancreas cells can comprise, e.g., expressing a nucleic acid construct in pancreas cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NO 258, 261, 262, 265-267, 270-272, 275, 278, 279, 282-284, 287, 290-293, 296, 297, 303, 306, 309-314, 317-320, 323-326, 329, 332-333, 336-338, 341, and 344 as shown in Table 23. In addition to the cell lines mentioned below, the construct can be expressed in primary cells or in established cell lines.

The genes and polypeptides of Table 20 can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions of the pancreas as mentioned above. The present invention relates to methods of identifying a pancreatic disease or pancreatic disease-susceptibility, comprising, e.g., determining the association of a pancreatic disease or pancreatic disease-susceptibility with a nucleotide sequence present within the pancreatic gene complex. An association between a pancreas disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target.

Human linkage maps can be constructed to establish a relationship between the cytogenetic locus as shown in Table 22 and a pancreatic disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified

within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the various individual molecular markers. Maps can be produced individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identity the gene responsible for the phenotype.

Nucleic acids

5

10

15

20

25

A mammalian polynucleotide, or fragment thereof, of the present invention is a polynucleotide having a nucleotide sequence obtainable from a natural source. When the species name is used, e.g., a human, it indicates that the polynucleotide or polypeptide is obtainable from a natural source. It therefore includes naturally-occurring normal, naturally-occurring mutant, and naturally-occurring polymorphic alleles (e.g., SNPs), differentially-spliced transcripts, splice-variants, etc. By the term "naturally-occurring," it is meant that the polynucleotide is obtainable from a natural source, e.g., animal tissue and cells, body fluids, tissue culture cells, forensic samples. Natural sources include, e.g., living cells obtained from tissues and whole organisms, tumors, cultured cell lines, including primary and immortalized cell lines. Naturally-occurring mutations can include deletions (e.g., a truncated amino- or carboxy-terminus), substitutions, inversions, or additions of nucleotide sequence. These genes can be detected and isolated by polynucleotide hybridization according to methods which one skilled in the art would know, e.g., as discussed below.

A polynucleotide according to the present invention can be obtained from a variety of different sources. It can be obtained from DNA or RNA, such as polyadenylated mRNA or total RNA, e.g., isolated from tissues, cells, or whole organism. The polynucleotide can be obtained directly from DNA or RNA, from a cDNA library, from a genomic library, etc. The polynucleotide can be obtained from a cell or tissue (e.g., from an embryonic or adult tissues) at a particular stage of development, having a desired genotype, phenotype, disease status, etc.

The polynucleotides described herein can be partial sequences that correspond to full-length, naturally-occurring transcripts. The present invention includes, as well, full-length polynucleotides that comprise these partial sequences, e.g., genomic DNAs and polynucleotides comprising a start and stop codon, a start codon and a polyA tail, a

transcription start and a polyA tail, etc. These sequences can be obtained by any suitable method, e.g., using a partial sequence as a probe to select a full-length cDNA from a library containing full-length inserts. A polynucleotide which "codes without interruption" refers to a polynucleotide having a continuous open reading frame ("ORF") as compared to an ORF which is interrupted by introns or other noncoding sequences.

Polynucleotides and polypeptides can be excluded as compositions from the present invention if, e.g., listed in a publicly available databases on the day this application was filed and/or disclosed in a patent application having an earlier filing or priority date than this application and/or conceived and/or reduced to practice earlier than a polynucleotide in this application.

As described herein, the phrase "an isolated polynucleotide which is SEQ ID NO," or "an isolated polynucleotide which is selected from SEQ ID NO," refers to an isolated nucleic acid molecule from which the recited sequence was derived (e.g., a cDNA derived from mRNA; cDNA derived from genomic DNA). Because of sequencing errors, typographical errors, etc., the actual naturally-occurring sequence may differ from a SEQ ID listed herein. Thus, the phrase indicates the specific molecule from which the sequence was derived, rather than a molecule having that exact recited nucleotide sequence, analogously to how a culture depository number refers to a specific cloned fragment in a cryotube.

As explained in more detail below, a polynucleotide sequence of the invention can contain the complete sequence as shown herein, degenerate sequences thereof, anti-sense, muteins thereof, genes comprising said sequences, full-length cDNAs comprising said sequences, complete genomic sequences, fragments thereof, homologs, primers, nucleic acid molecules which hybridize thereto, derivatives thereof, etc.

25 Genomic

10

15

20

30

XXXID: <WO

03089583A2 1 >

The present invention also relates genomic DNA from which the polynucleotides of the present invention can be derived. A genomic DNA coding for a human, mouse, or other mammalian polynucleotide, can be obtained routinely, for example, by screening a genomic library (e.g., a YAC library) with a polynucleotide of the present invention, or by searching nucleotide databases, such as GenBank and EMBL, for matches. Promoter and other regulatory regions (including both 5' and 3' regions, as well introns) can be identified

upstream or downstream of coding and expressed RNAs, and assayed routinely for activity, e.g., by joining to a reporter gene (e.g., CAT, GFP, alkaline phosphatase, luciferase, galatosidase). A promoter obtained from a tissue selective gene can be used, e.g., in gene therapy to obtain tissue-specific expression of a heterologous gene (e.g., coding for a therapeutic product or cytotoxin). 5' and 3' sequences (including, UTRs and introns) can be used to modulate or regulate stability, transcription, and translation of nucleic acids, including the sequence to which is attached in nature, as well as heterologous nucleic acids.

Constructs

10

5

15

20

25

30

A polynucleotide of the present invention can comprise additional polynucleotide sequences, e.g., sequences to enhance expression, detection, uptake, cataloging, tagging, etc. A polynucleotide can include only coding sequence; a coding sequence and additional nonnaturally occurring or heterologous coding sequence (e.g., sequences coding for leader, signal, secretory, targeting, enzymatic, fluorescent, antibiotic resistance, and other functional or diagnostic peptides); coding sequences and non-coding sequences, e.g., untranslated sequences at either a 5' or 3' end, or dispersed in the coding sequence, e.g., introns.

A polynucleotide according to the present invention also can comprise an expression control sequence operably linked to a polynucleotide as described above. The phrase "expression control sequence" means a polynucleotide sequence that regulates expression of a polypeptide coded for by a polynucleotide to which it is functionally ("operably") linked. Expression can be regulated at the level of the mRNA or polypeptide. Thus, the expression control sequence includes mRNA-related elements and protein-related elements. Such elements include promoters, enhancers (viral or cellular), ribosome binding sequences, transcriptional terminators, etc. An expression control sequence is operably linked to a nucleotide coding sequence when the expression control sequence is positioned in such a manner to effect or achieve expression of the coding sequence. For example, when a promoter is operably linked 5' to a coding sequence, expression of the coding sequence is driven by the promoter. Expression control sequences can include an initiation codon and additional nucleotides to place a partial nucleotide sequence of the present invention in-frame in order to produce a polypeptide (e.g., pET vectors from Promega have been designed to permit a molecule to be inserted into all three reading frames to identify the one that results

10

15

25

30

in polypeptide expression). Expression control sequences can be heterologous or endogenous to the normal gene.

A polynucleotide of the present invention can also comprise nucleic acid vector sequences, e.g., for cloning, expression, amplification, selection, etc. Any effective vector can be used. A vector is, e.g., a polynucleotide molecule which can replicate autonomously in a host cell, e.g., containing an origin of replication. Vectors can be useful to perform manipulations, to propagate, and/or obtain large quantities of the recombinant molecule in a desired host. A skilled worker can select a vector depending on the purpose desired, e.g., to propagate the recombinant molecule in bacteria, yeast, insect, or mammalian cells. The following vectors are provided by way of example. Bacterial: pQE70, pQE60, pQE-9 (Qiagen), pBS, pD10, Phagescript, phiX174, pBK Phagemid, pNH8A, pNH16a, pNH18Z, pNH46A (Stratagene); Bluescript KS+II (Stratagene); ptrc99a, pKK223-3, pKK233-3, pDR54 0, pRIT5 (Pharmacia). Eukaryotic: PWLNEO, pSV2CAT, pOG44, pXT1, pSG (Stratagene), pSVK3, PBPV, PMSG, pSVL (Pharmacia), pCR2.1/TOPO, pCRII/TOPO, pCR4/TOPO, pTrcHisB, pCMV6-XL4, etc. However, any other vector, e.g., plasmids, viruses, or parts thereof, may be used as long as they are replicable and viable in the desired host. The vector can also comprise sequences which enable it to replicate in the host whose genome is to be modified.

20 Hybridization

Polynucleotide hybridization, as discussed in more detail below, is useful in a variety of applications, including, in gene detection methods, for identifying mutations, for making mutations, to identify homologs in the same and different species, to identify related members of the same gene family, in diagnostic and prognostic assays, in therapeutic applications (e.g., where an antisense polynucleotide is used to inhibit expression), etc.

The ability of two single-stranded polynucleotide preparations to hybridize together is a measure of their nucleotide sequence complementarity, e.g., base-pairing between nucleotides, such as A-T, G-C, etc. The invention thus also relates to polynucleotides, and their complements, which hybridize to a polynucleotide comprising a nucleotide sequence as set forth herein and genomic sequences thereof. A nucleotide sequence hybridizing to the latter sequence will have a complementary polynucleotide strand, or act as a template for one

10

15

20

25

30

in the presence of a polymerase (i.e., an appropriate polynucleotide synthesizing enzyme). The present invention includes both strands of polynucleotide, e.g., a sense strand and an anti-sense strand.

Hybridization conditions can be chosen to select polynucleotides which have a desired amount of nucleotide complementarity with the nucleotide sequences set forth in herein and genomic sequences thereof. A polynucleotide capable of hybridizing to such sequence, preferably, possesses, e.g., about 70%, 75%, 80%, 85%, 87%, 90%, 92%, 95%, 97%, 99%, or 100% complementarity, between the sequences. The present invention particularly relates to polynucleotide sequences which hybridize to the nucleotide sequences set forth in the attached sequence disclosure or genomic sequences thereof, under low or high stringency conditions. These conditions can be used, e.g., to select corresponding homologs in non-human species.

Polynucleotides which hybridize to polynucleotides of the present invention can be selected in various ways. Filter-type blots (i.e., matrices containing polynucleotide, such as nitrocellulose), glass chips, and other matrices and substrates comprising polynucleotides (short or long) of interest, can be incubated in a prehybridization solution (e.g., 6X SSC, 0.5% SDS, 100 μg/ml denatured salmon sperm DNA, 5X Denhardt's solution, and 50% formamide), at 22-68°C, overnight, and then hybridized with a detectable polynucleotide probe under conditions appropriate to achieve the desired stringency. In general, when high homology or sequence identity is desired, a high temperature can be used (e.g., 65 °C). As the homology drops, lower washing temperatures are used. For salt concentrations, the lower the salt concentration, the higher the stringency. The length of the probe is another consideration. Very short probes (e.g., less than 100 base pairs) are washed at lower temperatures, even if the homology is high. With short probes, formamide can be omitted. See, e.g., *Current Protocols in Molecular Biology*, Chapter 6, Screening of Recombinant Libraries; Sambrook et al., *Molecular Cloning*, 1989, Chapter 9.

For instance, high stringency conditions can be achieved by incubating the blot overnight (e.g., at least 12 hours) with a polynucleotide probe in a hybridization solution containing, e.g., about 5X SSC, 0.1-0.5% SDS, 100 µg/ml denatured salmon sperm DNA and 50% formamide, at 42°C, or hybridizing at 42°C in 5X SSPE, 0.1-0.5% SDS, and 50%

10

15

20

25

30

formamide, 100 μ g/ml denatured salmon sperm DNA, and washing at 65°C in 0.1% SSC and 0.1% SDS.

Blots can be washed at high stringency conditions that allow, e.g., for less than 5% bp mismatch (e.g., wash twice in 0.1% SSC and 0.1% SDS for 30 min at 65°C), i.e., selecting sequences having 95% or greater sequence identity.

Other non-limiting examples of high stringency conditions includes a final wash at 65°C in aqueous buffer containing 30 mM NaCl and 0.5% SDS. Another example of high stringent conditions is hybridization in 7% SDS, 0.5 M NaPO₄, pH 7, 1 mM EDTA at 50°C, e.g., overnight, followed by one or more washes with a 1% SDS solution at 42°C.

Whereas high stringency washes can allow for, e.g., less than 10%, less than 5% mismatch, etc., reduced or low stringency conditions can permit up to 20% nucleotide mismatch. Hybridization at low stringency can be accomplished as above, but using lower formamide conditions, lower temperatures and/or lower salt concentrations, as well as longer periods of incubation time.

Hybridization can also be based on a calculation of melting temperature (Tm) of the hybrid formed between the probe and its target, as described in Sambrook et al.. Generally, the temperature Tm at which a short oligonucleotide (containing 18 nucleotides or fewer) will melt from its target sequence is given by the following equation: Tm = (number of A's and T's) x 2°C + (number of C's and G's) x 4°C. For longer molecules, Tm = 81.5 + 16.6 log₁₀[Na⁺] + 0.41(%GC) - 600/N where [Na⁺] is the molar concentration of sodium ions, %GC is the percentage of GC base pairs in the probe, and N is the length. Hybridization can be carried out at several degrees below this temperature to ensure that the probe and target can hybridize. Mismatches can be allowed for by lowering the temperature even further.

Stringent conditions can be selected to isolate sequences, and their complements, which have, e.g., at least about 90%, 95%, or 97%, nucleotide complementarity between the probe (e.g., a short polynucleotide of the sequences disclosed herein or genomic sequences thereof) and a target polynucleotide.

Other homologs of polynucleotides of the present invention can be obtained from mammalian and non-mammalian sources according to various methods. For example, hybridization with a polynucleotide can be employed to select homologs, e.g., as described in Sambrook et al., *Molecular Cloning*, Chapter 11, 1989. Such homologs can have varying

amounts of nucleotide and amino acid sequence identity and similarity to such polynucleotides of the present invention. Mammalian organisms include, e.g., mice, rats, monkeys, pigs, cows, etc. Non-mammalian organisms include, e.g., vertebrates, invertebrates, zebra fish, chicken, Drosophila, C. elegans, Xenopus, yeast such as S. pombe, S. cerevisiae, roundworms, prokaryotes, plants, Arabidopsis, artemia, viruses, etc. The degree of nucleotide sequence identity between human and mouse can be about, e.g. 70% or more, 85% or more for open reading frames, etc.

Alignment

5

10

15

20

25

30

Alignments can be accomplished by using any effective algorithm. For pairwise alignments of DNA sequences, the methods described by Wilbur-Lipman (e.g., Wilbur and Lipman, Proc. Natl. Acad. Sci., 80:726-730, 1983) or Martinez/Needleman-Wunsch (e.g., Martinez, Nucleic Acid Res., 11:4629-4634, 1983) can be used. For instance, if the Martinez/Needleman-Wunsch DNA alignment is applied, the minimum match can be set at 9, gap penalty at 1.10, and gap length penalty at 0.33. The results can be calculated as a similarity index, equal to the sum of the matching residues divided by the sum of all residues and gap characters, and then multiplied by 100 to express as a percent. Similarity index for related genes at the nucleotide level in accordance with the present invention can be greater than 70%, 80%, 85%, 90%, 95%, 99%, or more. Pairs of protein sequences can be aligned by the Lipman-Pearson method (e.g., Lipman and Pearson, Science, 227:1435-1441, 1985) with k-tuple set at 2, gap penalty set at 4, and gap length penalty set at 12. Results can be expressed as percent similarity index, where related genes at the amino acid level in accordance with the present invention can be greater than 65%, 70%, 75%, 80%, 85%, 90%, 95%, 99%, or more. Various commercial and free sources of alignment programs are available, e.g., MegAlign by DNA Star, BLAST (National Center for Biotechnology Information), BCM (Baylor College of Medicine) Launcher, etc. BLAST can be used to calculate amino acid sequence identity, amino acid sequence homology, and nucleotide sequence identity. These calculations can be made along the entire length of each of the target sequences which are to be compared.

After two sequences have been aligned, a "percent sequence identity" can be determined. For these purposes, it is convenient to refer to a Reference Sequence and a

10

15

20

25

30

Compared Sequence, where the Compared Sequence is *compared* to the Reference Sequence. Percent sequence identity can be determined according to the following formula: Percent Identity = 100 [1-(C/R)], wherein C is the number of differences between the Reference Sequence and the Compared Sequence over the length of alignment between the Reference Sequence and the Compared Sequence where (i) each base or amino acid in the Reference Sequence that does not have a corresponding aligned base or amino acid in the Compared Sequence, (ii) each gap in the Reference Sequence, (iii) each aligned base or amino acid in the Reference Sequence that is different from an aligned base or amino acid in the Compared Sequence, constitutes a difference; and R is the number of bases or amino acids in the Reference Sequence over the length of the alignment with the Compared Sequence with any gap created in the Reference Sequence also being counted as a base or amino acid.

Percent sequence identity can also be determined by other conventional methods, e.g., as described in Altschul et al., *Bull. Math. Bio.* 48: 603-616, 1986 and Henikoff and Henikoff, *Proc. Natl. Acad. Sci.* USA 89:10915-10919, 1992.

Specific polynucleotide probes

A polynucleotide of the present invention can comprise any continuous nucleotide sequence described herein, sequences which share sequence identity thereto, or complements thereof. The term "probe" refers to any substance that can be used to detect, identify, isolate, etc., another substance. A polynucleotide probe is comprised of nucleic acid can be used to detect, identify, etc., other nucleic acids, such as DNA and RNA.

These polynucleotides can be of any desired size that is effective to achieve the specificity desired. For example, a probe can be from about 7 or 8 nucleotides to several thousand nucleotides, depending upon its use and purpose. For instance, a probe used as a primer PCR can be shorter than a probe used in an ordered array of polynucleotide probes. Probe sizes vary, and the invention is not limited in any way by their size, e.g., probes can be from about 7-2000 nucleotides, 7-1000, 8-700, 8-600, 8-500, 8-400, 8-300, 8-150, 8-100, 8-75, 7-50, 10-25, 14-16, at least about 8, at least about 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, or more, etc. The polynucleotides can have non-naturally-occurring nucleotides, e.g., inosine, AZT, 3TC, etc. The polynucleotides can have 100% sequence identity or complementarity to a sequence disclosed herein, or it can have mismatches or

10

15

20

25

30

nucleotide substitutions, e.g., 1, 2, 3, 4, or 5 substitutions. The probes can be single-stranded or double-stranded.

In accordance with the present invention, a polynucleotide can be present in a kit, where the kit includes, e.g., one or more polynucleotides, a desired buffer (e.g., phosphate, tris, etc.), detection compositions, RNA or cDNA from different tissues to be used as controls, libraries, etc. The polynucleotide can be labeled or unlabeled, with radioactive or non-radioactive labels as known in the art. Kits can comprise one or more pairs of polynucleotides for amplifying nucleic acids specific for tissue selective genes, e.g., comprising a forward and reverse primer effective in PCR. These include both sense and anti-sense orientations. For instance, in PCR-based methods (such as RT-PCR), a pair of primers are typically used, one having a sense sequence and the other having an antisense sequence.

Another aspect of the present invention is a nucleotide sequence that is specific to, or for, a selective polynucleotide. The phrases "specific for" or "specific to" a polynucleotide have a functional meaning that the polynucleotide can be used to identify the presence of one or more target genes in a sample and distinguish them from non-target genes. It is specific in the sense that it can be used to detect polynucleotides above background noise ("non-specific binding"). A specific sequence is a defined order of nucleotides (or amino acid sequences, if it is a polypeptide sequence) which occurs in the polynucleotide, e.g., in the nucleotide sequences of the present invention, and which is characteristic of that target sequence, and substantially no non-target sequences. A probe or mixture of probes can comprise a sequence or sequences that are specific to a plurality of target sequences, e.g., where the sequence is a consensus sequence, a functional domain, etc., e.g., capable of recognizing a family of related genes. Such sequences can be used as probes in any of the methods described herein or incorporated by reference. Both sense and antisense nucleotide sequences are included. A specific polynucleotide according to the present invention can be determined routinely.

A polynucleotide comprising a specific sequence can be used as a hybridization probe to identify the presence of, e.g., human or mouse polynucleotide, in a sample comprising a mixture of polynucleotides, e.g., on a Northern blot. Hybridization can be performed under high stringent conditions (see, above) to select polynucleotides (and their complements which

10

15

20

30

can contain the coding sequence) having at least 90%, 95%, 99%, etc., identity (i.e., complementarity) to the probe, but less stringent conditions can also be used. A specific polynucleotide sequence can also be fused in-frame, at either its 5' or 3' end, to various nucleotide sequences as mentioned throughout the patent, including coding sequences for enzymes, detectable markers, GFP, etc, expression control sequences, etc.

A polynucleotide probe, especially one that is specific to a polynucleotide of the present invention, can be used in gene detection and hybridization methods as already described. In one embodiment, a specific polynucleotide probe can be used to detect whether a particular tissue or cell-type is present in a target sample. To carry out such a method, a selective polynucleotide can be chosen which is characteristic of the desired target tissue. Such polynucleotide is preferably chosen so that it is expressed or displayed in the target tissue, but not in other tissues which are present in the sample. For instance, if detection of pancreas, or kidney, it may not matter whether the selective polynucleotide is expressed in other tissues, as long as it is not expressed in cells normally present in blood, e.g., peripheral blood mononuclear cells. Starting from the selective polynucleotide, a specific polynucleotide probe can be designed which hybridizes (if hybridization is the basis of the assay) under the hybridization conditions to the selective polynucleotide, whereby the presence of the selective polynucleotide can be determined.

Probes which are specific for polynucleotides of the present invention can also be prepared using involve transcription-based systems, e.g., incorporating an RNA polymerase promoter into a selective polynucleotide of the present invention, and then transcribing antisense RNA using the polynucleotide as a template. See, e.g., U.S. Pat. No. 5,545,522.

* Polynucleotide composition

25-A polynucleotide according to the present invention can comprise, e.g., DNA, RNA, synthetic polynucleotide, peptide polynucleotide, modified nucleotides, dsDNA, ssDNA, ssRNA, dsRNA, and mixtures thereof. A polynucleotide can be single- or double-stranded, triplex, DNA:RNA, duplexes, comprise hairpins, and other secondary structures, etc. Nucleotides comprising a polynucleotide can be joined via various known linkages, e.g., ester, sulfamate, sulfamide, phosphorothioate, phosphoramidate, methylphosphonate, carbamate, etc., depending on the desired purpose, e.g., resistance to nucleases, such as

RNAse H, improved in vivo stability, etc. See, e.g., U.S. Pat. No. 5,378,825. Any desired nucleotide or nucleotide analog can be incorporated, e.g., 6-mercaptoguanine, 8-oxo-guanine, etc.

Various modifications can be made to the polynucleotides, such as attaching detectable markers (avidin, biotin, radioactive elements, fluorescent tags and dyes, energy transfer labels, energy-emitting labels, binding partners, etc.) or moieties which improve hybridization, detection, and/or stability. The polynucleotides can also be attached to solid supports, e.g., nitrocellulose, magnetic or paramagnetic microspheres (e.g., as described in U.S. Pat. No. 5,411,863; U.S. Pat. No. 5,543,289; for instance, comprising ferromagnetic, supermagnetic, paramagnetic, superparamagnetic, iron oxide and polysaccharide), nylon, agarose, diazotized cellulose, latex solid microspheres, polyacrylamides, etc., according to a desired method. See, e.g., U.S. Pat. Nos. 5,470,967, 5,476,925, and 5,478,893.

Polynucleotide according to the present invention can be labeled according to any desired method. The polynucleotide can be labeled using radioactive tracers such as ³²P, ³⁵S, ³H, or ¹⁴C, to mention some commonly used tracers. The radioactive labeling can be carried out according to any method, such as, for example, terminal labeling at the 3' or 5' end using a radiolabeled nucleotide, polynucleotide kinase (with or without dephosphorylation with a phosphatase) or a ligase (depending on the end to be labeled). A non-radioactive labeling can also be used, combining a polynucleotide of the present invention with residues having immunological properties (antigens, haptens), a specific affinity for certain reagents (ligands), properties enabling detectable enzyme reactions to be completed (enzymes or coenzymes, enzyme substrates, or other substances involved in an enzymatic reaction), or characteristic physical properties, such as fluorescence or the emission or absorption of light at a desired wavelength, etc.

25

30

5

10

15

20

Nucleic acid detection methods

Another aspect of the present invention relates to methods and processes for detecting tissue selective genes. Detection methods have a variety of applications, including for diagnostic, prognostic, forensic, and research applications. To accomplish gene detection, a polynucleotide in accordance with the present invention can be used as a "probe." The term "probe" or "polynucleotide probe" has its customary meaning in the art, e.g., a polynucleotide

10

15

20

25

30

which is effective to identify (e.g., by hybridization), when used in an appropriate process, the presence of a target polynucleotide to which it is designed. Identification can involve simply determining presence or absence, or it can be quantitative, e.g., in assessing amounts of a gene or gene transcript present in a sample. Probes can be useful in a variety of ways, such as for diagnostic purposes, to identify homologs, and to detect, quantitate, or isolate a polynucleotide of the present invention in a test sample.

Assays can be utilized which permit quantification and/or presence/absence detection of a target nucleic acid in a sample. Assays can be performed at the single-cell level, or in a sample comprising many cells, where the assay is "averaging" expression over the entire collection of cells and tissue present in the sample. Any suitable assay format can be used, including, but not limited to, e.g., Southern blot analysis, Northern blot analysis, polymerase chain reaction ("PCR") (e.g., Saiki et al., Science, 241:53, 1988; U.S. Pat. Nos. 4,683,195, 4,683,202, and 6,040,166; PCR Protocols: A Guide to Methods and Applications, Innis et al., eds., Academic Press, New York, 1990), reverse transcriptase polymerase chain reaction ("RT-PCR"), anchored PCR, rapid amplification of cDNA ends ("RACE") (e.g., Schaefer in Gene Cloning and Analysis: Current Innovations, Pages 99-115, 1997), ligase chain reaction ("LCR") (EP 320 308), one-sided PCR (Ohara et al., Proc. Natl. Acad. Sci., 86:5673-5677, 1989), indexing methods (e.g., U.S. Pat. No. 5,508,169), in situ hybridization, differential display (e.g., Liang et al., Nucl. Acid. Res., 21:3269-3275, 1993; U.S. Pat. Nos. 5,262,311, 5,599,672 and 5,965,409; WO97/18454; Prashar and Weissman, Proc. Natl. Acad. Sci., 93:659-663, and U.S. Pat. Nos. 6,010,850 and 5,712,126; Welsh et al., Nucleic Acid Res., 20:4965-4970, 1992, and U.S. Pat. No. 5,487,985) and other RNA fingerprinting techniques, nucleic acid sequence based amplification ("NASBA") and other transcription based amplification systems (e.g., U.S. Pat. Nos. 5,409,818 and 5,554,527; WO 88/10315), polynucleotide arrays (e.g., U.S. Pat. Nos. 5,143,854, 5,424,186; 5,700,637, 5,874,219, and 6,054,270; PCT WO 92/10092; PCT WO 90/15070), Qbeta Replicase (PCT/US87/00880), Strand Displacement Amplification ("SDA"), Repair Chain Reaction ("RCR"), nuclease protection assays, subtraction-based methods, Rapid-Scan™, etc. Additional useful methods include, but are not limited to, e.g., template-based amplification methods, competitive PCR (e.g., U.S. Pat. No. 5,747,251), redox-based assays (e.g., U.S. Pat. No. 5,871,918), Taqmanbased assays (e.g., Holland et al., Proc. Natl. Acad, Sci., 88:7276-7280, 1991; U.S. Pat. Nos.

10

15

20

25

30

5,210,015 and 5,994,063), real-time fluorescence-based monitoring (e.g., U.S. Pat. 5,928,907), molecular energy transfer labels (e.g., U.S. Pat. Nos. 5,348,853, 5,532,129, 5,565,322, 6,030,787, and 6,117,635; Tyagi and Kramer, *Nature Biotech.*, 14:303-309, 1996). Any method suitable for single cell analysis of gene or protein expression can be used, including in situ hybridization, immunocytochemistry, MACS, FACS, flow cytometry, etc. For single cell assays, expression products can be measured using antibodies, PCR, or other types of nucleic acid amplification (e.g., Brady et al., *Methods Mol. & Cell. Biol.* 2, 17-25, 1990; Eberwine et al., 1992, *Proc. Natl. Acad. Sci.*, 89, 3010-3014, 1992; U.S. Pat. No. 5,723,290). These and other methods can be carried out conventionally, e.g., as described in the mentioned publications.

Many of such methods may require that the polynucleotide is labeled, or comprises a particular nucleotide type useful for detection. The present invention includes such modified polynucleotides that are necessary to carry out such methods. Thus, polynucleotides can be DNA, RNA, DNA:RNA hybrids, PNA, etc., and can comprise any modification or substituent which is effective to achieve detection.

Detection can be desirable for a variety of different purposes, including research, diagnostic, prognostic, and forensic. For diagnostic purposes, it may be desirable to identify the presence or quantity of a polynucleotide sequence in a sample, where the sample is obtained from tissue, cells, body fluids, etc. In a preferred method as described in more detail below, the present invention relates to a method of detecting a polynucleotide comprising, contacting a target polynucleotide in a test sample with a polynucleotide probe under conditions effective to achieve hybridization between the target and probe; and detecting hybridization.

Any test sample in which it is desired to identify a polynucleotide or polypeptide thereof can be used, including, e.g., blood, urine, saliva, stool (for extracting nucleic acid, see, e.g., U.S. Pat. No. 6,177,251), swabs comprising tissue, biopsied tissue, tissue sections, cultured cells, etc.

Detection can be accomplished in combination with polynucleotide probes for other genes, e.g., genes which are expressed in other disease states, tissues, cells, such as brain, heart, kidney, spleen, thymus, liver, stomach, small intestine, colon, muscle, lung, testis, placenta, pituitary, thyroid, skin, adrenal gland, pancreas, salivary gland, uterus, ovary,

10

15

20

23

30

prostate gland, peripheral blood cells (T-cells, lymphocytes, etc.), embryo, breast, fat, adult and embryonic stem cells, etc.

Polynucleotides can be used in wide range of methods and compositions, including for detecting, diagnosing, staging, grading, assessing, prognosticating, etc. diseases and disorders associated with tissue selective genes, for monitoring or assessing therapeutic and/or preventative measures, in ordered arrays, etc. Any method of detecting genes and polynucleotides can be used; certainly, the present invention is not to be limited how such methods are implemented.

Along these lines, the present invention relates to methods of detecting polynucleotides of the present invention in a sample comprising nucleic acid. Such methods can comprise one or more the following steps in any effective order, e.g., contacting said sample with a polynucleotide probe under conditions effective for said probe to hybridize specifically to nucleic acid in said sample, and detecting the presence or absence of probe hybridized to nucleic acid in said sample, wherein said probe is a polynucleotide which is described herein, a polynucleotide having, e.g., about 70%, 80%, 85%, 90%, 95%, 99%, or more sequence identity thereto, effective or specific fragments thereof, or complements thereto. The detection method can be applied to any sample, e.g., cultured primary, secondary, or established cell lines, tissue biopsy, blood, urine, stool, cerebral spinal fluid, and other bodily fluids, for any purpose.

Contacting the sample with probe can be carried out by any effective means in any effective environment. It can be accomplished in a solid, liquid, frozen, gaseous, amorphous, solidified, coagulated, colloid, etc., mixtures thereof, matrix. For instance, a probe in an aqueous medium can be contacted with a sample which is also in an aqueous medium, or which is affixed to a solid matrix, or vice-versa.

Generally, as used throughout the specification, the term "effective conditions" means, e.g., the particular milieu in which the desired effect is achieved. Such a milieu, includes, e.g., appropriate buffers, oxidizing agents, reducing agents, pH, co-factors, temperature, ion concentrations, suitable age and/or stage of cell (such as, in particular part of the cell cycle, or at a particular stage where particular genes are being expressed) where cells are being used, culture conditions (including substrate, oxygen, carbon dioxide, etc.). When hybridization is the chosen means of achieving detection, the probe and sample can be

10

15

20

25-

30

combined such that the resulting conditions are functional for said probe to hybridize specifically to nucleic acid in said sample.

The phrase "hybridize specifically" indicates that the hybridization between single-stranded polynucleotides is based on nucleotide sequence complementarity. The effective conditions are selected such that the probe hybridizes to a preselected and/or definite target nucleic acid in the sample. For instance, if detection of a polynucleotide set forth herein is desired, a probe can be selected which can hybridize to such target gene under high stringent conditions, without significant hybridization to other genes in the sample. To detect homologs of a polynucleotide set forth in herein, the effective hybridization conditions can be less stringent, and/or the probe can comprise codon degeneracy, such that a homolog is detected in the sample.

As already mentioned, the methods can be carried out by any effective process, e.g., by Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, in situ hybridization, etc., as indicated above. When PCR based techniques are used, two or more probes are generally used. One probe can be specific for a defined sequence which is characteristic of a selective polynucleotide, but the other probe can be specific for the selective polynucleotide, or specific for a more general sequence, e.g., a sequence such as polyA which is characteristic of mRNA, a sequence which is specific for a promoter, ribosome binding site, or other transcriptional features, a consensus sequence (e.g., representing a functional domain). For the former aspects, 5' and 3' probes (e.g., polyA, Kozak, etc.) are preferred which are capable of specifically hybridizing to the ends of transcripts. When PCR is utilized, the probes can also be referred to as "primers" in that they can prime a DNA polymerase reaction.

In addition to testing for the presence or absence of polynucleotides, the present invention also relates to determining the amounts at which polynucleotides of the present invention are expressed in sample and determining the differential expression of such polynucleotides in samples.. Such methods can involve substantially the same steps as described above for presence/absence detection, e.g., contacting with probe, hybridizing, and detecting hybridized probe, but using more quantitative methods and/or comparisons to standards.

10

15

20

30

The amount of hybridization between the probe and target can be determined by any suitable methods, e.g., PCR, RT-PCR, RACE PCR, Northern blot, polynucleotide microarrays, Rapid-Scan, etc., and includes both quantitative and qualitative measurements. For further details, see the hybridization methods described above and below. Determining by such hybridization whether the target is differentially expressed (e.g., up-regulated or down-regulated) in the sample can also be accomplished by any effective means. For instance, the target's expression pattern in the sample can be compared to its pattern in a known standard, such as in a normal tissue, or it can be compared to another gene in the same sample. When a second sample is utilized for the comparison, it can be a sample of normal tissue that is known not to contain diseased cells. The comparison can be performed on samples which contain the same amount of RNA (such as polyadenylated RNA or total RNA), or, on RNA extracted from the same amounts of starting tissue. Such a second sample can also be referred to as a control or standard. Hybridization can also be compared to a second target in the same tissue sample. Experiments can be performed that determine a ratio between the target nucleic acid and a second nucleic acid (a standard or control), e.g., in a normal tissue. When the ratio between the target and control are substantially the same in a normal and sample, the sample is determined or diagnosed not to contain cells. However, if the ratio is different between the normal and sample tissues, the sample is determined to contain, e.g., kidney, pancreas, or immune cells. The approaches can be combined, and one or more second samples, or second targets can be used. Any second target nucleic acid can be used as a comparison, including "housekeeping" genes, such as beta-actin, alcohol dehydrogenase, or any other gene whose expression does not vary depending upon the disease status of the cell.

25 Methods of identifying polymorphisms, mutations, etc.

Polynucleotides of the present invention can also be utilized to identify mutant alleles, SNPs, gene rearrangements and modifications, and other polymorphisms of the wild-type gene. Mutant alleles, polymorphisms, SNPs, etc., can be identified and isolated from subjects with diseases that are known, or suspected to have, a genetic component. Identification of such genes can be carried out routinely (see, above for more guidance), e.g., using PCR, hybridization techniques, direct sequencing, mismatch reactions (see, e.g.,

10

15

20

25

30

above), RFLP analysis, SSCP (e.g., Orita et al., Proc. Natl. Acad. Sci., 86:2766, 1992), etc., where a polynucleotide having a sequence selected from the polynucleotides of the present invention is used as a probe. The selected mutant alleles, SNPs, polymorphisms, etc., can be used diagnostically to determine whether a subject has, or is susceptible to a disorder associated with tissue selective genes disclosed herein, as well as to design therapies and predict the outcome of the disorder. Methods involve, e.g., diagnosing a disorder or determining susceptibility to a disorder, comprising, detecting the presence of a mutation in a gene represented by a polynucleotide selected from the sequences disclosed herein. The detecting can be carried out by any effective method, e.g., obtaining cells from a subject, determining the gene sequence or structure of a target gene (using, e.g., mRNA, cDNA, genomic DNA, etc), comparing the sequence or structure of the target gene to the structure of the normal gene, whereby a difference in sequence or structure indicates a mutation in the gene in the subject. Polynucleotides can also be used to test for mutations, SNPs, polymorphisms, etc., e.g., using mismatch DNA repair technology as described in U.S. Pat. No. 5,683,877; U.S. Pat. No. 5,656,430; Wu et al., Proc. Natl. Acad. Sci., 89:8779-8783, 1992.

The present invention also relates to methods of detecting polymorphisms in tissue selective genes, comprising, e.g., comparing the structure of: genomic DNA comprising all or part of a tissue selective gene, mRNA comprising all or part of a tissue selective gene, cDNA comprising all or part of a tissue selective gene, or a polypeptide comprising all or part of a tissue selective gene, with the structure the polynucleotides set forth herein. The methods can be carried out on a sample from any source, e.g., cells, tissues, body fluids, blood, urine, stool, hair, egg, sperm, cerebral spinal fluid, biopy samples, serum, etc.

These methods can be implemented in many different ways. For example, "comparing the structure" steps include, but are not limited to, comparing restriction maps, nucleotide sequences, amino acid sequences, RFLPs, Dnase sites, DNA methylation fingerprints (e.g., U.S. Pat. No. 6,214,556), protein cleavage sites, molecular weights, electrophoretic mobilities, charges, ion mobility, etc., between standard and a test genes. The term "structure" can refer to any physical characteristics or configurations which can be used to distinguish between nucleic acids and polypeptides. The methods and instruments used to accomplish the comparing step depends upon the physical characteristics which are to be

compared. Thus, various techniques are contemplated, including, e.g., sequencing machines (both amino acid and polynucleotide), electrophoresis, mass spectrometer (U.S. Pat. Nos. 6,093,541, 6,002,127), liquid chromatography, HPLC, etc.

To carry out such methods, "all or part" of the gene or polypeptide can be compared.

For example, if nucleotide sequencing is utilized, the entire gene can be sequenced, including promoter, introns, and exons, or only parts of it can be sequenced and compared, e.g., exon 1, exon 2, etc.

Mutagenesis

10 Mutated polynucleotide sequences of the present invention are useful for various purposes, e.g., to create mutations of the polypeptides they encode, to identify functional regions of genomic DNA, to produce probes for screening libraries, etc. Mutagenesis can be carried out routinely according to any effective method, e.g., oligonucleotide-directed (Smith, M., Ann. Rev. Genet. 19:423-463, 1985), degenerate oligonucleotide-directed (Hill et al., Method Enzymology, 155:558-568, 1987), region-specific (Myers et al., Science, 229:242-15 246, 1985; Derbyshire et al., Gene, 46:145, 1986; Ner et al., DNA, 7:127, 1988), linkerscanning (McKnight and Kingsbury, Science, 217:316-324, 1982), directed using PCR, recursive ensemble mutagenesis (Arkin and Yourvan, Proc. Natl. Acad. Sci., 89:7811-7815, 1992), random mutagenesis (e.g., U.S. Pat. Nos. 5,096,815; 5,198,346; and 5,223,409), site-20 directed mutagenesis (e.g., Walder et al., Gene, 42:133, 1986; Bauer et al., Gene, 37:73, 1985; Craik, Bio Techniques, January 1985, 12-19; Smith et al., Genetic Engineering: Principles and Methods, Plenum Press, 1981), phage display (e.g., Lowman et al., Biochem. 30:10832-10837, 1991; Ladner et al., U.S. Pat. No. 5,223,409; Huse, WIPO Publication WO 92/06204), etc. Desired sequences can also be produced by the assembly of target sequences 25 using mutually priming oligonucleotides (Uhlmann, Gene, 71:29-40, 1988). For directed mutagenesis methods, analysis of the three-dimensional structure of the polypeptide can be used to guide and facilitate making mutants which effect polypeptide activity. Sites of substrate-enzyme interaction or other biological activities can also be determined by analysis of crystal structure as determined by such techniques as nuclear magnetic resonance, 30 crystallography or photoaffinity labeling. See, for example, de Vos et al., Science 255:306-312, 1992; Smith et al., J. Mol. Biol. 224:899-904, 1992; Wlodaver et al., FEBS Lett.

309:59-64, 1992.

5

10

15

20

25

30

In addition, libraries of genes and fragments thereof can be used for screening and selection of genes variants. For instance, a library of coding sequences can be generated by treating a double-stranded DNA with a nuclease under conditions where the nicking occurs, e.g., only once per molecule, denaturing the double-stranded DNA, renaturing it to for double-stranded DNA that can include sense/antisense pairs from different nicked products, removing single-stranded portions from reformed duplexes by treatment with S1 nuclease, and ligating the resulting DNAs into an expression vector. By this method, expression libraries can be made comprising "mutagenized" tissue selective genes. The entire coding sequence or parts thereof can be used.

Polynucleotide expression, polypeptides produced thereby, and specific-binding partners thereto.

A polynucleotide according to the present invention can be expressed in a variety of different systems, in vitro and in vivo, according to the desired purpose. For example, a polynucleotide can be inserted into an expression vector, introduced into a desired host, and cultured under conditions effective to achieve expression of a polypeptide coded for by the polynucleotide, to search for specific binding partners. Effective conditions include any culture conditions which are suitable for achieving production of the polypeptide by the host cell, including effective temperatures, pH, medium, additives to the media in which the host cell is cultured (e.g., additives which amplify or induce expression such as butyrate, or methotrexate if the coding polynucleotide is adjacent to a dhfr gene), cycloheximide, cell densities, culture dishes, etc. A polynucleotide can be introduced into the cell by any effective method including, e.g., naked DNA, calcium phosphate precipitation, electroporation, injection, DEAE-Dextran mediated transfection, fusion with liposomes, association with agents which enhance its uptake into cells, viral transfection. A cell into which a polynucleotide of the present invention has been introduced is a transformed host cell. The polynucleotide can be extrachromosomal or integrated into a chromosome(s) of the host cell. It can be stable or transient. An expression vector is selected for its compatibility with the host cell. Host cells include, mammalian cells, e.g., COS, CV1, BHK, CHO, HeLa, LTK, NIH 3T3, insect cells, such as Sf9 (S. frugipeda) and Drosophila, bacteria, such as E.

10

15

20

25

30

coli, Streptococcus, bacillus, yeast, such as Sacharomyces, S. cerevisiae, fungal cells, plant cells, embryonic or adult stem cells (e.g., mammalian, such as mouse or human),

immune system cell lines, HH (ATCC CRL 2105), MOLT-4 (ATCC CRL 1582), MJ (ATCC CRL-8294), SK7 (ATCC HB-8584), SK8 (ATCC HB-8585), HM1 (HB-8586), H9 (ATCC HTB-176), HuT 78 (ATCC TIB-161), HuT 102 (ATCC TIB-162), Jurkat,

B-cell lines, B-cell precursor lines, NALM-36, B-cell and other lymphocyte lines; immortalized with Epstein-Barr virus (transformed B lymphoblastoid), stromal cell lines, myelomas, HBM-Noda, WEHl231,

reticuloendothelial cells, endothelial cells, white blood cells, macrophages, antigenresenting cells, lymphocytes, GDM-1 (ATCC CRL-2627), THP-1 (ATCC TIB-202), HL-60 (ATCC CCL-240), and derivatives thereof, including primary and established cell lines thereof,

kidney cell lines, 293, G-402 (ATCC CRL-1440), ACHN (ATCC CRL-1611), Vero (ATCC CCL-81), 786-O (ATCC CRL-1932), 769-P (ATCC CRL-1933), CCD 1103 KIDTr (ATCC CRL-2304), CCD 1105 KIDTr (ATCC CRL-2305), Hs 835.T (ATCC CRL-7569), Hs 926.T (ATCC CRL-7678), Caki-1 (ATCC HTB-46), Caki-2 (ATCC HTB-47), SW 839 (ATCC HTB-49), LLC-MK2 (ATCC CCL-7), BHK-21 (ATCC CCL-10), MDCK, CV-1, (ATCC CRL-1573), KNRK (ATCC CRL-1569), NRK-49F (ATCC CRL-1570), A-704 (ATCC HTB-45), etc., established and primary kidney cells,

pancreas cell lines, , insulinoma cell lines, INS-H1, MIN6N8, RIN 1046-38, RIN-5AH, RIN-A12, RINm5F, capan-1, capan-2, MIA PaCa-2 (ATCC CRL-1420), PANC-1 (ATCC CRL-1469), AsPC-1 (ATCC CRL-1682), SU-86.86 (ATCC CRL-1837), CFPAC-1 (ATCC CRL-1918), HPAF-II (ATCC CRL-1937), TGP61 (ATCC CRL-2135) and other TGP lines, SW 1990 (ATCC CRL-2172), Mpanc-96 (ATCC CRL-2380), MS1 VEGF (ATCC CRL-2460), Beta-TC-6 (ATCC CRL-11506), LTPA (ATCC CRL-2389), 266-6 (ATCC CRL-2151), MS1 (ATCC CRL-2779), SVR (ATCC CRL-2280), NIT-2 (ATCC CRL-2364), alphaTC1 Clone 9 (ATCC CRL-2350), ATCC CRL-1492, BxPC-3 (ATCC CRL-1687), HPAC (ATCC CRL-2119), U.S. Pat. Nos. 6,110743, 5,928,942, 5,888,816, 5,888,705, and 5,723,333, etc., established and primary pancreas cells (e.g., according to Hellerstrom et al., *Diabetes*, 28:769-76, 1979).

OCID: <WO_____ 03089583A2,1,>

10

15

20

25

30

retinal cell lines, RF/6A (CRL 1780), ARPE-19 (CRL-2302), ARPE-19/HPV-16 (CRL-2502), Y79 (HTB-18), WERI-Rb-1 (HTB-169), RPE-J (CRL-2240), SO-Rb50 (retinoblastoma cell line), RBL, HER-Xho1-CC2, WERI-Rb24 (Sery et al., *J. Pediatr. Ophthalmol. Strabismus*, 4:212-217, 1990), WERI-Rb27 (Sery et al., *J. Pediatr. Ophthalmol. Strabismus*, 4:212-217, 1990), HXO-Rb44, fetal retina cells, retinoblastoma cells, choroidal endothelial cells (e.g., Chor 55), etc., established and primary retinal cells (For other cell lines and methods thereof, see, also, Griege et al., *Differentiation*, 45:250-7, 1990; Bernstein et al., *Invest. Ophthalmol. Vis. Sci.*, 35:3931-3937, 1994; Howes et al., *Invest. Ophthalmol. Vis. Sci.*, 35:342-351, 1994).

Expression control sequences are similarly selected for host compatibility and a desired purpose, e.g., high copy number, high amounts, induction, amplification, controlled expression. Other sequences which can be employed include enhancers such as from SV40, CMV, RSV, inducible promoters, cell-type specific elements, or sequences which allow selective or specific cell expression. Promoters that can be used to drive its expression, include, e.g., the endogenous promoter, MMTV, SV40, trp, lac, tac, or T7 promoters for bacterial hosts; or alpha factor, alcohol oxidase, or PGH promoters for yeast. RNA promoters can be used to produced RNA transcripts, such as T7 or SP6. See, e.g., Melton et al., *Polynucleotide Res.*, 12(18):7035-7056, 1984; Dunn and Studier. *J. Mol. Bio.*, 166:477-435, 1984; U.S. Pat. No. 5,891,636; Studier et al., *Gene Expression Technology, Methods in Enzymology*, 85:60-89, 1987. In addition, as discussed above, translational signals (including in-frame insertions) can be included.

When a polynucleotide is expressed as a heterologous gene in a transfected cell line, the gene is introduced into a cell as described above, under effective conditions in which the gene is expressed. The term "heterologous" means that the gene has been introduced into the cell line by the "hand-of-man." Introduction of a gene into a cell line is discussed above. The transfected (or transformed) cell expressing the gene can be lysed or the cell line can be used intact.

For expression and other purposes, a polynucleotide can contain codons found in a naturally-occurring gene, transcript, or cDNA, for example, e.g., as set forth in herein or it can contain degenerate codons coding for the same amino acid sequences. For instance,

10

15

20

25

30

IOCID: <WO_____03089583A2_l_>

it may be desirable to change the codons in the sequence to optimize the sequence for expression in a desired host. See, e.g., U.S. Pat. Nos. 5,567,600 and 5,567,862.

A polypeptide according to the present invention can be recovered from natural sources, transformed host cells (culture medium or cells) according to the usual methods, including, detergent extraction (e.g., non-ionic detergent, Triton X-100, CHAPS, octylglucoside, Igepal CA-630), ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, hydroxyapatite chromatography, lectin chromatography, gel electrophoresis. Protein refolding steps can be used, as necessary, in completing the configuration of the mature protein. Finally, high performance liquid chromatography (HPLC) can be employed for purification steps. Another approach is express the polypeptide recombinantly with an affinity tag (Flag epitope, HA epitope, myc epitope, 6xHis, maltose binding protein, chitinase, etc) and then purify by anti-tag antibody-conjugated affinity chromatography.

The present invention also relates to specific-binding partners. These include antibodies which are specific for polypeptides encoded by polynucleotides of the present invention, as well as other binding-partners which interact with polynucleotides and polypeptides of the present invention. Protein-protein interactions between polypeptides and binding partners can be identified using any suitable methods, e.g., protein binding assays (e.g., filtration assays, chromatography, etc.), yeast two-hybrid system (Fields and Song, *Nature*, 340: 245-247, 1989), protein arrays, gel-shift assays, FRET (fluorescence resonance energy transfer) assays, etc. Nucleic acid interactions (e.g., protein-DNA or protein-RNA) can be assessed using gel-shift assays, e.g., as carried out in U.S. Pat. No. 6,333,407 and 5,789,538.

Antibodies, e.g., polyclonal, monoclonal, recombinant, chimeric, humanized, single-chain, Fab, and fragments thereof, can be prepared according to any desired method.

Antibodies, and immune responses, can also be generated by administering naked DNA See, e.g., U.S. Pat. Nos. 5,703,055; 5,589,466; 5,580,859. Antibodies can be used from any source, including, goat, rabbit, mouse, chicken (e.g., IgY; see, Duan, W0/029444 for methods of making antibodies in avian hosts, and harvesting the antibodies from the eggs). An antibody specific for a polypeptide means that the antibody recognizes a defined sequence of

10

15

20

25

30

amino acids within or including the polypeptide. Other specific binding partners include, e.g., aptamers and PNA. Antibodies can be prepared against specific epitopes or domains.

Antibodies can also be humanized, e.g., where they are to be used therapeutically. Methods for obtaining human antibodies, e.g., from transgenic mice are described, e.g., in Green et al., Nature Genet. 7:13 (1994); Lonberg et al., Nature 368:856 (1994); and Taylor et al., Int. Immunol. 6:579 (1994). Antibody fragments of the present invention can be prepared by any suitable method, Fab and Fc fragments. sinbgle-chain antibodies can also be used. Another form of an antibody fragment is a peptide coding for a single complementarity-determining region (CDR). CDR peptides ("minimal recognition units") can be obtained by constructing genes encoding the CDR of an antibody of interest.

The term "antibody" as used herein includes intact molecules as well as fragments thereof, such as Fab, F(ab')2, and Fv which are capable of binding to an epitopic determinant present in Bin1 polypeptide. Such antibody fragments retain some ability to selectively bind with its antigen or receptor. The term "epitope" refers to an antigenic determinant on an antigen to which the paratope of an antibody binds. Epitopic determinants usually consist of chemically active surface groupings of molecules such as amino acids or sugar side chains and usually have specific three dimensional structural characteristics, as well as specific charge characteristics. Antibodies can be prepared against specific epitopes or polypeptide domains.

Antibodies which bind to polypeptides of the present invention can be prepared using an intact polypeptide or fragments containing small peptides of interest as the immunizing antigen. For example, it may be desirable to produce antibodies that specifically bind to the N- or C-terminal domains of the tissue selective polypeptides of the present invention. The polypeptide or peptide used to immunize an animal which is derived from translated cDNA or chemically synthesized which can be conjugated to a carrier protein, if desired. Such commonly used carriers which are chemically coupled to the immunizing peptide include keyhole limpet hemocyanin (KLH), thyroglobulin, bovine serum albumin (BSA), and tetanus toxoid.

Methods of detecting polypeptides

10

15

20

25

30

Polypeptides coded for by genes of the present invention can be detected, visualized, determined, quantitated, etc. according to any effective method. useful methods include, e.g., but are not limited to, immunoassays, RIA (radioimmunassay), ELISA, (enzyme-linked-immunosorbent assay), immunoflourescence, flow cytometry, histology, electron microscopy, light microscopy, in situ assays, immunoprecipitation, Western blot, etc.

Immunoassays may be carried in liquid or on biological support. For instance, a sample (e.g., blood, serum, stool, urine, cells, tissue, cerebral spinal fluid, body fluids, etc.) can be brought in contact with and immobilized onto a solid phase support or carrier such as nitrocellulose, or other solid support that is capable of immobilizing cells, cell particles or soluble proteins. The support may then be washed with suitable buffers followed by treatment with the detectably labeled specific antibody. The solid phase support can then be washed with a buffer a second time to remove unbound antibody. The amount of bound label on solid support may then be detected by conventional means.

A "solid phase support or carrier" includes any support capable of binding an antigen, antibody, or other specific binding partner. Supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, and magnetite. A support material can have any structural or physical configuration. Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the surface may be flat such as a sheet, test strip, etc. Preferred supports include polystyrene beads

One of the many ways in which gene peptide-specific antibody can be detectably labeled is by linking it to an enzyme and using it in an enzyme immunoassay (EIA). See, e.g., Voller, A., "The Enzyme Linked Immunosorbent Assay (ELISA)," 1978, Diagnostic Horizons 2, 1-7, Microbiological Associates Quarterly Publication, Walkersville, Md.); Voller, A. et al., 1978, J. Clin. Pathol. 31, 507-520; Butler, J. E., 1981, Meth. Enzymol. 73, 482-523; Maggio, E. (ed.), 1980, Enzyme Immunoassay, CRC Press, Boca Raton, Fla.. The enzyme which is bound to the antibody will react with an appropriate substrate, preferably a chromogenic substrate, in such a manner as to produce a chemical moiety that can be detected, for example, by spectrophotometric, fluorimetric or by visual means. Enzymes that can be used to detectably label the antibody include, but are not limited to, malate

10

15

20

25

30

dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase, .alpha.-glycerophosphate, dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, .beta.-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase and acetylcholinesterase. The detection can be accomplished by colorimetric methods that employ a chromogenic substrate for the enzyme. Detection may also be accomplished by visual comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

Detection may also be accomplished using any of a variety of other immunoassays. For example, by radioactively labeling the antibodies or antibody fragments, it is possible to detect peptides through the use of a radioimmunoassay (RIA). See, e.g., Weintraub, B., Principles of Radioimmunoassays, Seventh Training Course on Radioligand Assay Techniques, The Endocrine Society, March, 1986. The radioactive isotope can be detected by such means as the use of a gamma counter or a scintillation counter or by autoradiography.

It is also possible to label the antibody with a fluorescent compound. When the fluorescently labeled antibody is exposed to light of the proper wave length, its presence can then be detected due to fluorescence. Among the most commonly used fluorescent labeling compounds are fluorescein isothiocyanate, rhodamine, phycoerythrin, phycocyanin, allophycocyanin, o-phthaldehyde and fluorescamine. The antibody can also be detectably labeled using fluorescence emitting metals such as those in the lanthanide series. These metals can be attached to the antibody using such metal chelating groups as diethylenetriaminepentacetic acid (DTPA) or ethylenediaminetetraacetic acid (EDTA).

The antibody also can be detectably labeled by coupling it to a chemiluminescent compound. The presence of the chemiluminescent-tagged antibody is then determined by detecting the presence of luminescence that arises during the course of a chemical reaction. Examples of useful chemiluminescent labeling compounds are luminol, isoluminol, theromatic acridinium ester, imidazole, acridinium salt and oxalate ester.

Likewise, a bioluminescent compound may be used to label the antibody of the present invention. Bioluminescence is a type of chemiluminescence found in biological systems in which a catalytic protein increases the efficiency of the chemiluminescent reaction. The presence of a bioluminescent protein is determined by detecting the presence of

luminescence. Important bioluminescent compounds for purposes of labeling are luciferin, luciferase and aequorin.

Diagnostic

5

10

15

20

25

30

The present invention also relates to methods and compositions for diagnosing a disorder, or determining susceptibility to a disorder, using polynucleotides, polypeptides, and specific-binding partners of the present invention to detect, assess, determine, etc., a tissue selective gene. In such methods, the gene can serve as a marker for the disorder, e.g., where the gene, when mutant, is a direct cause of the disorder; where the gene is affected by another gene(s) which is directly responsible for the disorder, e.g., when the gene is part of the same signaling pathway as the directly responsible gene; and, where the gene is chromosomally linked to the gene(s) directly responsible for the disorder, and segregates with it. Many other situations are possible. To detect, assess, determine, etc., a probe specific for the gene can be employed as described above and below. Any method of detecting and/or assessing the gene can be used, including detecting expression of the gene using polynucleotides, antibodies, or other specific-binding partners.

The phrase "diagnosing" indicates that it is determined whether the sample has the disorder. A "disorder" means, e.g., any abnormal condition as in a disease or malady. "Determining a subject's susceptibility to a disease or disorder" indicates that the subject is assessed for whether s/he is predisposed to get such a disease or disorder, where the predisposition is indicated by abnormal expression of the gene (e.g., gene mutation, gene expression pattern is not normal, etc.). Predisposition or susceptibility to a disease may result when a such disease is influenced by epigenetic, environmental, etc., factors. Diagnosing includes prenatal screening where samples from the fetus or embryo (e.g., via amniocentesis or CV sampling) are analyzed for the expression of the gene.

By the phrase "assessing expression of a gene or polynucleotide," it is meant that the functional status of the gene is evaluated. This includes, but is not limited to, measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene. Thus, the term "assessing expression" includes evaluating the all aspects of the transcriptional and translational machinery of the gene. For

10

15

20

25-

30

instance, if a promoter defect causes, or is suspected of causing, the disorder, then a sample can be evaluated (i.e., "assessed") by looking (e.g., sequencing or restriction mapping) at the promoter sequence in the gene, by detecting transcription products (e.g., RNA), by detecting translation product (e.g., polypeptide). Any measure of whether the gene is functional can be used, including, polypeptide, polynucleotide, and functional assays for the gene's biological activity.

In making the assessment, it can be useful to compare the results to a normal gene, e.g., a gene which is not associated with the disorder. The nature of the comparison can be determined routinely, depending upon how the assessing is accomplished. If, for example, the mRNA levels of a sample is detected, then the mRNA levels of a normal can serve as a comparison, or a gene which is known not to be affected by the disorder. Methods of detecting mRNA are well known, and discussed above, e.g., but not limited to, Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, etc. Similarly, if polypeptide production is used to evaluate the gene, then the polypeptide in a normal tissue sample can be used as a comparison, or, polypeptide from a different gene whose expression is known not to be affected by the disorder. These are only examples of how such a method could be carried out.

The genes and polypeptides of the present invention can be used to identify, detect, stage, determine the presence of, prognosticate, treat, study, etc., diseases and conditions as mentioned above. The present invention relates to methods of identifying a genetic basis for a disease or disease-susceptibility, comprising, e.g., determining the association of a disease or disease-susceptibility with a gene of the present invention. An association between a disease or disease-susceptibility and nucleotide sequence includes, e.g., establishing (or finding) a correlation (or relationship) between a DNA marker (e.g., gene, VNTR, polymorphism, EST, etc.) and a particular disease state. Once a relationship is identified, the DNA marker can be utilized in diagnostic tests and as a drug target. Any region of the gene can be used as a source of the DNA marker, exons, introns, intergenic regions, etc.

Human linkage maps can be constructed to establish a relationship between a gene and a disease or condition. Typically, polymorphic molecular markers (e.g., STRP's, SNP's, RFLP's, VNTR's) are identified within the region, linkage and map distance between the markers is then established, and then linkage is established between phenotype and the

10

15

20

25

30

various individual molecular markers. Maps can be produced for an individual family, selected populations, patient populations, etc. In general, these methods involve identifying a marker associated with the disease (e.g., identifying a polymorphism in a family which is linked to the disease) and then analyzing the surrounding DNA to identity the gene responsible for the phenotype. See, e.g., Kruglyak et al., Am. J. Hum. Genet., 58, 1347-1363, 1996; Matise et al., Nat. Genet., 6(4):384-90, 1994.

Assessing the effects of therapeutic and preventative interventions (e.g., administration of a drug, chemotherapy, radiation, etc.) on disorders is a major effort in drug discovery, clinical medicine, and pharmacogenomics. The evaluation of therapeutic and preventative measures, whether experimental or already in clinical use, has broad applicability, e.g., in clinical trials, for monitoring the status of a patient, for analyzing and assessing animal models, and in any scenario involving disease treatment and prevention. Analyzing the expression profiles of polynucleotides of the present invention can be utilized as a parameter by which interventions are judged and measured. Treatment of a disorder can change the expression profile in some manner which is prognostic or indicative of the drug's effect on it. Changes in the profile can indicate, e.g., drug toxicity, return to a normal level, etc. Accordingly, the present invention also relates to methods of monitoring or assessing a therapeutic or preventative measure (e.g., chemotherapy, radiation, anti-neoplastic drugs, antibodies, etc.) in a subject having a disorder, or, susceptible to such a disorder, comprising, e.g., detecting the expression levels of one or more tissue selective genes. A subject can be a cell-based assay system, non-human animal model, human patient, etc. Detecting can be accomplished as described for the methods above and below. By "therapeutic or preventative intervention," it is meant, e.g., a drug administered to a patient, surgery, radiation, chemotherapy, and other measures taken to prevent, treat, or diagnose a disorder.

The present invention also relates to methods of using binding partners, such as antibodies, to deliver active agents to the tissue (e.g., kidney or pancreas or an immune cells) for a variety of different purposes, including, e.g., for diagnostic, therapeutic, and research purposes. Methods can involve delivering or administering an active agent to the tissue, comprising, e.g., administering to a subject in need thereof, an effective amount of an active agent coupled to a binding partner specific for a tissue selective polypeptide, wherein said binding partner is effective to deliver said active agent specifically to the target tissue.

OCCID: <WO _____ 03089583A2 1 >

10

15

20

Any type of active agent can be used in combination with it, including, therapeutic, cytotoxic, cytostatic, chemotherapeutic, anti-neoplastic, anti-proliferative, anti-biotic, etc., agents. A chemotherapeutic agent can be, e.g., DNA-interactive agent, alkylating agent, antimetabolite, tubulin-interactive agent, hormonal agent, hydroxyurea, Cisplatin, Cyclophosphamide, Altretamine, Bleomycin, Dactinomycin, Doxorubicin, Etoposide, Teniposide, paclitaxel, cytoxan, 2-methoxy-carbonyl-amino-benzimidazole, Plicamycin, Methotrexate, Fluorouracil, Fluorodeoxyuridin, CB3717, Azacitidine, Floxuridine, Mercapyopurine, 6-Thioguanine, Pentostatin, Cytarabine, Fludarabine, etc. Agents can also be contrast agents useful in imaging technology, e.g., X-ray, CT, CAT, MRI, ultrasound, PET, SPECT, and scintographic.

An active agent can be associated in any manner with a binding partner which is effective to achieve its delivery specifically to the target. Specific delivery or targeting indicates that the agent is provided to the tissue, without being substantially provided to other tissues. This is useful especially where an agent is toxic, and specific targeting to the tissue enables the majority of the toxicity to be aimed at the tissue, with as small as possible effect on other tissues in the body. The association of the active agent and the binding partner ("coupling") can be direct, e.g., through chemical bonds between the binding partner and the agent, or, via a linking agent, or the association can be less direct, e.g., where the active agent is in a liposome, or other carrier, and the binding partner is associated with the liposome surface. In such case, the binding partner can be oriented in such a way that it is able to bind to tissue selective polypeptide, e.g., exposed on the cell surface. Methods for delivery of DNA via a cell-surface receptor is described, e.g., in U.S. Pat. No. 6,339,139.

Identifying agent methods

The present invention also relates to methods of identifying agents, and the agents themselves, which modulate tissue selective genes. These agents can be used to modulate the biological activity of the polypeptide encoded for the gene, or the gene, itself. Agents which regulate the gene or its product are useful in variety of different environments, including as medicinal agents to treat or prevent disorders associated with genes and as research reagents to modify the function of tissues and cell.

10

15

20

25

30

Methods of identifying agents generally comprise steps in which an agent is placed in contact with the gene, its transcription product, its translation product, or other target, and then a determination is performed to assess whether the agent "modulates" the target. The specific method utilized will depend upon a number of factors, including, e.g., the target (i.e., is it the gene or polypeptide encoded by it), the environment (e.g., in vitro or in vivo), the composition of the agent, etc.

For modulating the expression of tissue selective genes, a method can comprise, in any effective order, one or more of the following steps, e.g., contacting a gene (e.g., in a cell population) with a test agent under conditions effective for said test agent to modulate the expression of tissue selective genes, and determining whether said test agent modulates said genes. An agent can modulate expression of a tissue selective gene at any level, including transcription (e.g., by modulating the promoter), translation, and/or perdurance of the nucleic acid (e.g., degradation, stability, etc.) in the cell.

For modulating the biological activity of polypeptides, a method can comprise, in any effective order, one or more of the following steps, e.g., contacting a polypeptide (e.g., in a cell, lysate, or isolated) with a test agent under conditions effective for said test agent to modulate the biological activity of said polypeptide, and determining whether said test agent modulates said biological activity.

Contacting a gene or polypeptide with the test agent can be accomplished by any suitable method and/or means that places the agent in a position to functionally control expression or biological activity. Functional control indicates that the agent can exert its physiological effect through whatever mechanism it works. The choice of the method and/or means can depend upon the nature of the agent and the condition and type of environment in which the gene or polypeptide is presented, e.g., lysate, isolated, or in a cell population (such as, in vivo, in vitro, organ explants, etc.). For instance, if the cell population is an in vitro cell culture, the agent can be contacted with the cells by adding it directly into the culture medium. If the agent cannot dissolve readily in an aqueous medium, it can be incorporated into liposomes, or another lipophilic carrier, and then administered to the cell culture. Contact can also be facilitated by incorporation of agent with carriers and delivery molecules and complexes, by injection, by infusion, etc.

Agents can be directed to, or targeted to, any part of the polypeptide which is

OCID: <WO_____03089583A2_I_>

15

20

25

30

effective for modulating it. For example, agents, such as antibodies and small molecules, can be targeted to cell-surface, exposed, extracellular, ligand binding, functional, etc., domains of the polypeptide. Agents can also be directed to intracellular regions and domains, e.g., regions where the polypeptide couples or interacts with intracellular or intramembrane binding partners.

After the agent has been administered in such a way that it can gain access, it can be determined whether the test agent modulates expression or biological activity. Modulation can be of any type, quality, or quantity, e.g., increase, facilitate, enhance, up-regulate, stimulate, activate, amplify, augment, induce, decrease, down-regulate, diminish, lessen, reduce, etc. The modulatory quantity can also encompass any value, e.g., 1%, 5%, 10%, 50%, 75%, 1-fold, 2-fold, 5-fold, 10-fold, 100-fold, etc. To modulate expression means, e.g., that the test agent has an effect on its expression, e.g., to effect the amount of transcription, to effect RNA splicing, to effect translation of the RNA into polypeptide, to effect RNA or polypeptide stability, to effect polyadenylation or other processing of the RNA, to effect post-transcriptional or post-translational processing, etc. To modulate biological activity means, e.g., that a functional activity of the polypeptide is changed in comparison to its normal activity in the absence of the agent. This effect includes, increase, decrease, block, inhibit, enhance, etc.

A test agent can be of any molecular composition, e.g., chemical compounds, biomolecules, such as polypeptides, lipids, nucleic acids (e.g., antisense), carbohydrates, antibodies, ribozymes, double-stranded RNA, aptamers, etc. For example, if a polypeptide to be modulated is a cell-surface molecule, a test agent can be an antibody that specifically recognizes it and, e.g., causes the polypeptide to be internalized, leading to its down regulation on the surface of the cell. Such an effect does not have to be permanent, but can require the presence of the antibody to continue the down-regulatory effect. Antibodies can also be used to modulate the biological activity of a polypeptide in a lysate or other cell-free form.

Additional cell-based test systems suitable for the analysis of GPCR polypeptides are summarized in Marchese et al. (1999, Trends in Pharmacol. Sci. 20: 370-375) and comprise so-called "ligand screening assays." For example in yeast cells the pheromon receptor can be replaced by a GPCR according to the invention. The effect of test substances on the receptor

can be determined upon modulation of histidine synthesis, i.e. by growing in histidine-free medium. In addition using cells transfected with nucleic acids according to the invention it can be analyzed whether test substances mediate translocation of a detectable arrestins, for example of a arrestin-GFP-fusion protein. Moreover, it can be analyzed whether test substances mediate GPCR-mediated dispersion or aggregation of Xenopus laevis melanophores. Another test system utilizes the universal adapter G-protein G alphal6, which mobilizes Ca.sup.2+. Other screening test systems are described in Lemer et al., supra; WO96/41169; U.S. Pat. No. 5,482,835; WO99/06535; EP 0 939 902; WO99/66326; WO98/34948; EP 0 863 214; U.S. Pat. No. 5,882,944 and U.S. Pat. No. 5,891,641.

10 Therapeutics

5

15

20

25

30

Selective polynucleotides, polypeptides, and specific-binding partners thereto, can be utilized in therapeutic applications, especially to treat diseases and conditions described herein. Useful methods include, but are not limited to, immunotherapy (e.g., using specific-binding partners to polypeptides), vaccination (e.g., using a selective polypeptide or a naked DNA encoding such polypeptide), protein or polypeptide replacement therapy, gene therapy (e.g., germ-line correction, antisense), etc.

Various immunotherapeutic approaches can be used. For instance, unlabeled antibody that specifically recognizes a tissue-specific antigen can be used to stimulate the body to destroy or attack a cancer or other diseased tissue, to cause down-regulation, to produce complement-mediated lysis, to inhibit cell growth, etc., of target cells which display the antigen, e.g., analogously to how c-erbB-2 antibodies are used to treat breast cancer. In addition, antibody can be labeled or conjugated to enhance its deleterious effect, e.g., with radionuclides and other energy emitting entitities, toxins, such as ricin, exotoxin A (ETA), and diphtheria, cytotoxic or cytostatic agents, immunomodulators, chemotherapeutic agents; etc. See, e.g., U.S. Pat. No. 6,107,090.

An antibody or other specific-binding partner can be conjugated to a second molecule, such as a cytotoxic agent, and used for targeting the second molecule to a tissue-antigen positive cell (Vitetta, E. S. et al., 1993, Immunotoxin therapy, in DeVita, Jr., V. T. et al., eds, Cancer: Principles and Practice of Oncology, 4th ed., J. B. Lippincott Co., Philadelphia, 2624-2636). Examples of cytotoxic agents include, but are not limited to, antimetabolites, alkylating agents, anthracyclines, antibiotics, anti-mitotic agents, radioisotopes and

PCT/US03/11497

-84-

chemotherapeutic agents. Further examples of cytotoxic agents include, but are not limited to ricin, doxorubicin, daunorubicin, taxol, ethidium bromide, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicine, dihydroxy anthracin dione, actinomycin D, 1dehydrotestosterone, diptheria toxin, Pseudomonas exotoxin (PE) A, PE40, abrin, elongation factor-2 and glucocorticoid. Techniques for conjugating therapeutic agents to antibodies are well.

In addition to immunotherapy, polynucleotides and polypeptides can be used as targets for non-immunotherapeutic applications, e.g., using compounds which interfere with function, expression (e.g., antisense as a therapeutic agent), assembly, etc. RNA interference can be used in vitro and in vivo to silence a gene when its expression contributes to a disease (but also for other purposes, e.g., to identify the gene's function to change a developmental pathway of a cell, etc.). See, e.g., Sharp and Zamore, Science, 287:2431-2433, 2001; Grishok et al., Science, 287:2494, 2001.

Delivery of therapeutic agents can be achieved according to any effective method, including, liposomes, viruses, plasmid vectors, bacterial delivery systems, orally, systemically, etc. Therapeutic agents of the present invention can be administered in any form by any effective route, including, e.g., oral, parenteral, enteral, intraperitoneal, topical, transdermal (e.g., using any standard patch), intravenously, ophthalmic, nasally, local, nonoral, such as aerosal, inhalation, subcutaneous, intramuscular, buccal, sublingual, rectal, vaginal, intra-arterial, and intrathecal, etc. They can be administered alone, or in combination with any ingredient(s), active or inactive.

In addition to therapeutics, per se, the present invention also relates to methods of treating a disease showing altered expression of a tissue selective gene, comprising, e.g., administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of said gene and/or which is effective in treating said disease. The term "treating" is used conventionally, e.g., the management or care of a subject for the purpose of combating, alleviating, reducing, relieving, improving the condition of, etc., of a disease or disorder. By the phrase "altered expression," it is meant that the disease is associated with a mutation in the gene, or any modification to the gene (or corresponding product) which affects its normal function. Thus, expression refers to, e.g., transcription, translation, splicing, stability of the mRNA or protein product, activity of the gene product, differential

5

10

15

20

25

30

expression, etc.

Any agent which "treats" the disease can be used. Such an agent can be one which regulates the expression of a tissue selective gene. Expression refers to the same acts already mentioned, e.g. transcription, translation, splicing, stability of the mRNA or protein product, activity of the gene product, differential expression, etc. For instance, if the condition was a result of a complete deficiency of the gene product, administration of gene product to a patient would be said to treat the disease and regulate the gene's expression. Many other possible situations are possible, e.g., where the gene is aberrantly expressed, and the therapeutic agent regulates the aberrant expression by restoring its normal expression pattern.

10

15

20

25

30

5

Antisense

Antisense polynucleotide (e.g., RNA) can also be prepared from a polynucleotide according to the present invention. Antisense polynucleotide can be used in various ways, such as to regulate or modulate expression of the polypeptides they encode, e.g., inhibit their expression, for in situ hybridization, for therapeutic purposes, for making targeted mutations (in vivo, triplex, etc.) etc. For guidance on administering and designing anti-sense, see, e.g., U.S. Pat. Nos. 6,200,960, 6,200,807, 6,197,584, 6,190,869, 6,190,661, 6,187,587, 6,168,950, 6,153,595, 6,150,162, 6,133,246, 6,117,847, 6,096,722, 6,087,343, 6,040,296, 6,005,095, 5,998,383, 5,994,230, 5,891,725, 5,885,970, and 5,840,708. An antisense polynucleotides can be operably linked to an expression control sequence. A total length of about 35 bp can be used in cell culture with cationic liposomes to facilitate cellular uptake, but for *in vivo* use, preferably shorter oligonucleotides are administered, e.g. 25 nucleotides.

Antisense polynucleotides can comprise modified, nonnaturally-occurring nucleotides and linkages between the nucleotides (e.g., modification of the phosphate-sugar backbone; methyl phosphonate, phosphorothioate, or phosphorodithioate linkages; and 2'-O-methyl ribose sugar units), e.g., to enhance in vivo or in vitro stability, to confer nuclease resistance, to modulate uptake, to modulate cellular distribution and compartmentalization, etc. Any effective nucleotide or modification can be used, including those already mentioned, as known in the art, etc., e.g., disclosed in U.S. Pat. Nos. 6,133,438; 6,127,533; 6,124,445; 6,121,437; 5,218,103 (e.g., nucleoside thiophosphoramidites); 4,973,679; Sproat et al., "2'-O-Methyloligoribonucleotides: synthesis and applications," Oligonucleotides and Analogs A

XXXID: <WO_____03089583A2_1_>

WO 03/089583 PCT/US03/11497

Practical Approach, Eckstein (ed.), IRL Press, Oxford, 1991, 49-86; Iribarren et al., "2'O-Alkyl Oligoribonucleotides as Antisense Probes," Proc. Natl. Acad. Sci. USA, 1990, 87, 7747-7751; Cotton et al., "2'-O-methyl, 2'-O-ethyl oligoribonucleotides and phosphorothioate oligodeoxyribonucleotides as inhibitors of the in vitro U7 snRNP-dependent mRNA processing event," Nucl. Acids Res., 1991, 19, 2629-2635.

Arrays

5

10

15

20

30

The present invention also relates to an ordered array of polynucleotide probes and specific-binding partners (e.g., antibodies) for detecting the expression of tissue selective genes or polypeptides encoded thereby, in a sample, comprising, one or more polynucleotide probes or specific binding partners associated with a solid support or in separate receptacles, wherein each probe is specific for a tissue selective gene or a specific-binding partner which is specific for a polypeptide.

The phrase "ordered array" indicates that the probes are arranged in an identifiable or position-addressable pattern, e.g., such as the arrays disclosed in U.S. Pat. Nos. 6,156,501, 6,077,673, 6,054,270, 5,723,320, 5,700,637, WO09919711, WO00023803. The probes are associated with the solid support in any effective way. For instance, the probes can be bound to the solid support, either by polymerizing the probes on the substrate, or by attaching a probe to the substrate. Association can be, covalent, electrostatic, noncovalent, hydrophobic, hydrophilic, noncovalent, coordination, adsorbed, absorbed, polar, etc. When fibers or hollow filaments are utilized for the array, the probes can fill the hollow orifice, be absorbed into the solid filament, be attached to the surface of the orifice, etc. Probes can be of any effective size, sequence identity, composition, etc., as already discussed.

25 Transgenic animals

The present invention also relates to transgenic animals comprising tissue selective genes, and homologs thereof. (Methods of making transgenic animals, and associated recombinant technology, can be accomplished conventionally, e.g., as described in *Transgenic Animal Technology*, Pinkert et al., 2nd Edition, Academic Press, 2002.) Such genes, as discussed in more detail below, include, but are not limited to, functionally-disrupted genes, mutated genes, ectopically or selectively-expressed genes, inducible or

10

15

20

25

30

regulatable genes, etc. These transgenic animals can be produced according to any suitable technique or method, including homologous recombination, mutagenesis (e.g., ENU, Rathkolb et al., *Exp. Physiol.*, 85(6):635-644, 2000), and the tetracycline-regulated gene expression system (e.g., U.S. Pat. No. 6,242,667). The term "gene" as used herein includes any part of a gene, i.e., regulatory sequences, promoters, enhancers, exons, introns, coding sequences, etc. The nucleic acid present in the construct or transgene can be naturally-occurring wild-type, polymorphic, or mutated. Where the animal is a non-human animal, its homolog can be used instead. Transgenic animals can have structural and/or functional defects in any of the tissues described herein, e.g., pancreas, kidney, retina, and immune cells, as well as having or being susceptible to any of the associated disorders or diseases mentioned herein.

Along these lines, polynucleotides of the present invention can be used to create transgenic animals, e.g. a non-human animal, comprising at least one cell whose genome comprises a functional disruption of one or tissue selective genes, or homologs thereof (e.g., a mouse homolog when a mouse is used). By the phrases "functional disruption" or "functionally disrupted," it is meant that the gene does not express a biologically-active product. It can be substantially deficient in at least one functional activity coded for by the gene. Expression of a polypeptide can be substantially absent, i.e., essentially undetectable amounts are made. However, polypeptide can also be made, but which is deficient in activity, e.g., where only an amino-terminal portion of the gene product is produced.

The transgenic animal can comprise one or more cells. When substantially all its cells contain the engineered gene, it can be referred to as a transgenic animal "whose genome comprises" the engineered gene. This indicates that the endogenous gene loci of the animal has been modified and substantially all cells contain such modification.

Functional disruption of the gene can be accomplished in any effective way, including, e.g., introduction of a stop codon into any part of the coding sequence such that the resulting polypeptide is biologically inactive (e.g., because it lacks a catalytic domain, a ligand binding domain, etc.), introduction of a mutation into a promoter or other regulatory sequence that is effective to turn it off, or reduce transcription of the gene, insertion of an exogenous sequence into the gene which inactivates it (e.g., which disrupts the production of a biologically-active polypeptide or which disrupts the promoter or other transcriptional

10

15

20

25

30

machinery), deletion of sequences from the gene (or homolog thereof), etc. Examples of transgenic animals having functionally disrupted genes are well known, e.g., as described in U.S. Pat. Nos. 6,239,326, 6,225,525, 6,207,878, 6,194,633, 6,187,992, 6,180,849, 6,177,610, 6,100,445, 6,087,555, 6,080,910, 6,069,297, 6,060,642, 6,028,244, 6,013,858, 5,981,830, 5,866,760, 5,859,314, 5,850,004, 5,817,912, 5,789,654, 5,777,195, and 5,569,824. A transgenic animal which comprises the functional disruption can also be referred to as a "knock-out" animal, since the biological activity of its gene has been "knocked-out." Knock-outs can be homozygous or heterozygous.

For creating functionally disrupted genes, and other gene mutations, homologous recombination technology is of special interest since it allows specific regions of the genome to be targeted. Using homologous recombination methods, genes can be specificallyinactivated, specific mutations can be introduced, and exogenous sequences can be introduced at specific sites. These methods are well known in the art, e.g., as described in the patents above. See, also, Robertson, Biol. Reproduc., 44(2):238-245, 1991. Generally, the genetic engineering is performed in an embryonic stem (ES) cell, or other pluripotent cell line (e.g., adult stem cells, EG cells), and that genetically-modified cell (or nucleus) is used to create a whole organism. Nuclear transfer can be used in combination with homologous recombination technologies. For example, a gene locus can be disrupted in mouse ES cells using a positive-negative selection method (e.g., Mansour et al., Nature, 336:348-352, 1988). In this method, a targeting vector can be constructed which comprises a part of the gene to be targeted. A selectable marker, such as neomycin resistance genes, can be inserted into a an exon present in the targeting vector, disrupting it. When the vector recombines with the ES cell genome, it disrupts the function of the gene. The presence in the cell of the vector can be determined by expression of neomycin resistance. See, e.g., U.S. Pat. No. 6,239,326. Cells having at least one functionally disrupted gene can be used to make chimeric and germline animals, e.g., animals having somatic and/or germ cells comprising the engineered gene. Homozygous knock-out animals can be obtained from breeding heterozygous knockout animals. See, e.g., U.S. Pat. No. 6,225,525.

The present invention also relates to non-human, transgenic animal whose genome comprises recombinant tissue selective nuccleic acid (and homologs thereof) operatively linked to an expression control sequence effective to express said coding sequence in a target

10

15

20

30

tissue. Such a transgenic animal can also be referred to as a "knock-in" animal since an exogenous gene has been introduced, stably, into its genome. "Operable linkage" has the meaning used through the specification, i.e., placed in a functional relationship with another nucleic acid. When a gene is operably linked to an expression control sequence, as explained above, it indicates that the gene (e.g., coding sequence) is joined to the expression control sequence (e.g., promoter) in such a way that facilitates transcription and translation of the coding sequence. As described above, the phrase "genome" indicates that the genome of the cell has been modified. In this case, the recombinant gene has been stably integrated into the genome of the animal. The nucleic acid (e.g., a coding sequence) in operable linkage with the expression control sequence can also be referred to as a construct or transgene.

Any expression control sequence can be used depending on the purpose. For instance, if selective expression is desired, then expression control sequences which limit its expression can be selected. These include, e.g., tissue or cell-specific promoters, introns, enhancers, etc. For various methods of cell and tissue-specific expression, see, e.g., U.S. Pat. Nos. 6,215,040, 6,210,736, and 6,153,427. These also include the endogenous promoter, i.e., the coding sequence can be operably linked to its own promoter. Inducible and regulatable promoters can also be utilized.

The present invention also relates to a transgenic animal which contains a functionally disrupted and a transgene stably integrated into the animals genome. Such an animal can be constructed using combinations any of the above- and below-mentioned methods. Such animals have any of the aforementioned uses, including permitting the knock-out of the normal gene and its replacement with a mutated gene. Such a transgene can be integrated at the endogenous gene locus so that the functional disruption and "knock-in" are carried out in the same step.

25 In addition to the methods mentioned above, transgenic animals can be prepared according to known methods, including, e.g., by pronuclear injection of recombinant genes into pronuclei of 1-cell embryos, incorporating an artificial yeast chromosome into embryonic stem cells, gene targeting methods, embryonic stem cell methodology, cloning methods, nuclear transfer methods. See, also, e.g., U.S. Patent Nos. 4,736,866; 4,873,191; 4,873,316; 5,082,779; 5,304,489; 5,174,986; 5,175,384; 5,175,385; 5,221,778; Gordon et al., Proc. Natl. Acad. Sci., 77:7380-7384, 1980; Palmiter et al., Cell, 41:343-345, 1985; Palmiter

et al., Ann. Rev. Genet., 20:465-499, 1986; Askew et al., Mol. Cell. Bio., 13:4115-4124, 1993; Games et al. Nature, 373:523-527, 1995; Valancius and Smithies, Mol. Cell. Bio., 11:1402-1408, 1991; Stacey et al., Mol. Cell. Bio., 14:1009-1016, 1994; Hasty et al., Nature, 350:243-246, 1995; Rubinstein et al., Nucl. Acid Res., 21:2613-2617,1993; Cibelli et al., 5 Science, 280:1256-1258, 1998. For guidance on recombinase excision systems, see, e.g., U.S. Pat. Nos. 5,626,159, 5,527,695, and 5,434,066. See also, Orban, P.C., et al., "Tissueand Site-Specific DNA Recombination in Transgenic Mice," Proc. Natl. Acad. Sci. USA, 89:6861-6865 (1992); O'Gorman, S., et al., "Recombinase-Mediated Gene Activation and Site-Specific Integration in Mammalian Cells," Science, 251:1351-1355 (1991); Sauer, B., et 10 al., "Cre-stimulated recombination at loxP-Containing DNA sequences placed into the mammalian genome," Polynucleotides Research, 17(1):147-161 (1989); Gagneten, S. et al. (1997) Nucl. Acids Res. 25:3326-3331; Xiao and Weaver (1997) Nucl. Acids Res. 25:2985-2991; Agah, R. et al. (1997) J. Clin. Invest. 100:169-179; Barlow, C. et al. (1997) Nucl. Acids Res. 25:2543-2545; Araki, K. et al. (1997) Nucl. Acids Res. 25:868-872; Mortensen, 15 R. N. et al. (1992) Mol. Cell. Biol. 12:2391-2395 (G418 escalation method); Lakhlani, P. P. et al. (1997) Proc. Natl. Acad. Sci. USA 94:9950-9955 ("hit and run"); Westphal and Leder (1997) Curr. Biol. 7:530-533 (transposon-generated "knock-out" and "knock-in"); Templeton, N. S. et al. (1997) Gene Ther. 4:700-709 (methods for efficient gene targeting, allowing for a high frequency of homologous recombination events, e.g., without selectable 20 markers); PCT International Publication WO 93/22443 (functionally-disrupted).

A polynucleotide according to the present invention can be introduced into any non-human animal, including a non-human mammal, mouse (Hogan et al., Manipulating the Mouse Embryo: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, 1986), pig (Hammer et al., Nature, 315:343-345, 1985), sheep (Hammer et al., Nature, 315:343-345, 1985), cattle, rat, or primate. See also, e.g., Church, 1987, Trends in Biotech. 5:13-19; Clark et al., Trends in Biotech. 5:20-24, 1987); and DePamphilis et al., BioTechniques, 6:662-680, 1988. Transgenic animals can be produced by the methods described in U.S. Pat. No. 5,994,618, and utilized for any of the utilities described therein.

30 Database

25

The present invention also relates to electronic forms of polynucleotides,

10

15

20

25

30

polypeptides, etc., of the present invention, including computer-readable medium (e.g., magnetic, optical, etc., stored in any suitable format, such as flat files or hierarchical files) which comprise such sequences, or fragments thereof, e-commerce-related means, etc. Along these lines, the present invention relates to methods of retrieving nucleic acid and/or polypeptide sequences from a computer-readable medium, comprising, one or more of the following steps in any effective order, e.g., selecting a cell or gene expression profile, e.g., a profile that specifies that said gene is differentially expressed in a tissue as described herein, and retrieving said differentially expressed nucleic acid or polypeptide.

A "gene expression profile" means the list of tissues, cells, etc., in which a defined gene is expressed (i.e, transcribed and/or translated). A "cell expression profile" means the genes which are expressed in the particular cell type. The profile can be a list of the tissues in which the gene is expressed, but can include additional information as well, including level of expression (e.g., a quantity as compared or normalized to a control gene), and information on temporal (e.g., at what point in the cell-cycle or developmental program) and spatial expression. By the phrase "selecting a gene or cell expression profile," it is meant that a user decides what type of gene or cell expression pattern he is interested in retrieving, e.g., he may require that the gene is differentially expressed in a tissue, or he may require that the gene is not expressed in blood, but must be expressed in pancreas. Any pattern of expression preferences may be selected. The selecting can be performed by any effective method. In general, "selecting" refers to the process in which a user forms a query that is used to search a database of gene expression profiles. The step of retrieving involves searching for results in a database that correspond to the query set forth in the selecting step. Any suitable algorithm can be utilized to perform the search query, including algorithms that look for matches, or that perform optimization between query and data. The database is information that has been stored in an appropriate storage medium, having a suitable computer-readable format. Once results are retrieved, they can be displayed in any suitable format, such as HTML.

For instance, the user may be interested in identifying genes that are differentially expressed in a pancreas or kidney. He may not care whether small amounts of expression occur in other tissues, as long as such genes are not expressed in peripheral blood lymphocytes. A query is formed by the user to retrieve the set of genes from the database

having the desired gene or cell expression profile. Once the query is inputted into the system, a search algorithm is used to interrogate the database, and retrieve results.

Advertising, licensing, etc., methods

The present invention also relates to methods of advertising, licensing, selling, purchasing, brokering, etc., genes, polynucleotides, specific-binding partners, antibodies, etc., of the present invention. Methods can comprises, e.g., displaying tissue selective polynucleotide or polypeptide sequences, or antibody specific thereto, in a printed or computer-readable medium (e.g., on the Web or Internet), accepting an offer to purchase said gene, polypeptide, or antibody.

Other

5

10

15

20

25

30

A polynucleotide, probe, polypeptide, antibody, specific-binding partner, etc., according to the present invention can be isolated. The term "isolated" means that the material is in a form in which it is not found in its original environment or in nature, e.g., more concentrated, more purified, separated from component, etc. An isolated polynucleotide includes, e.g., a polynucleotide having the sequenced separated from the chromosomal DNA found in a living animal, e.g., as the complete gene, a transcript, or a cDNA. This polynucleotide can be part of a vector or inserted into a chromosome (by specific gene-targeting or by random integration at a position other than its normal position) and still be isolated in that it is not in a form that is found in its natural environment. A polynucleotide, polypeptide, etc., of the present invention can also be substantially purified. By substantially purified, it is meant that polynucleotide or polypeptide is separated and is essentially free from other polynucleotides or polypeptides, i.e., the polynucleotide or polypeptide is the primary and active constituent. A polynucleotide can also be a recombinant molecule. By "recombinant," it is meant that the polynucleotide is an arrangement or form which does not occur in nature. For instance, a recombinant molecule comprising a promoter sequence would not encompass the naturally-occurring gene, but would include the promoter operably linked to a coding sequence not associated with it in nature, e.g., a reporter gene, or a truncation of the normal coding sequence.

10

The term "marker" is used herein to indicate a means for detecting or labeling a target. A marker can be a polynucleotide (usually referred to as a "probe"), polypeptide (e.g., an antibody conjugated to a detectable label), PNA, or any effective material.

The topic headings set forth above are meant as guidance where certain information can be found in the application, but are not intended to be the only source in the application where information on such topic can be found. Reference materials

For other aspects of the polynucleotides, reference is made to standard textbooks of molecular biology. See, e.g., Hames et al., <u>Polynucleotide Hybridization</u>, IL Press, 1985; Davis et al., <u>Basic Methods in Molecular Biology</u>, Elsevir Sciences Publishing, Inc., New York, 1986; Sambrook et al., <u>Molecular Cloning</u>, CSH Press, 1989; Howe, <u>Gene Cloning and Manipulation</u>, Cambridge University Press, 1995; Ausubel et al., <u>Current Protocols in Molecular Biology</u>, John Wiley & Sons, Inc., 1994-1998.

Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The following

15 preferred specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever. The entire disclosure of all applications, patents and publications, cited above and in the figures are hereby incorporated by reference in their entirety, including U.S. Application Serial Nos. 60/372,669

April 16, 2003, 60/374,823 filed April 24, 2002, 60/376,558 filed May 1, 2002, 60/381,366

20 filed May 20, 2002, 60/403,648 filed August 16, 2002, 60/411,882 filed September 20, 2002, and 60/424,336 filed November 7, 2002.

)OCID: <WO____03089583A2_1 >

TABLE 1

Chare ID (Gene case)	ACC N	_{जि} ष्ट्रागाम्बाह्याद्वाह्य विकट्टिया	ල්ලාය සොක්සෙන්නා නුල්ස	Cycerefeliners
TMD0024	XM_060945	thymus	none	1q22
TMD1779	XM_060946	thymus and PBL	none	1q22
TMD0884	XM_060947	thymus	skin and ovary	1g22
TMD0025	XM_060948	thymus	none	1g22
TMD1780	XM_089422	thymus	none	1922
TMD1781	XM_089421	PBL	thymus	1922
TMD0304	XM_060956	bone marrow and muscle	testis	1922
TMD0888	XM_060957	bone marrow	lung, muscle and testis	1922
TMD0890	XM_060959	bone marrow	lung and PBL	1922

TABLE 2

-	Clone ID (gene code)	ACCN	Protein seq length	Domain Description
10	·TMD1779	XM_060946		Transmembrane domain: 26 - 48 Transmembrane domain: 55 - 77 Transmembrane domain: 92 - 114 Transmembrane domain: 134 - 156 Transmembrane domain: 197 - 219
15 20	TMD0024	XM_060945	268	Transmembrane domain: 16 - 38 Transmembrane domain: 53 - 75 Transmembrane domain: 96 - 118 Transmembrane domain: 156 - 178 Transmembrane domain: 191 - 213 Transmembrane domain: 228 - 246
25	TMD0025	XM_060948	. 313	Transmembrane domain: 29 - 51 Transmembrane domain: 58 - 77 Transmembrane domain: 92 - 114 Transmembrane domain: 135 - 157 Transmembrane domain: 197 - 219 Transmembrane domain: 240 - 262 Transmembrane domain: 272 - 294
30 35	TMD0304	XM_060956	319	Transmembrane domain: 28 - 50 Transmembrane domain: 63 - 82 Transmembrane domain: 102 - 124 Transmembrane domain: 144 - 166 Transmembrane domain: 205 - 227 Transmembrane domain: 240 - 262 Transmembrane domain: 272 - 294
40	TMD0884	XM_060947	299	Transmembrane domain: 20 - 42 Transmembrane domain: 54 - 76 Transmembrane domain: 91 - 113 Transmembrane domain: 126 - 148

5

			-95-	
	•			Transmembrane domain: 183 - 205 Transmembrane domain: 226 - 248 Transmembrane domain: 258 - 277
5	TMD0888	XM_060957	312	Transmembrane domain: 25 - 47 Transmembrane domain: 59 - 78 Transmembrane domain: 98 - 120
10				Transmembrane domain: 141 - 163 Transmembrane domain: 207 - 229 Transmembrane domain: 241 - 260 Transmembrane domain: 270 - 292
15	TMD0890	XM_060959	280	Transmembrane domain: 26 - 48 Transmembrane domain: 122 - 144 Transmembrane domain: 180 - 202 Transmembrane domain: 215 - 237 Transmembrane domain: 252 - 269
20	TMD1780	XM_089422	491	Transmembrane domain: 20 - 42 Transmembrane domain: 54 - 76 Transmembrane domain: 91 - 113 Transmembrane domain: 137 - 159 Transmembrane domain: 190 - 212
25				Transmembrane domain: 231 - 253 Transmembrane domain: 266 - 283 Transmembrane domain: 304 - 326 Transmembrane domain: 336 - 358 Transmembrane domain: 379 - 401
30	TMD1781	XM_089421	91	Transmembrane domain: 437 - 459 Transmembrane domain: 63 - 85

	XM_060945	XM_060946	TMD0884 XM_060947	TMD0025 XM_060948	TMD1780 XM_089422	TMD1781 XM_089421	TMD0304 XM_060956	TMD0888 XM_060957
TMD0024 XM_060945	.:		2					
TMD1779 XM_060946	no significant similarity							
TMD0884 XM_060947	74%(371nt)	no significant similarity						
TMD0025	71%(222nt) 80%(73nt)	90%(605nt)	83%(54nt)					
TMD1780 XM_089422	81%(114nt) 74%(186nt) 79%(113nt) 77%(99nt)	83%(71nt)	78%(90nt)	80%(84nt)	Sec.			
TMD1781	91%(35nt) 77%(80nt)	no significant no significant signilarity signilarity	no significant similarity	no significant similarity	77%(179nt) 82%(46nt)	ng digital di sana di	· ·	
TMD0304 XM_060956	no significant similarity	no significant no significant no significant similarity similarity	no significant similarity	no significant similarity	84%(39nt)	no significant similarity		
TMD0888 XM_060957	no significant similarity	no significant no significant similarity	no significant similarity	84% (38nt)	no significant similarity	no significant similarity	73%(24 Int)	-gph-sea
TMD0890	no significant similarity	no significant no significant no significant similarity similarity	no significant similarity	no significant similarity	no significant similarity	no significant similarity	no significant similarity	84%(39nt)

FABLE

TMD0888 XP_060957									46%(196aa)
TMD0304 XP_060956							11年	50%(301aa)	36%(196aa)
TMD1781 XP_089421							34%(89aa)	41%(82aa)	38%(72aa)
TMD1780 XP_089422						51%(93aa) 49%(77aa)	39%(300aa)	45%(304aa) 43%(189aa)	42%(200aa)
TMD0025 XP_060948					52%(300aa)	37%(94aa)	39%(299aa)	40% (305aa)	36%(179aa)
TMD0884 XP_060947				46%(166aa)	55%(165aa) 47%(111aa)	52%(40aa)	36% (163aa)	41%(157aa)	32%(156aa)
TMD1779 XP_060946			36% ₍ 92aa)	73%(233aa)	46%(227aa) 46%(169aa)	35%(82aa)	37%(229aa)	37%(239aa)	32%(132aa)
TMD0024 XP_060945		47%(200aa)	62%(171aa)	53%(252aa)	59%(261aa) 59%(181aa)	40%(94aa)	40%(257aa)	49%(251aa)	41%(196)
	TMD0024 XP_060945	TMD1779 XP_060946	TMD0884 XP_060947	TMD0025 XP_060948	TMD1780 XP_089422	TMD1781 XP_089421	TMD0304 XP_060956	TMD0888 XP_060957	TMD0890 XP_060959

TABLE 4

ভাক্ত	TMD17

-66-

@ ଜାଉଧିକାତ	િક્ઝોપાહેલ	S S S S S S S S S S S S S S S S S S S	CARRIED GRONOHER
TMD1779	GGTCAATGAGACTGTGG	CTATCACTCCCAGTGTGGAA	CAGATITAAATGGGCCAGACTTAGTTTTATGTGTGC
1-2)	(SEQ ID NO 3)	(SEQ ID NO 4)	
(SEQ ID NO	CCACCTGCTCTCAGACA	GGCACCATAATTACCAGGAT	GAGTGCCAAATATATAAAGAGGTATGTTCAATGCAACATGTTAAATGCAA
(2-2)	(SEQ ID NO B)	(SEQ ID NO 9)	(SEG ID NO 10) COCCTINGATAAAAAGGGCAGATTTATTATAAAGAACCCTGATTTAATCA (SEG ID NO 11)
TMD0025 (SEQ.ID NO	CCTGTTCACTCTGGGCA	CTGGTTGGAGGAGTGGAAG	TAATACTATGTAAAAATCCACTGGACTAGAATCAGCTGTCCTCATGTGCC
12-13)	(SEQ ID NO 14)	(SEQ ID NO 15)	VECTITION 19) SECTION OF THE SECTIO
			(TEG 50 M) 191 (SEO ID NO 17)
			CCCTTGGAGATATAAAAAGTTCCCAGTAAATAGATGTGTGCTCACATCTT (SEQ ID NO 18)
(SEQ ID NO	CTCTATGTTCCCGCATGC GCACAG (SEQ ID NO 22)	GCAAGGTGGAAATCCATGCA ATCTCAG ASEO ID NO 233	AGACAGACGTTAAAAATGACCAAACCTACAGAAAATATTTCCAGATAAT (SEQ 10 NO 24)
TMD0884	TGTCAATATCCTGGTGTT	SAACCTITCT	GTCACTGGTGTATAAGCACGCAGTGCAAAGGAAATATTAAAAACTAGAACC
(SEC 10 NO 25-26)	(SEQ ID NO 27)	CAGAGCCATC (SEQ ID NO 28)	(SEQ ID NO 29)
			ID NO 30)
			GCTAGATATTTAACAGCCTGCCTGTATTGACCACTTATGCATCAGGAAAT
			ATTTGAGTTATGTATATGAGAGACTGGGTACATCACTTTTTACTTGTTTT (SEQ
TMD0888 (SEQ ID NO	CCAGGTA	GGAGCAGAGGATCAGCAGG	ACACTGCAGTTATATAGGGTGGCCCAGGTAGTTGAGCTGGTGAAATTTGA
33-34)	(SEO ID NO 35)	10 36)	CCCTOTOGOTO CONTRACT TA A A A GGAT GGGGCA T GGAGGAAACT A A A GTT GGAG
			STC AATTAAATTATATATATATTTGGTCCAGTACGGTATCAATATATTATCAGTA (SEQ
TMD0890	TCACCACCACTGGGACC	CACACCAATCACTGTGC	CAATCTGTTATTTATACGGCCTCTACATCCATCCAGTACCTGCTTATGTA (SEC
(SEQ 10 NO		CAT	DNO 44)
			GITCICTITITATAAAAGGCTATGTGGGACTTGCAAAACTTCTAGTGGCC (SEQID NO 45)
			GAACATGAAATATAAGTAGGGGAGTATCTTGGGGTAGAAAGGATGCCGAG (SEQ ID NO 46)
(SEQ ID NO	CICTGAAATCTTCTACAC	CICTGAAATCTTCTACAC ATGAGATGGGAAGCACAGGTT	ATCAATATTGTTAAAATGGCCGTACTGTCAAAAGCAATTTACAGATTCAA
47.48)	(SEQ ID NO 49)	(SEQ ID NO 50)	ATATGAAACCAAAAAAGCCCTCAAATAGCCCAAGTAACCCTAAAGAAAAA
			CGCCCTATTCATAAATGGTGTGGGAATAGCTGGCTAGCCATCTGCAGAA
		:	SECTION 53) SECTION SE
TMD1781 (SEQ ID NO	TGATTCC	TCAGGATGGTGTGAACAATG	TTCCCTATTTAATAAATGGTGCTGGGAAAACTGGCTAGCCATATGTAGAA
55-56)		<u>~</u>	ANCANCOCCITCANAAAGTGGGCCAAAGATATGAACAGACACTTCTCAAA
			AATGGCGATCATTAAAAAGTCAGGAAACAACAACAGGGGGGGG
			SEQ ID NO 62)

. DCID: <WO_____03089583A2_I_>

FRIMER (FOR, REV) (SEQ ID NO)	69,70
PROMOTER (SEQ ID NO)	89-59
PREDOMINANT PROMOTER SITES OF (SEQ ID NO) EXPRESSION	kidney
GENE GENBANK NUMBER IDENTIFIER	63,64 TMD0785 XM 060310 kidney
GENE NUMBER	TMD0785
SEQ ID NO	63,64

	XM_062147	929190 WX
outside	1-27	1-28
TM (1)	28-50	29-51
inside	51-61	52-62
TM (2)	62-84	63-85
outside	86-58	66-98
TM (3)	99-121	100-122
inside	122-140	123-133
TM (4)	141-163	134-156
outside	164-203	157-201
TM (5)	204-226	202-224
inside	227-237	225-236
TM (6)	238-260	237-259
outside	261-274	260-273
TM (7)	275-293	274-296
inside	294-313	297-314

LABLE

මිතම (මැතිත කරන), කිසිම	an Aggn	SenetNeme@cescipton	िग्द्रश्वभागामहान्। अस्ट्रिज्ञत्।	Office of the second
TMD0049	XM 057351	Homo sapiens similar to organic anion transpoter 4 like protein (LOC116085) mRNA	kidnev	Calcifordiassicification
TMD0190	XM_087157	Homo sapiens similar to sodium-coupled ascorbic acid transporter 2/LOC151295), mRNA.	kidnev	colon and liver
TMD0242	XM_088369	Homo saplens similar to unnamed protein product (LOC157724) mRNA	kidnev	
MD0335	098890_MX	Homo sapiens similar to sodium iodide symporter (LOC159963) mRNA	kidney	adrenal gland, heart, intestine(small), liver, muscle, testis
TMD0371 (new)	XM_089732	Homo sapiens similar to CG8271 gene product (LOC196023), mRNA.	kidney	pancreas and testis
MD0374 (new)	XM 085595	Homo sapiens similar to unnamed protein product (LOC146802) mRNA	kidnev	brain, muscle, ovary, skin, testis
MD0469	XM_038736	Homo saplens solute carrier family 4 sodium bicarbonate cotransporter member 9 (SLC4A9) mRNA	kidnev	none
MD0719	XM 059548	Homo sapiens hypothetical gene supported by XM 059548 (LOC131920) mRNA	kidney	none
MD0731	XM 059703	Homo sapiens similar to pulative (H. sapiens) (LOC134288) mRNA	kidnev	adrenal pland muscle thyroid
TMD0785	XM 060310	Homo sapiens similar to olfactory receptor MOR275-2 (LOC127069), mRNA	kidney	none
MD0841	XM_060623	Homo sapiens similar to KIAA0711 gene product (H. sapiens) (LOC127707) mRNA	kidnev	Iuna
MD1114	NM 019841	Homo sapiens transient receptor potential cation channel subfamily V member 5 (TRPV5) mRNA	kidnev	none
FMD1148	XM 087108	Homo saplens similar to calcium channel voltage-dependent gamma subunit 6 (LOC151151) mRNA	kidney	none

TABLE 8

ABLE 9

ලබාව ලැබෙ	6 92	ි වැට Protein පෙකු (කෙනු).	Comette (essentation
TMD0049	2	332	Sugar (and other) transporter: 2 - 302
			Transmembrane domain: 12 - 34
			Transmembrane domain: 39 - 58
			Transmembrane domain: 131 - 153
			Transmembrane domain: 157 - 179
			Transmembrane domain: 186 - 205
			Transmembrane domain: 215 - 237
MD0190	4	243	Permease family: 91 - 224
MD0242	9	470	AA-permease: 27 - 356
			Transmembrane domain: 13 - 35
			Transmembrane domain: 50 - 72
			Transmembrane domain: 93 - 115
			Transmembrane domain: 137 - 154
			Transmembrane domain: 161 - 183
			Transmembrane domain; 207 - 229
			Transmembrane domain: 242 - 264
			Transmembrane domain: 286 - 308
			Transmembrane dómain: 335 - 357
			Transmembrane domain: 362 - 379
			Transmembrane domain: 392 - 414
			Transmembrane domain: 420 - 442

	Sodium solute symporter family: 41 - 172	Transmembrane domain: 45 - 67	Transmembrane domain: 87 - 109	Transmembrane domain: 116 - 138	Transmembrane domain: 143 - 165	Transmembrane domain: 174 - 196	Transmembrane domain: 201 - 223	Transmembrane domain: 283 - 305	Transmembrane domain: 320 - 339	Transmembrane domain: 351 - 370	Transmembrane domain: 375 - 397	Transmembrane domain; 404 - 426	Transmembrane domain: 441 - 463	Transmembrane domain: 31 - 53	Transmembrane domain: 68 - 90	Transmembrane domain: 116 - 138	Transmembrane domain; 153 - 171	Transmembrane domain: 184 - 206	Transmembrane domain: 211 - 233	Transmembrane domain: 254 - 273	Transmembrane domain: 288 - 310	Transmembrane domain: 331 - 353	Transmembrane domain: 373 - 395	Transmembrane domain: 404 - 426	Transmembrane domain: 431 - 453	Transmembrane domain: 542 - 564	
	8 178 8	10 516 T		=	J	j				<u> </u>		J-		12 · 566 T	₽-	F	P	I		<u> </u>				 			
	TMD0335	TMD0371												TMD0374 1		,: ,::											

03-

TMD0469	14	983	HCO3- transporter family: 108 - 891
			Transmembrane domain: 413 - 435
			Transmembrane domain: 447 - 469
			Transmembrane domain: 498 - 520
			Transmembrane domain: 532 - 554
			Transmembrane domain: 623 - 645
			Transmembrane domain: 665 - 684
			Transmembrane domain: 712 - 731
			Transmembrane domain: 751 - 773
		-	Transmembrane domain: 813 - 832
		-	Transmembrane domain: 839 - 858
			Transmembrane domain: 897 - 919
TMD0719	16	146	Transmembrane domain: 7 - 29
			Transmembrane domain: 49 - 71
TMD0731	18	. 218	Transmembrane domain: 38 - 60
		-	Transmembrane domain: 70 - 92
TMD0785	20	312	7 transmembrane receptor (rhodopsin family): 58 - 290
			Transmembrane domain: 29 - 51
		-	Transmembrane domain: 61 - 83
		-	Transmembrane domain: 140 - 162
			Transmembrane domain: 197 - 219
			Transmembrane domain: 240 - 262
		-	Transmembrane domain: 272 - 294
TMD0841	22	1161	Kelch motif: 850 - 895
		=	Kelch motif: 897 - 938

	Transmembrane domain: 327 - 349	Transmembrane domain: 383 - 405	Transmembrane domain: 420 - 438	Transmembrane domain: 451 - 473	Transmembrane domain: 493 - 512	Transmembrane domain; 519 - 541	Transmembrane domain; 554 - 576		Transmembrane domain: 7 - 24	Transmembrane domain: 39 - 61	Transmembrane domain: 68 - 00	
	729		-					-	103	p.		1
	24								26			
	TMD1114								TMD1148			

105-

ල්කෙම (ම අතෙම පෙරෙන) සිලෙහ		Oylogenetic)locals 4	Oxogeneticlocus disease linkers Section Company Compa
TMD0049	XM 057351	11912.1	osteoporosis-pseudoglioma syndrome; spastic paraplegia 1.7
TMD0190		2936.2	ouou
TMD0242	XM 088369	8q21.2	enon
TMD0335	XM_089960	11p14.2	
TMD0371A	XM_089732	10923.33	epilepsy, partial, with auditory features: spætic paraplegia 9, autosomal dominant
TMD0374	XM 085595	17p11.2	smith-magenis syndrome
TMD0469	XM 038736	5q31	paget disease of bone 4
TMD0719	XM 059548	3q29	9400
TMD0731	XM_059703	5q13.2	spastic paraplegia 11, autosomal recessive; corpus callosum, agenesis of, with neuronopathy
TMD0785	XM 060310	1944-tel	familial cold urticarla (FCU); Muckle-Wells syndrome (MWS); prostate cancer susceptibility
TMD0841	XM 060623	1036.13	breast cancer, ductal, 2; prostate cancer/brain cancer susceptibility; melanoma, cutaneous
TMD1114	NM 019841	7935	glavoma 1, open angle, f
TMD1148	XM_087108	2q14.1	motor neuronopathy, distal hereditary, with vocal cord paralysis; cardiomyopathy, dilated, 1h

TABLE 10

මෙමය් (ලෝල දින අමා	(1918 (1918) Section (1918)	THE COLOMBIA (STATE AND STATE)
TMD0049	GCGCTTCCGGACCTGTATCTCCAC (104)	d ()
(78,79)	CAAGCICTGGGTCTCGGGCAGAAG (105)	
TMD0190	ACCATCCTGCAAACTTGGATGGGC (107)	GCTTTATGTATATGAAAACCCTGTTTATCTGAGCCTAGAACTGTCTTTGC (109)
(80,81)	AAGGAGCCGGAAGACAGGGAGG (108)	
TMD0242	GAGTCTCCCTGTGCGTTTGGGCTG (111)	AGTCCCAGCTTAAAAAGAGACAGACAGAGAGAGAGAGAGA
(82,83)	AAGTGTAAAGCATGCCCCGCCTGA (112)	TTAGTGATTTAAAAAATGTGAAGAAGAGAGTCAAGGCAGTAAAAGGA (114)
TMD0335	GTTCGCTATGCTGCCACGGTCATC (115)	CATACAAATAATTAAAAGCCCAGGTTAAGGTAAATATATAAAGACCAAG (117)
(84,85)	AGTCCTGGCAGTCCTGGCATTGTG (116)	ATCTCACGAATTAAAAATGCTGAGGTGGTAAATTGTTATCAATTCTATGT (118)
TMD0371	CAGGATTACGCACAACGGCATGG (119)	CTAGACTATTTAAAAAACCCCTGGCTTGCACAGTGGCTCAAGCCTGTAA (121)
(86,87)	TGGGAGGCAGAGATAGCAGAGCCC (120)	
TMD0374	CIGGICCIGGGCACCCIGAIAAGC (122)	AGCTGTCCTCATTAAAAGTGACCTGGAGTGABATGGATTCTTCTGCCTAT (124)
(88,89)	CCCAGGTCTGGTTGCAGTGCTCTC (123)	CCAATICITCIGAAAAACGGGAGICACIGIGGGCACCAICACGCCCGGGI (125)
TMD0469	CTGAGGTGTCCCTCCCAAGCAGGT (126)	TAAACAAATACATAAATGAGGCAGTTACTAGTAGTGGTAACTGCTAGGAA (128)
(90,91)	TACGGCCGAGAAGCACTGGAGATG (127)	
		GGGATGCATTATAAATGCAACCAGCCAGAGGGCCCCTGGCTTCAGAACCT (130)
TMD0719	GTCACCTCAGCGATCTCAACGATAGGG (131)	,
(92, 93)	TGGAGCAGGAACAGGATATAGGTCAGGG (132)	
TMD0731 ::	GGGTGGGAAGGAAGCAGGGAAGAG (135)	
(94,95)	CCAGCTAGTTCATGCTTGGCGCAG (136)	
TMD0785 (96,97)	CTGTTGGGAATCTTCAGCCAGATCTCACAC (138) ATGGAGGTTTCTGCACGCTCAGCA (139)	AAGCAAITTGTTAAAAACTGGGATTACTTTACTCTTATGCTTTCTGTGTC (140) ACTTTAATTTTATAAAGAAGGTTCACATCAAGAAATTCCAAGTGAGGTTC (141)
TMD0841	GGGCCACTTCCACAGAAGC (142)	
(66,96)	TGGCCTGAGAGGTAGATTCCACATAGTAGTCGT	
TMD1114	CTCCTTTCTGGTCAGAGAACAAGACTGGGAC	
(100,101)	GTGATGTCTCGAGAATGAGTGCGGTTG	COST. THE PROPERTY OF THE PROP
TMD1148	GCAGATGACCCGACCTGATCTTC (149)	GCCAGAGAGTTTAAATGAAGCCCTACTTTGGGGAAGAGAGAAGAAAA
(102, 103)	TGGCTGTGCAGCTAGGTACCAG (150)	

TABLE 11

SEQ		GENBANK	PREDOMINANT	OTHER	PROMOTER	PRIMER
2	NUMBER	IDENTIFIER	SITES	SITES OF	(SEQ ID NO)	(FOR, REV)
NO			OF EXPRESSION	EXPRESSION		(SEQ ID NO)
152,	TMD0986	WX 061779	pancreas	low levels in	156-161	154,155
153				testis		
162,	1MD0987	XM 061780	pancreas	low levels in	166	164,165
163			•	testis		
167,	TMD0353	XM 061781	pancreas			169.170
168		ı	•			
171,	4860QWL	XM_061784	pancreas			173,174
172						
175,	TMD058	XIM_061785	pancreas	low levels in	179,180	177,178
176				testis		

TABLE 12

	WW_061779	XM_061780	XM 061781	XM_061779 XM_061780 XM 061781 XM 061784 XM 061785	XM 061785
outside	1-23	1-25	1-22		1-24
TM (1)	24-46	26-48	23-45		25-47
inside	47-58	49-60	46-65		48-59
TM (2)	82-48	61-83	88-99		60-82
outside	79-97	84-97	89-97		83-96
TM (3)	TM (3) 98-120	98-120	98-120		97-119
inside	121-140	121-139	121-140		120-139
TM (4)	141-163	140-162	141-163		140-162
outside	outside 164-198	163-202	164-203		163-201
TM (5)	TM (5) 199-221	203-25	204-226		202-224
inside	222-240	226-237	227-237		225-236
TM (6)	241-260	238-260	238-260		237-259
outside	outside 261-274	261-269	261-272		260-268
TM (7)	75-292	270-289	273-292		269-291
inside	293-314	290-318	293-323		292-311

FABLE 13

The state of the s						
GENBANK	MOUSE	061779	061780	061781	061784	061785
IDENTIFIER	HOMOLOG				•	
XM 061779			42% (63%)	42% (63%) 36% (57%)	(7017) 7007 (707) 4107)	400% (610%)
XM_061780	MOR239-6	42% (63%)				46% (67%)
	(AY073489)	,		(2.2.2)	(0/20) 0/11	(0/10) 0/01
	60% (63%)					
XM 061781		36% (57%) 41% (60%)	41% (60%)		43% (63%) 40% (61%)	40% (61%)
					(0) (0)	

-110

177 5 07150						
XIM_U61784	MOR223 ~ >85%	43% (64%)	44% (62%)	43% (63%)		81% (87%)
VA 061705	20000					
C8/100_147V	MOK223	40% (61%)	46% (67%)	40% (61%)	810% (870%)	
	~>85%			(8/10) 8/01	(0/ (0) 0/ 10	

TABLE 14

ABI.E. 15

ලියෙව (ම (ලුහෙව දෙනි))	AGEN	ी मिट्टिकामान्डा <u>ती.</u> डॉहिड क् डॉहिड क्	Other existencities	Gyloganetibless
186) 186)	XM_166853	spleen	liver	11912.2
TMD1029 (SEQ ID NO 187- XM_166854 188)	XM_166854	spleen, lymphocytes, liver	brain, heart, lung, lymph node 11q12,2	11q12.2
TMD1028 (SEQ ID NO 189- XM_166855 190)	XM_166855	spleen, lymphocytes	liver	11q12.2
TMD0621 (SEQ ID NO 191- XM_166205 192)	XM_166205	spleen	brain, heart, liver, lung and pancreas	11q12.2

LABLE 16

, and the second se	UN. I Protein length (tee) Tometh desentation.	58853 298 Transmembrane domain; 27 - 49	Transmembrane domain: 98 - 120	Transmembrane domain: 140 - 162	Transmembrane domain: 175 - 197	Transmombanco de la constante
	AICK	XM_16				
	l all Guoto	TMD1030 XM_166853				

٠	_
-	
·	١

Transmembrane domain: 238 - 260 Transmembrane domain: 275 - 292	Transmembrane domain: 26 - 48 Transmembrane domain: 61 - 78 Transmembrane domain: 98 - 120 Transmembrane domain: 140 - 162 Transmembrane domain: 238 - 260 Transmembrane domain: 238 - 260 Transmembrane domain: 275 - 292	Transmembrane domain; 18 - 40 Transmembrane domain; 61 - 83 Transmembrane domain; 103 - 125 Transmembrane domain; 137 - 156	Transmembrane domain: 9-31 Transmembrane domain: 69 - 91
	309	173	109
	XM_16684	(M_166855	(M_166205
	MD 1029	MD1028 XM_166855	MD0621 XM_166205

TABLE 17

5000				
Redign Teacher	GAGCCTATAATATATGAGCCAGCTACGAGTTGGA (SEQ ID NO 198)	AAACCTGTTTGTACAGAGGCATTTATTGAGCC (SEQ ID NO 200)	CICCAACCCAGIGAACAICAAGIIAAAICCCAC (SEQ ID NO 202)	CTCATTAATACGATGGCATAGATACATGTAAGAGAG (SEQ ID NO 204)
्राप्तः ह्योष्टिन इस्पर्यं	TMD1030 XM_166853 GGGATITGGIGTCCAACACGAAITICA (SEQ ID NO 197)	TMD1029 XM_166854 GTCACTGAATTCTATCTTCTGGGATTTGGTGC (SEQ ID NO 199)	TMD1028 XM_166855 GATATCATTTTGGGGCTGCATGATACAATTATTGG (SEQ ID NO 201)	XM_166205 TTAAGCTATTAGTTAGTTCATATGTCATGGGTTTCC (SEQ ID NO 203)
NGG)	XM_166853	XM_166854	XM_166855	XM_166205
ල්කමම	TMD1030	TMD1029	TMD1028	ТМD0621

TABLE 18

	Action of the construction	TMD1030 XM_166853 ATGTTCCATCTAAATGAAGCCTGAGAAACCCAGCACTACCTGTTAG (0.94) (SEQ ID NO 205) ACATCCATTATAACAGGGTTAATAACTTGTAAAGAATAGCACCTAGA (0.95) (SEQ ID NO 206)	TMD1029 XM_166854 AAATGTATAAATTCTGCATGAAATTGGGGGTGGGGCTTGTACTACTTTTG (0.98) (SEQ 1D NO 207)	TMD1028 XM_166855 ATGTTCCATCTAAATGAAGCCTGAGAAACCCAGCACTACCCACTTGTTAG (0.94) (SEQ ID NO 208) ACATCCATTATAACAGGGTTAATAACTTGTAAAGAATAGCACCTAGA (0.95) (SEQ ID NO 209)
the same of the sa	NECH	KM_166853 ATGTTCCATCTA.	KM_166854 AAATGTATAAAT	KM_166855 ATGTTCCATCTA ACATCCATTATA
	ම්දාවම	IMD1030 >	FMD1029	TMD1028

-511

(SEO ID NO 210)	(SEO ID NO 211)	(SEQ ID NO 212)	(SEQ ID NO 213)	
(0.99)	(0.97)	(1.00)	(0.91)	
IMDUSZI	GGCTCACGCCTATAATCCCAGCACTTTGGGAGGCCGAGGCAGGTGGATCA (0.97) (SEQ ID NO 211)	TCCCAAATATATATATATACACACACACACACACACACA	CACACACACATATATATAGACACACATATATTATAATCATTTAACAACA (0,91) (SEQ ID NO 213)	
XM_166205				 •
1290001				

OCID: <WO, 03089583A2 1 >

TABLE 19

114-

TABLE 19
(from Principles of Internal Medicine, Volume 1, Page 357, 12th Edition, McGraw-Hill Inc.)

"DCID: <WO _ ____03089583A2 1 >

116-

Table 20

GIRENOIS:	. Wagen		HPredominant(sites)	The state of the s
1MD0077	XM_166914	Homo sapiens olfactory receptor MOR212-1 (LOC219956), mRNA.	pancreas and testis	brain, heart and kidney
TMD0233	XM_069616	Homo sapiens similar to olfactory receptor (LOC135941) mRNA	02007000	
TMD0256	XM_066725	Homo sapiens similar to olfactory receptor (LOC13947R) mRNA	2000000	DIO:
TMD0258	XM_066873	Homo sapiens similar to beta-2 adreneroic recentor (1.00139760) mBNA	on contract of the contract of	skin and (esus
TMD0267	XM 089550	NON CONTRACT OF THE PROPERTY O	paricieds	colon, stomach and testis
	2000	Figure sapidals similar to Cosos gene product (LOC159371) mRNA	pancreas and testis	adrenal gland, bone marrow, colon, heart, intestine (small), kidney, liver, pituliary, prostate skin stomath and through
TMD0271	XM_061815	Homo sapiens similar to odorant receptor S18 gene (LOC120010) mRNA	pancreas and testis	PBL, prostate, thymus and utenis
TMD0290	XM_065813	Homo sapiens similar to unnamed protein product (LOC130644) mRNA	pancreas and testis	9000
TMD0530	XM_048304		pancreas	brain, kidney, lung, lymph node, PBL, mammary gland, pituitary,
TMD0574	XM_055514	Homo saplens KIAA1910 protein (KIAA1910) mRNA	hroice page ciera	sionach, tesus and myrold
TMD0608	XM_058332	Homo saplens similar to putative (H. saplens) (LOC118670) mRNA	pancreas and testis	piluliary
TMD0639	XM_058690	Homo sapiens similar to data source:MGD, source key:MGI:96073, evidence:ISŞ-hexosaminidase A-putative (LOC204249), mRNA.	pancreas and testis	liver, PBL and prostate
TMD0645	XM_085376	Homo sapiens LOC146225 (LOC146225), mRNA,	pancreas and testis	bone marrow, brain, heart, kidney, liver, lung, lymph node, PBL,
TMD0674	XM_059132	Homo sapiens similar to RIKEN cDNA 4930549C01 gene (LOC127309)	pancreas and testis	brain, pituliary, prostate and stomach
TMD0675	XM_059134	Homo sapiens similar to putative (H. sapiens) (LOC127348) mRNA	pancreas and testis	prostate and stomach
TMD0677	XM_059140	Homo sapiens similar to dJ39G22.2 (novel protein) (H. sapiens) (LOC127391) mRNA	pancreas and testis	prostate and stomach
TMD0726	XM_059639	Homo sapiens similar to hypothetical protein (H. sapiens) (LOC133309)	pancreas and testis	adrenal gland, brain, prostate and stomach
TMD0727	XM_059654	c transporter TST1 (H. sapiens)	pancreas and testis	stomach
TMD0739	XM_059812	Homo saplens similar to pulative (H. saplens) (LOC135886) mRNA	pancreas and testis	liver, lung, mammary gland, ovary, pituitary, prostate and
TMD0753	XM_059954	Homo sapiens similar to putative (H. sapiens) (LOC138240) mRNA	pancreas and testis	
TMD1111	NM_014386	Homo sapiens polycystic kidney disease 2-like 2 (PKD2L2) mRNA	pancreas and testis	none
TMD1127	NM_054020	Homo sapiens putative ion channel protein CATSPER2 (CATSPER2), IRMRNA.	pancreas and lestis	euou
!				

Table 21

Gone (D	ACCN	Protein seq lengin (ax)	Domain description
TMD0077	XM_166914	310	7 transmembrane receptor (rhodopsin family)
			Transmembrane domains: 27 - 49
			Transmembrane domains: 61 - 83
			Transmembrane domains: 98 - 120
			Transmembrane domains: 141 - 163
			Transmembrane domains: 202 - 224
			Transmembrane domains: 237 - 259
			Transmembrane domains: 274 - 291
TMD0233	XM 069616	310	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 26 - 48
			Transmembrane domain: 60 - 77
			Transmembrane domain: 97 - 119
			Transmembrane domain: 140 - 162
			Transmembrane domain: 196 - 218
			Transmembrane domain: 239 - 261
			Transmembrane domain: 272 - 291
TMD0256	XM 066725	308	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 27 - 49
			Transmembrane domain: 61 - 83
			Transmembrane domain: 98 - 120
		,	Transmembrane domain: 140 - 162
			Transmembrane domain: 196 - 218
			Transmembrane domain: 239 - 258
			Transmembrane domain: 273 - 291
TMD0258	XM 066873	335	7 transmembrane receptor (rhodopsin family)
			Transmembrane domain: 10 - 32
			Transmembrane domain: 39 - 61
			Transmembrane domain: 79 - 101
			Transmembrane domain: 121 - 143
		-	Transmembrane domain: 163 - 185
			Transmembrane domain: 226 - 248
			Transmembrane domain: 263 - 282
TMD0267	XM 089550	324	Integral membrane protein DUF6: 49-161
			Transmembrane domain: 59 - 78
		***************************************	Transmembrane domain: 91 - 110
			Transmembrane domain: 115 - 137
		,	Transmembrane domain: 146 - 168
			Transmembrane domain: 183 - 201
			Transmembrane domain: 214 - 236
			Transmembrane domain: 246 - 265

DOCID: <WO____03089583A2_1 >

			Transmembrane domain: 270 - 292
			Transmembrane domain: 297 - 316
TMD027	1 XM_061815	291	7 transmembrane receptor (rhodopsin family)
		· · · · · · · · · · · · · · · · · · ·	Transmembrane domain: 29 - 51
		-32-	
····			Transmembrane domain: 83 - 105
			Transmembrane domain: 120 - 142
			Transmembrane domain: 163 - 185
			Transmembrane domain: 190 - 207
			Transmembrane domain: 220 - 239
			Transmembrane domain: 249 - 271
	-		
TMD0290	XM_065813	245	Transmembrane domain: 24 - 46
			Transmembrane domain: 61 - 83
	ļ		Transmembrane domain: 96 - 118
			Transmembrane domain: 128 - 150
			Transmembrane domain: 162 - 184
			Transmembrane domain: 221 - 243
TMD0530	XM 048304	· 708	Immunoglobulin domain: 139-206
			Immunoglobulin domain: 326-377
			Transmembrane domain: 511 - 533
TMD0574	XM_055514	696	Leucine rich repeat C-terminal domain: 212-262
			Leucine rich repeat C-terminal domain: 529-579
	· ·		Transmembrane domain: 621 - 643
TMD0608	XM 058332	105	Transmembrane domain: 13 - 35
111120000	XW 030332	105	Hansmembrane domain. 13 - 35
TMD0639	XM_058690	127	Transmembrane domain: 12 - 34
			Transmembrane domain: 44 - 66
TMDOGAE	VA 005270		
111111111111111111111111111111111111111	XM_085376		Transmembrane domain: 113 - 135
			Transmembrane domain: 150 - 169
			Transmembrane domain: 176 - 198
FMD0674	XM 059132	134	Transmembrane domain: 5 - 22
MD0675	XM_059134	206	Transmembrane domain: 15 - 37
TAAD 0077	VA 050110		
MD00//	XM_059140	182	Transmembrane: 49 - 71
MD0726	XM_059639	96	Transmembrane domain: 13 - 35
			Transmembrane domain: 50 - 72
MD0727	related to XM_059654	719	Fransmembrane domain: 108 - 130

,		· · · · · · · · · · · · · · · · · · ·	
			Transmembrane domain: 145 - 164
		<u> </u>	Transmembrane domain: 171 - 193
			Transmembrane domain: 229 - 251
			Transmembrane domain: 264 - 286
			Transmembrane domain: 314 - 336
			Transmembrane domain: 421 - 443
	·		Transmembrane domain: 453 - 475
			Transmembrane domain: 580 - 602
			Transmembrane domain: 668 - 690
			Organic Anion Transporter Polypeptide (OATP) family, C- terminus: 125-473
			Organic Anion Transporter Polypeptide (OATP) family, N- terminus: 558-717
TMD0739	XM_059812	265	Transmembrane domain: 126 - 148
			Transmembrane domain: 185 - 207
TMD0753	XM_059954	161	Transmembrane domain: 26 - 48
			· · · · · · · · · · · · · · · · · · ·
TMD1111	NM_014386	609	Ion transporter domain: 284-490
			Transmembrane domain: 34 - 56
			Transmembrane domain: 274 - 296
			Transmembrane domain: 315 - 337
			Transmembrane domain: 364 - 386
			Transmembrane domain: 407 - 429
			Transmembrane domain: 469 - 491
TMD1127	NM 054020	528	lon transporter domain: 172-340
			Transmembrane domain: 113 - 132
			Transmembrane domain: 147 - 169
			Transmembrane domain: 176 - 198
· · · · · ·			Transmembrane domain: 241 - 263
			Transmembrane domain: 276 - 295
			Transmembrane domain: 315 - 337

)OCID: <WO_____03089583A2_I_>

Table 22

	**		i abic as
Glove (15)	ACCN	Cytogeneticloc	s disease linkage
TMD0077	XM_166914	11q12.2	angioedema, hereditary, spastic paraplegia 17; osteoporosis- pseudoglioma syndrome; pancreatic tumor
TMD0233	XM_069616	. 7q35	glaucoma 1, open angle, f;
TMD0256	XM_066725	Xq26.1	x inactivation, familial skewed, 2; panhypopituitarism; thoracoabdominal syndrome; dandy-walker malformation with mental retardation, basal ganglia disease, and seizures; splil-hand/foot malformation 2; mental retardation with optic atrophy, deafness
TMD0258	XM_066873	Xq26,1	x inactivation, familial skewed, 2; panhypopituitarism; thoracoabdominal syndrome; dandy-walker malformation with mental retardation, basal ganglia disease, and seizures; split-hand/foot malformation 2; mental retardation with optic atrophy, deafness
TMD0267	XM_089550	10q24.1	comeal dystrophy of bowman layer, type ii; alzheimer disease 6
TMD0271	XM_061815	11p15.4	charcot-manie-tooth disease, type 4b, form 2; deafness, neurosensory, autosomal recessive 18;
TMD0290	XM_065813	2p23.1	. none
TMD0530	XM_048304	19q13.13	hypocalciuric hypercalcemia, familial, type iii; deafness, autosomal dominant nonsyndromic sensorineural 4; microcephaly, primary autosomal recessive, 2
TMD0574	XM_055514	13q31.1	microcoria, congenital; schizophrenia 7;
TMD0608	XM_058332	10q26.3	endometrial carcinoma
TMD0639	XM_058690	15q22.32	cataract, central saccular, with sutural opacities; obesity syndrome
TMD0645	XM_085376	16q23.1	dehydrated hereditary stomatocytosis; pancreatic acinar cancer
TMD0674	XM_059132	1p36.11	breast cancer, ductal, 2; prostate cancer/brain cancer susceptibility, melanoma, cutaneous malignant; inflammatory bowel disease 7;
TMD0675	XM_059134	1p33	carcinoma of pancreas
TMD0677	XM_059140	1p34.2	deafness, autosomal dominant nonsyndromic sensorineural 2; porphyria cutanea tarda; hypercholesterolemia, familial, ptosis, hereditary congenital 1;
TMD0726	XM_059639	10q11.22	none
TMD0727	related to XM_059654	5q21.1	anemia, dyserythropoietic congenital, type iii; dyslexia, specific, 1; colorectal cancer, hereditary nonpolyposis, type 7; cataract, central saccular, with sutural opacities
TMD0739	XM_059812	7q11.23	autism, susceptibility to, 1; muscular dystrophy, limb-girdle, type 1d; aneurysm, intracrania l
TMD0753	XM_059954	9q21.12	hemophagocytic lymphohistiocytosis, familial, 1; amyotrophic lateral sclerosis with frontotemporal dementia
TMD1111	NM_014386	5q31	, none
TMD1127	NM_054020	15q13-q15	nanophthalmos 2; spastic paraplegia 11, autosomal recessive; corpus callosum, agenesis of, with neuronopathy, pancreatic acinar carcinoma

122-

		C7 TION I	
CODE	ACCN	PRIMERS	PROMOTER
TMD0077 (SEQ ID NO 214- 215)	XM_166914	TCATGGATCACCAGCTCCACGCTC (Forward) (SEQ ID NO 256) CACCAAGATCACCATGGAAGCA (Reverse) (SEQ ID NO 257)	GGATTCAGGCCTTTTAAACCCCACTCAGTGGGTGCATGGCAGGGCTTTGA (0.88) (SEQ ID NO 258)
TMD0233 (SEQ ID NO 216- 217)	XM_069616	TGCTGÁCGAATCTTATGAACCAGG (Forward) (SEQ ID NO259) TCACGTCAGCCTCTCCTTCCTCAGTG (Reverse) (SEQ ID NO 260)	TCACAAATCATATAAATTAGGGGAAAGAGAGGGGGGGTATACTCTAAAA (0.96) (SEQ ID NO 261) AATTICTTATTTAAAAGACCTCAGAAATGTCACCATGCTTAGTTATTTA (0.95) (SEQ ID NO 262)
TMD0256 (SEQ ID NO 218- 219)	XM_066725	GGCCATGGACAATGTCACAGCAG (Forward) (SEQ ID NO 263) AGCAGACACATACTGGGCCATTCATAACCAC (Reverse) (SEQ ID NO 264)	GGTACTATTCTATATTTTGGGCACACAGGCAATGAAGAAAACAGAAAAACC (0.93) (SEQ ID NO 265) CTGGGTTTCATAAATATGGAGCAGAAAGTTTTTACAAATATAGAACAGCA (0.92) (SEQ ID NO 266) TAGAAATGTTAAAAAATGAAGCAGGGCTAGGGGAAAGAGAGTGGGTGA (0.91) (SEQ ID NO 267)
TMD0258 (SEQ ID NO 220- 221)	XM_066873	CCTCATTGGCTTCCTCCCACTCG (Forward) (SEQ ID NO 268) GCCATCAAACTCTGAGCTGGAGATAGTGAC (Reverse) (SEQ ID NO 269)	CCAAGGAACTITTAAAACTCCCATTGCACAGTTACCACCCAGAATAATTA (0.97) (SEQ ID NO 270 CATCCTGGAATATATTTGCGTCCAACTCTGCACCTTGCTCTCTATTCCCT (0.96) (SEQ ID NO 27) CTGGGGCCCCTCAAAAGCTCACCTTCCCTCACTTCCACTGAT (0.91) (SEO ID NO 272)
TMD0267 (SEQ ID NO 222- 223)	XM_089550	TGGCCTCGTTGAAAGTGTCATCATCC (Forward) (SEQ ID NO 273 TTGGTACCATTTACGAATGGCCGC (Reverse) (SEQ ID NO 274)	AAACGGCATTITAAAAATGCAGGTTTAAATTGTTATCCTCATCTATGGTT (0.98) (SEQ ID NO 275)
TMD0271 (SEQ ID NO 224- 225)	XM_061815	CTGGACTTGAGCAGTACCACGTCTGGATC (Forward) (SEQ ID NO 276) CATATTCCCACAGCAATTTTGACAATGG (Reverse) (SEQ ID NO 277)	ATTITIGGITATATATAGAGGAGTCTAGGAAAAGACTCGTGGGICTGATTC (0.97) (SEQ ID NO 278) TACTCATATITIATATAGCAGCAACTTACATTGACCCAGGGAGAACTCAGT (0.94) (SEO ID NO 279)
TMD0290 (SEQ ID NO 226- 227)	XM_065813	GTTACCCACCGTCACGACC (Forward) (SEQ ID NO 280) CAGGCGATGCCAGAGAAGACGATG (Reverse) (SEQ ID NO 281)	CTAGAATTTACATAAAAGGACTGGAGGAGCTTTTGCAGCAACTTTGCAT (0.97) (SEQ ID NO 282) TTTTCTTCTTTTAAAAACACGCTTTCACTCTCAAAACAGCAGGAATGAA (0.98) (SEQ ID NO 283) AACTGGGGTCTATAAGAGAGCCAGGGCACTTATTCATCCAAGGGCAGATG (0.99) (SEQ ID NO 284)
TMD0530 (SEQ ID NO 228- 229)	XM_048304	CTATGACTTCAACCCACACCTGGGCA (Forward) (SEQ ID NO 285) AAGGTCGCCAACTTGTCCTGGCTC (Reverse) (SEQ ID NO 286)	GGGCGGGAGTAAAAGGCAGAGTCCAATTCCACGGCCCCCAGTGTGGGGTG (0.86) (SEQ ID NO 287)

CODE	ACCN	PRIMERS	GHEOMORG
TMD0574 (SEQ ID NO 230-	XM_055514	TCAATGCCATGCCCAAACTGAGGA (Forward) (SEQ ID NO 288) CAACACCGAGATGGACACCCTGCT (Reverse) (SEQ ID NO 289)	CTITITAAGGITAAAAATGTGGGTTTTAGATGATTGTCCTTTCTAAACAGC (0.99) (SEQ ID NO 290)
			TCAGGATGTCTAAAAAGATCTCTCTAGTGTACACACGTGCACACACA
			AGTAACTCTATTTAAAAGACCTAAAAATTTCAAATCCTAAAATGATCTAT (0.90)
			AATAAATGTTTTAAAAGCACTCCTTTCCGAATGGTGGAGCTGGTGGGGGC (0.91) (SEQ ID NO 293)
TMD0608 (SEQ ID NO 232-	XM_058332	CTCAGGACGAAGATCATGATCGGCATC (Forward) (SEQ ID NO	TATTCTCACTTATAAGTGGGAGCTAAGCCATGAGGGCACCAAGGCATAAG (0.99)
233)	· · · · · · · · · · · · · · · · · · ·	GAAGATTTTTGTGCCCAGCTTTCCCAAG (Reverse) (SEQ ID NO 295)	(SEQ ID NO 299) TTACATATGTATACATGTGCCATGCTGCTGCACCCATTAACTCGT (0.96) (SEQ ID NO 297)
TMD0639 (SEO ID NO 234-	XM_058690	TCCATGCTCAGCTTCATCTCAGCTACC (Forward) (SEQ ID NO 208)	AAATAACCCCATTAAAAAGTGGGCAAAGGGCATGAAACACTTTTCAAAAGA (1.00)
235)		TCCATCTCAGACCTTGGCCCTTCA (Reverse) (SEQ ID NO 299)	(35Q IO NO 300)
TMD0645 (SEQ ID NO 236-	XM_085376	AGGACGGTAAGGAGCCATCGGACA (Forward) (SEQ ID NO	TCTTTTTGTCTATAAATAGGACTTTGATTTTCTGGACTAGAGAATTGTAT (0.94)
237)		CTTGCCAGGTTCTGGTGGCTTGG (Reverse) (SEQ ID NO 302)	(3EQ ID NO 303)
(SEQ ID NO 238.	XM_059132	ACGACTCCAAGAACAGCAAGGCCG (Forward) (SEO ID NO 304)	GCTAGCATTITITAAAAGCTGATGTCTTCACTGGGCACGGGGACTCACAC (0.94)
239)	ı, t	AAGGTAACATCGGCAGAGGCCAGC (Reverse) (SEQ ID NO 305)	
TMD0675 (SEO ID NO 240-	XM_059134	CGGCCAGGTACCAAAGCTCAGCTG (Forward)	TGATCTACTTTTTAAAAAGGATCATGCTGGCTGGTGGGGATTTAGGATA (0.91)
241)		(SECTION 201) (SECTION 201) (SECTION 201) (SECTION 201) (SECTION 201)	(SEQ ID NO 309) TGATAGTGATAAAAAAAGTGGCCAGATTTTGGTTATATTTTGAAATAAA (0.99)
		(350,10,203)	(SEQ ID NO 310)
			(SEQ ID NO 311)
			ATTGGAGGACTATAAAGAGGGGAGTCATTAAAATGGTGCTAAGAAGCTGA (0.96)
			CSC 12 12 12 12 12 12 12 12 12 12 12 12 12
			(SEC TITICAL) (SEC IND 114)

CODE	ACCN	PRIMERS	PROMOTER
-242	XM_059140	TTGGGAGAGACTAGTGCACCTCAGCA (Forward) (SEO ID NO 315)	AAAAGTGCTTTTAAACAGGGGGGGGGTGGAGGGGGCTTATGAGAAGGGGGCCA (1.00)
243)	-	GAGCAATCCCTCTTCGTGGCAGGT (Reverse) (SEO ID NO 316)	CCATTOTACTA AAAAA GCAGAGAA TCAGCCAGGCGTGGCACGTGCCTGTA (0.95) (SEO ID NO 118)
			SEO ID NO 319)
			(SEQ ID NO 320)
3	6E96SO WX	ACTICCAAACATCTACAACTCCTCAGAGTCTCATT (Forward)	TITITIAAACTATAAAAAGTGGGGATCAGAAAACACAGTCATAAGGGAAA (0.97)
(SEQ ID NO 244- 245)		(SEQ ID NO 321) TGCAGCACCATCATGTAAGGGACAA (Reverse)	(SEQ ID NO 323) GTATATGCTATATATATCAGGATTCACTTTAATGGCATTGAGTTCCAGGA (0.98)
<u></u>		(SEQ ID NO 322)	(SEQ ID NO 324) ATAAACAATITAAAAATTAGCCCACCATGGTGGTACACACCCTGTCGTTCT (0.99)
			(SEQ ID NO 325) AAAAAGTGAAAAAAAAGGTGAGGGAGACTTTAACTTTCTGAAATATATT (0.92) (SEQ ID NO 326)
246-	XM_059654	CCAAGAAGCCGGGAGAAGTGGATG (Forward)	CTAAAGAGCTTATATATCAGCCTAAGAAAAGAAAACCAATAAGAAGTTGC (0.96)
247)		TGACAGAGCATATGAGCACTGGA (Reverse) (SEQ ID NO 328)	
	XM_059812	GCAGTTGGTTCAGAACCGAGATCACC (Forward) (SEO ID NO 330)	ACTAAAAATACAAAAAGTAGCCGGGTATGGTGGTAGGCGCCTATAATCC (0.93)
249)		GGCAGATGGGGATACATTTATTCTCTGGG (Reverse) (SEO ID NO 331)	GGTAGGCGCCTATAATCCCAGCTACTTGGGAGGCTGAGGCAGGAGAATTG (0.92)
ī.÷	, ,	(100)	
250-	XM_059954	TCGGCTTGGAAATCAGAATGAGAAGG (Forward) (SEO ID NO 334)	AAAAGGCTTATATAAAAGGGTTTTGTTTTGTTTTGTTTT
251)		TGCACAAAGAATGATTGCAGCAGTGAGTAG (Reverse)	GGCCAACTTATAAAAAGGTTTATGTTTTGTTCTGATAATTTCGTTTCT (0.91)
			(3EQ ID NO 338) (SEQ ID NO 338)
252.	NM_014386	GGGCGGTGTAGTGCAGGTCCG (Forward)	AATTCAAATATTTAAAACGGACTGTCTCCTTTCACAAAAGTCTAGATCT (0.92)
253)		CCTCCAGTTGCAGGAATTCTGCC (Reverse) (SEQ ID NO 340)	
TMD1127 (SEQ ID NO 254-	NM_054020	GGCTGTTGAGCAGCTTCATGTGC (Forward) (SEQ ID NO 342)	ATTGGGTGCATATATATTTAGGATAGTTAGCTCTTCTTGTTGAATTGATC (0.89) (SEQ ID NO 344)
		CICCICIGGATGATCIGCCGCTIG (Reverse) (SEQ ID NO 343)	

125-

OCID: <WO _____03089583A2_1_>

detecting specific hybridization.

CLAIMS:

- 1. A method of detecting an immune system cell, comprising:

 contacting a sample comprising cells with a polynucleotide specific for TMD0024

 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025

 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304

 (XM_060956), TMD0888 (XM_060957), or TMD0890 (XM_060959) of claim 28, under conditions effective for said polynucleotide to hybridize specifically to said gene, and
- A method of claim 1, wherein said detecting is performed by:
 Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,
 RACE PCR, or in situ hybridization.
- A method of detecting an immune system cell, comprising:
 contacting a sample comprising cells with a binding partner specific for a polypeptide
 coded for by TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947),
 TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304
 (XM_060956), TMD0888 (XM_060957), or TMD0890 (XM_060959) of claim 28, under
 conditions effective for said binding partner bind specifically to said polypeptide, and
 detecting specific binding.
 - A method of claim 3, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.
- 5. A method of delivering an agent to an immune cell, comprising:
 contacting an immune cell with an agent coupled to binding partner specific for a
 polypeptide coded for by TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884
 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781
 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), or TMD0890
 30 (XM_060959) of claim 28, whereby said agent is delivered to said cell.
 - 6. A method of claim 5, wherein the agent is a therapeutic agent or an imaging agent.

10

20

25

- 7. A method of claim 5, wherein the agent is cytotoxic.
- 8. A method of claim 5, wherein the binding partner is an antibody.
- A method of modulating the maturation of an immune system cell, comprising:
 contacting said cell with an agent effective to modulate a gene, or polypeptide
 encoded thereby, selected from TMD0024 (XM_060945), TMD1779 (XM_060946),
 TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781
 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890
 (XM_060959) of claim 28, whereby the maturation of an immune cell is modulated.
- 10. A method of modulating interactions between lymphoid and non-lymphoid immune system cells, comprising:
- contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) of claim 28, whereby the interaction is modulated.

11. A method of expressing a heterologous polynucleotide in immune system cells, comprising:

expressing a nucleic acid construct in immune system cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected from SEQ ID NOS 5, 10, 11, 16-19, 29-32, 37-39, 44-46, 51-54, and 59-62.

12. A method of treating an immune system disease, comprising:

administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of a gene, or polypeptide encoded thereby, selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025

:UCID: <WO _____03089583A2 .1 >

(XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) of claim 28.

- 13. A method of claim 12, wherein said agent is an antibody or an antisense which is effective to inhibit translation of said gene.
 - 14. A method of diagnosing an immune disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:

assessing the expression of a gene, or polypeptide encoded thereby, selected from

TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025
(XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304
(XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) of claim 28 in a tissue sample comprising immune system cells.

15. A method of claim 14, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

20 16. A method of claim 14, wherein said assessing detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a sequence selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) of claim 28, or a polynucleotide probe having 95% sequence identity or more to a sequence set forth in SEQ ID NOS 1, 6, 12, 20, 25, 33, 40, 47, or 55, effective specific fragments thereof, or complements thereto.

17. A method of assessing a therapeutic or preventative intervention in a subject having an

25

10

15

20

immune system disease, comprising,

determining the expression levels of a gene, or polypeptide encoded thereby, selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) of claim 28 in a tissue sample comprising immune system cells.

- 18. A method of claim 17, further comprising assessing the expression levels of a plurality of said genes or polypeptides.
- 19. A method for identifying an agent that modulates the expression of a gene or polypeptide in the immune system gene complex, comprising,

contacting an immune system cell with a test agent under conditions effective for said test agent to modulate the expression of a gene selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) of claim 28, or the biological activity of a polypeptide encoded thereby, in said immune system cell, and

determining whether said test agent modulates said gene or polypeptide.

- 20. A method of claim 19, wherein said agent is an antisense polynucleotide which is effective to inhibit translation of said gene or an antibody specific for said polypeptide.
- 21. A method of detecting polymorphisms in a gene in the immune system gene complex, comprising: comparing the structure of:

30 (XM_060959) of claim 28 with the structure of SEQ ID NOS 1, 6, 12, 20, 25, 33, 40, 47, or 55.

- 22. A method of claim 20, wherein said polymorphism is a nucleotide deletion, substitution, inversion, or transposition.
- 5 23. A method of identifying a genetic basis for an immune disease or disease-susceptibility, comprising:

determining the association of an immune disease or disease-susceptibility with a nucleotide sequence present in a genome comprising the gene complex of claim 28.

- 10 24. A method of claim 23, wherein determining is performed by producing a human-linkage map of said complex.
 - 25. A method of claim 23, wherein determining is performed by comparing the nucleotide sequences between normal subjects and subjects having an immune system disease.
 - 26. A non-human, transgenic mammal, or a cell thereof, whose genome comprises a functional disruption of a gene selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888
- 20 (XM_060957), and TMD0890 (XM_060959) of claim 28, or a mouse homolog thereof, and which has a defect in immune system function.
 - 27. A method of selecting a gene predominantly expressed in immune system cells from a database comprising polynucleotide sequences for genes, comprising:

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for a gene selected from TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947), TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959), or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

- 28. A composition consisting essentially of the 1q22 immune gene complex, comprising
 TMD0024 (XM_060945), TMD1779 (XM_060946), TMD0884 (XM_060947),
 TMD0025 (XM_060948), TMD1780 (XM_089422), TMD1781 (XM_089421), TMD0304 (XM_060956), TMD0888 (XM_060957), and TMD0890 (XM_060959) genes, or a fragment thereof comprising at least two said genes.
- 29. A composition of claim 28, wherein said complex consists essentially of the chromosome region between STS markers SHGC-81033 and SHGC-145403, or a fragment thereof comprising at least two said genes.
- 30. A composition of claim 28, wherein said complex consists essentially of the
 20 chromosome region between STS markers SHGC-81033 and D1S3249, G15944,
 GDB:191077, or GDB:196442, or a fragment thereof comprising at least two said genes.
 - 31. A composition of claim 28, wherein said complex consists essentially of the chromosome region between STS markers RH118729 and D1S2577 or SHGC-145403, or a fragment thereof comprising at least two said genes.
 - 32. A method of detecting an immune system cell, comprising: contacting a sample comprising cells with a polynucleotide specific for a XM_062147 (SEQ ID NO 63) or XM_061676 (SEQ ID NO 69) of claim 59 under conditions effective for said polynucleotide to hybridize specifically to said gene, and

detecting specific hybridization.

25

- 33. A method of claim 32, wherein said detecting is performed by:

 Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,
 RACE PCR, or *in situ* hybridization.
- 5 34. A method of detecting an immune system cell, comprising: contacting a sample comprising cells with a binding partner specific for a polypeptide coded for XM_062147 (SEQ ID NO 64) or XM_061676 (SEQ ID NO 70) of claim 59 under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.
 - 35. A method of claim 34, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.
- 36. A method of delivering an agent to an immune cell, comprising:
 contacting an immune cell with an agent coupled to binding partner specific for XM_062147 (SEQ ID NO 64) or XM_061676 (SEQ ID NO 70) of claim 59, whereby said agent is delivered to said cell.
 - 37. A method of claim 36, wherein the agent is a therapeutic agent or an imaging agent.
 - 38. A method of claim 36, wherein the agent is cytotoxic.
 - 39. A method of claim 36, wherein the binding partner is an antibody.
- 40. A method of modulating the maturation of an immune system cell, comprising: contacting said cell with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59, whereby the maturation of an immune cell is modulated.
- 30 41. A method of modulating interactions between lymphoid and non-lymphoid immune system cells, comprising:

contacting said cells with an agent effective to modulate a gene, or polypeptide encoded thereby, selected from XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59, whereby the interaction is modulated.

5 42. A method of expressing a heterologous polynucleotide in immune system cells, comprising:

expressing a nucleic acid construct in immune system cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is SEQ ID NOS 65, 66, 72, 73, 74, or 75.

10

43. A method of treating an immune system disease, comprising:

administering to a subject in need thereof a therapeutic agent which is effective for regulating expression of a gene, or polypeptide encoded thereby, selected from XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59.

15

- 44. A method of claim 43, wherein said agent is an antibody or an antisense which is effective to inhibit translation of said gene.
- 45. A method of diagnosing an immune disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:

assessing the expression of a gene, or polypeptide encoded thereby, selected from XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59 in a tissue sample comprising immune system cells.

25 46. A method of claim 45, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

30 47. A method of claim 45, wherein said assessing detecting is performed by:
Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR.

RACE PCR, or in situ hybridization, and

using a polynucleotide probe having a sequence selected from SEQ ID NOS 6 7, 68, 76, and 77.

5 48. A method of assessing a therapeutic or preventative intervention in a subject having an immune system disease, comprising,

determining the expression levels of a gene, or polypeptide encoded thereby, selected from XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59 in a tissue sample comprising immune system cells.

10

- 49. A method of claim 48, further comprising assessing the expression levels of a plurality of said genes or polypeptides.
- 50. A method for identifying an agent that modulates the expression of a gene or polypeptide in the immune system gene complex, comprising,

contacting an immune system cell with a test agent under conditions effective for said test agent to modulate the expression of XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59, or a polypeptide encoded thereby, in said immune system cell, and

- determining whether said test agent modulates said gene.
 - 51. A method of claim 50, wherein said agent is an antisense polynucleotide to a target polynucleotide sequence selected from SEQ ID NOS 63 or 69 and which is effective to inhibit translation of said gene.

25

52. A method of detecting polymorphisms in a gene in the immune system gene complex, comprising:

comparing the structure of: genomic DNA or RNA or cDNA comprising all or part of an allele of XM_062147 or XM_061676 with SEQ ID NOS 63 or 69 of claim 59.

30

53. A method of claim 52, wherein said polymorphism is a nucleotide deletion, substitution,

inversion, or transposition.

- 54. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by XM_062147 (SEQ ID NO 63) or XM_061676 (SEQ ID NO 69) of claim 59, and which has a defect in immune system function.
- 55. A mammalian immune system cell whose genome comprises a functional disruption of a gene represented by XM_062147 (SEQ ID NO 63) or XM_061676 (SEQ ID NO 69) of claim 59, and which has a defect in immune system function.

10

15

20

- 56. A mammalian cell of claim 55, wherein said cell is a mouse cell.
- 57. A non-human, transgenic mammal, or a cell thereof, comprising a gene operatively linked to an expression control sequence effective to express said gene in immune system, wherein said sequence is SEQ ID NOS 65, 66, 71, 72, 73, 74, or 75.
- 58. A method of selecting a gene predominantly expressed in immune system cells from a database comprising polynucleotide sequences for genes, comprising:
- displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for XM_062147 (SEQ ID NO 63 or 64) or XM_061676 (SEQ ID NO 69 or 70) of claim 59, or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

- 25 59. A composition comprising:
 - bone marrow specific genes consisting essentially of XM_062147 (SEQ ID NO 63 or 64) and XM_061676 (SEQ ID NO 69 or 70), or polypeptides thereof.
 - 60. A method of detecting a kidney cell, comprising:
- contacting a sample comprising cells with a polynucleotide specific for a polynucleotide, or a naturally-occurring polymorphisms thereof, of claim 81 under conditions effective for said polynucleotide to hybridize specifically to said gene, and

detecting specific hybridization.

61. A method of claim 60, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

62. A method of detecting an kidney cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by a polynucleotide of claim 81, or a naturally-occurring polymorphism thereof, under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.

- 63. A method of claim 62, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.
- 64. A method of delivering an agent to a kidney cell, comprising:

contacting a kidney cell with an agent coupled to binding partner specific for polypeptide coded for by a polynucleotide of claim 81, or a naturally-occurring polymorphism thereof, whereby said agent is delivered to said cell.

20

15

5

10

- 65. A method of claim 64, wherein the agent is a therapeutic agent, a cytotoxic agent, or an imaging agent.
- 66. A method of claim 64, wherein the binding partner is an antibody.

25

67. A method of modulating a kidney cell, comprising:

contacting said cell with an agent effective to modulate a polynucleotide, or polypeptide encoded thereby, or a naturally-occurring polymorphism thereof, of claim 81, whereby the kidney cell is modulated.

30

68. A method of assessing kidney function, comprising:

detecting a polypeptide coded for by a polynucleotide of claim 81, or a naturallyoccurring polymorphism thereof, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of kidney function.

- 5 69. A method of claim 68, wherein said detecting is performed using an antibody which is specific for said polypeptide.
 - 70. A method of claim 69, wherein said detecting is performed by RIA, ELISA, or Western blot.
- 71. A method of expressing a heterologous polynucleotide in kidney cells, comprising: expressing a nucleic acid construct in kidney cells, said construct comprising a

promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected from SEQ ID NOS. 106, 109, 110, 113, 114, 117, 118, 121,

- 15 124, 125, 128-130, 133, 134, 137, 140, 141, 144, 147, 148, and 151.
 - 72. A method of diagnosing a kidney disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:
- assessing the expression of a polynucleotide of claim 81, or a polypeptide encoded thereby, or naturally-occurring polymorphisms thereof, in a tissue sample comprising kidney cells.
 - 73. A method of claim 72, wherein assessing is:
- measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.
 - 74. A method of assessing a therapeutic or preventative intervention in a subject having a kidney disease, comprising,
- determining the expression levels of a polynucleotide of claim 81, a naturallyoccurring polymorphism thereof, or polypeptide encoded thereby, in a tissue sample

comprising kidney cells.

75. A method of claim 74, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

5

10

15

20

76. A method for identifying an agent that modulates the expression of a polynucleotide or polypeptide selectively expressed in kidney cells, comprising,

contacting an kidney cell with a test agent under conditions effective for said test agent to modulate the expression of a polynucleotide of claim 81, or a naturally-occurring polymorphism thereof, or the biological activity of a polypeptide encoded thereby, in said kidney cell, and

determining whether said test agent modulates said gene or polypeptide.

- 77. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by a polynucleotide of claim 81, or a homolog thereof, and which has a defect in kidney function.
- 78. A mammalian kidney cell whose genome comprises a functional disruption of a gene represented by a polynucleotide of claim 81, or a homolog thereof, and which has a defect in kidney function.
- 79. A mammalian cell of claim 78, wherein said cell is a mouse cell.
- 80. A method of selecting a gene predominantly expressed in kidney cells from a database comprising polynucleotide sequences for genes, comprising:

displaying, in a computer-readable medium, a polynucleotide sequence, or a polypeptide encoded thereby, of claim 81, or complements to the polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.

5

10

81. A composition comprising two or more of the following polynucleotides expressed / selectively in kidney:

TMD0049 (XM_057351), TMD0190 (XM_087157), TMD0242 (XM_088369), TMD0335 (XM_089960), TMD0371, TMD0374, TMD0469 (XM_038736), TMD0719 (XM_059548), TMD0731 (XM_059703), TMD0785 (XM_060310), TMD0841 (XM_060623), TMD1114 (NM_019841), and/or TMD 1148 (XM_087108).

- 82. A method of detecting a pancreas cell, comprising:
- contacting a sample comprising cells with a polynucleotide specific for TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, of claim 113 under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.
 - 83. A method of claim 82, wherein said detecting is performed by:
- Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.
 - 84. A method of detecting a pancreas cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, of claim 113 under conditions effective for said binding partner bind specifically to said polypeptide, and, detecting specific binding.

85. A method of claim 84, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.

30

25

86. A method of delivering an agent to a pancreas cell, comprising:

contacting a pancreas cell with an agent coupled to binding partner specific for

TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, of claim 113, whereby said agent is delivered to said cell.

- 87. A method of claim 86, wherein the agent is a therapeutic agent or an imaging agent.
- 88. A method of claim 86, wherein the agent is cytotoxic.
 - 89. A method of claim 86, wherein the binding partner is an antibody.
- 90. A method of modulating a pancreas cell, comprising: contacting said cell with an agent effective to modulate TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, or the biological activity of a polypeptide encoded thereby, of claim 113, whereby the pancreas cell is modulated.
- 91. A method of assessing pancreas function, comprising: detecting a polypeptide coded for TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of pancreas function.
- 20 92. A method of claim 91, wherein said detecting is performed using an antibody which is specific for said polypeptide.
 - 93. A method of claim 91, wherein said detecting is performed by RIA, ELISA, or Western blot.
 - 94. A method of expressing a heterologous polynucleotide in pancreas cells, comprising: expressing a nucleic acid construct in pancreas cells, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is SEQ ID NOS 156-161, 166, 179, or 180.
 - 95. A method of diagnosing a pancreas disease associated with abnormal gene expression,

25

or determining a subject's susceptibility to such disease, comprising:

assessing the expression of TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, or polypeptide encoded thereby, of claim 113 in a tissue sample comprising pancreas cells.

5

96. A method of claim 95, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

10

15

20

97. A method of claim 95, wherein said assessing is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization, and

using a polynucleotide probe having a sequence selected from SEQ ID NOS 154, 155, 164, 165, 169, 170, 173, 174, 177, 178, or a complement thereto.

98. A method of assessing a therapeutic or preventative intervention in a subject having a pancreas disease, comprising,

determining the expression levels of TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, or a polypeptide encoded thereby, of claim 113 in a tissue sample comprising pancreas cells.

99. A method of claim 98, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

25

100. A method for identifying an agent that modulates the expression of TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, or the biological activity of a polypeptide encoded thereby, comprising,

contacting a pancreas cell with a test agent under conditions effective for said test agent to modulate the expression of TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785 of claim 113, or the biological activity of a polypeptide encoded thereby, in said

30

NOCID: <WO _____03089583A2_I_>

pancreas cell, and

determining whether said test agent modulates said gene or polypeptide.

- 101. A method of claim 100, wherein said agent is an antisense polynucleotide to a target
 polynucleotide sequence selected from SEQ ID NO 152, 162, 167, 171, or 175 and which is effective to inhibit translation of said gene.
 - 102. A method of detecting polymorphisms in TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, comprising,
- comparing the structure of: genomic DNA or RNA or cDNA comprising all or part of an allele of TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785, with SEQ ID NOS 152, 153, 162, 163, 167, 168, 171, 172, 175, or 176 of claim 113.
 - 103. A method of claim 102, wherein said polymorphism is a nucleotide deletion, substitution, inversion, or transposition.
 - 104. A method of identifying a pancreatic disease or pancreatic disease-susceptibility, comprising:
 - determining the association of a pancreatic disease or pancreatic disease-susceptibility with a nucleotide sequence present within the pancreatic gene complex of claim 113.
 - 105. A method of claim 104, wherein the pancreatic gene complex is from LOC160025-LOC119954.
- 106. A method of claim 104, wherein determining is performed by producing a human-25- linkage map of said complex.
 - 107. A method of claim 104, wherein determining is performed by comparing the nucleotide sequences between normal subjects and subjects having a pancreas disorder.
- 108. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by TMD0986, XM 061780, XM 061781, XM 061784, or XM 061785

15

20

of claim 113, and which has a defect in pancreas function.

- 109. A mammalian pancreas cell whose genome comprises a functional disruption of a gene represented by TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785 of claim 113, and which has a defect in pancreas function.
- 110. A mammalian cell of claim 109, wherein said cell is a mouse cell.
- 111. A pancreas cell, comprising a gene operatively linked to an expression control sequence
 effective to express said gene in pancreas, wherein said sequence is SEQ ID NOS 156-161,
 179, or 180.
 - 112. A method of selecting a gene predominantly expressed in pancreas cells from a database comprising polynucleotide sequences for genes, comprising:
- displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for TMD0986, XM_061780, XM_061781, XM_061784, or XM_061785 of claim 113, or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

- 113. A composition comprising: a pancreas specific gene consisting essentially of TMD0986, XM_061780, XM_061781, XM_061784, and/or XM_061785, or a polypeptide encoded thereby.
- 25 114. An isolated polynucleotide comprising a polynucleotide sequence which codes without interruption for a human TMD0986 having an amino acid sequence set forth in SEQ ID NO 153, or a complement thereto.
 - 115. An isolated polynucleotide comprising,
- a human TMD0986 polynucleotide sequence having 90% or more nucleotide sequence identity to the polynucleotide sequence set forth in SEQ ID NO 152 along its entire

length, which codes without interruption for human TMD0986, or a complement thereto, and which has G-protein coupling activity.

- 116. An isolated humansTMD0986 polypeptide comprising the amino acid sequence of a
 human TMD0986 as set forth in SEQ ID NO 153.
 - 117. An isolated human TMD0986 polypeptide consisting essentially of amino acids 1-117 of a human TMD0986 as set forth in SEQ ID NO 153.
- 118. An isolated polypeptide which is human TMD0986 having 90% or more amino acid sequence identity to the amino acid sequence set forth in SEQ ID NO 153, and which has protein binding activity.
 - 119. An antibody specific for an epitope selected from the polypeptide of claim 117.
 - 120. A method of detecting an retinal cell, comprising:

contacting a sample comprising cells with a polynucleotide specific for NM_013941 (SEQ ID NO 181), or a naturally-occurring polymorphisms thereof, of claim 142 under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

121. A method of claim 120, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

25

30

15

20

122. A method of detecting an retinal cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by NM_013941 (SEQ ID NO 182), or a naturally-occurring polymorphism thereof, of claim 142 under conditions effective for said binding partner bind specifically to said polypeptide, and

detecting specific binding.

10

- 123. A method of claim 122, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.
- 124. A method of delivering an agent to a retinal cell, comprising:
- contacting a retinal cell with an agent coupled to binding partner specific for by NM_013941 (SEQ ID NO 182), or naturally-occurring polymorphism thereof, of claim 142, whereby said agent is delivered to said cell.
- 125. A method of claim 124, wherein the agent is a therapeutic agent or an imaging agent.
- 126. A method of claim 124, wherein the agent is cytotoxic.
 - 127. A method of claim 124, wherein the binding partner is an antibody.
- 15 128. A method of modulating a retinal cell, comprising: contacting said cell with an agent effective to modulate NM_013941 (SEQ ID NO 181 or 182), or the biological activity of a polypeptide encoded thereby, of claim 142, whereby the retinal cell is modulated.
- 20 129. A method of diagnosing a retinal disease associated with abnormal gene expression, or determining a subject's susceptibility to such disease, comprising:

assessing the expression of NM_013941, a polymorphism thereof, or polypeptide encoded thereby, of claim 142 in a tissue sample comprising retinal cells.

25 130. A method of claim 129, wherein assessing is:

measuring expression levels of said gene, determining the genomic structure of said gene, determining the mRNA structure of transcripts from said gene, or measuring the expression levels of polypeptide coded for by said gene.

30 131. A method of claim 129, wherein said assessing detecting is performed by:
Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR,

15

RACE PCR, or in situ hybridization, and

using a polynucleotide probe having a sequence selected from SEQ ID NOS 183 or 184, or a complement thereto.

5 132. A method of assessing a therapeutic or preventative intervention in a subject having an retinal disease, comprising,

determining the expression levels of NM_013941, a polymorphism thereof, or polypeptide encoded thereby, of claim 142 in a tissue sample comprising retinal cells.

- 133. A method of claim 132, further comprising assessing the expression levels of a plurality of said genes or polypeptides.
- 134. A method for identifying an agent that modulates the expression of NM_013941 or the biological activity of a polypeptide encoded thereby, comprising,

contacting an retinal cell with a test agent under conditions effective for said test agent to modulate the expression of NM_013941 or a polymorphism thereof, of claim 142, or the biological activity of a polypeptide encoded thereby, in said retinal cell, and determining whether said test agent modulates said gene or polypeptide.

- 135. A method of claim 134, wherein said agent is an antisense polynucleotide to a target polynucleotide sequence selected from SEQ ID NO 181 and which is effective to inhibit translation of said gene.
- 136. A method of detecting polymorphisms in NM_013941, comprising:
 comparing the structure of: genomic DNA or RNA or cDNA comprising all or part
 of an allele of NM_013941, with SEQ ID NOS 181 or 182 of claim 142.
 - 137. A method of claim 136, wherein said polymorphism is a nucleotide deletion, substitution, inversion, or transposition.
- 30 138. A non-human, transgenic mammal whose genome comprises a functional disruption of a gene represented by NM 013941 (SEQ ID NO 181) of claim 142, and which has a defect in

retinal function.

5

15

20

30

- 139. A mammalian retinal cell whose genome comprises a functional disruption of a gene represented by NM_013941 (SEQ ID NO 181) of claim 142, and which has a defect in retinal function.
- 140. A mammalian cell of claim 139, wherein said cell is a mouse cell.
- 141. A method of selecting a gene predominantly expressed in retinal cells from a database10 comprising polynucleotide sequences for genes, comprising:

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for NM_013941 (SEQ ID NO 181 or 182) of claim 142, or complements to the polynucleotides sequence,

wherein said displayed sequences have been retrieved from said database upon selection by a user.

- 142. A composition comprising:
- a retinal specific gene consisting essentially of NM_013941 (SEQ ID NO 181 or 182), or a polypeptide encoded thereby.
- 143. A method of detecting a spleen cell, comprising:

contacting a sample comprising cells with a polynucleotide specific for TMD1030 (XM_166853) or TMD0621 (XM_166205) of claim 170 under conditions effective for said polynucleotide to hybridize specifically to said gene, and

- 25 detecting specific hybridization.
 - 144. A method of claim 143, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

145. A method of detecting a spleen cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide

OCID: <WO ____03089583A2_I =

coded for by TMD1030 (XM_166853) or TMD0621 (XM_166205) of claim 170 under conditions effective for said binding partner bind specifically to said polypeptide, and detecting specific binding.

- 5 146. A method of claim 145, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.
- 147. A method of delivering an agent to a spleen cell, comprising:
 contacting a spleen with an agent coupled to binding partner specific for TMD1030
 (XM_166853) or TMD0621 (XM_166205) of claim 170, whereby said agent is delivered to said cell.
 - 148. A method of claim 147, wherein the agent is a therapeutic agent or an imaging agent.
- 15 149. A method of claim 148, wherein the agent is cytotoxic.
 - 150. A method of claim 147, wherein the binding partner is an antibody.
- 151. A method of modulating a spleen, immune, or reticuloendothelial cell, comprising:
 contacting said cell with an agent effective to modulate TMD1030 (XM_166853),
 TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), or the biological activity of a polypeptide encoded thereby, of claim 170, whereby the cell is modulated.
- 25 152. A method of assessing spleen function, comprising: detecting a polypeptide coded for by TMD1030 (XM_166853) or TMD0621 (XM_166205) of claim 170, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of spleen function.
- 30 153. A method of claim 152, wherein said detecting is performed using an antibody which is specific for said polypeptide.

- 154. A method of claim 152, wherein said detecting is performed by RIA, ELISA, or Western blot.
- 5 155. A method of expressing a heterologous polynucleotide in spleen cells, comprising: expressing a nucleic acid construct in spleen cell, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is SEQ ID NO 205-213.
- 10 156. A method of assessing a therapeutic or preventative intervention in a subject having a spleen or lymphoid disease, comprising,

determining the expression levels of TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), or a polypeptide encoded thereby, of claim 170 in a tissue sample comprising spleen, lymphoid, or reticuloendothelial cells.

- 157. A method of claim 156, further comprising assessing the expression levels of a plurality of said genes or polypeptides.
- 20 158. A method for identifying an agent that modulates the expression of TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), comprising,

contacting a spleen, lymphoid, or reticuloendothelial cell, with a test agent under conditions effective for said test agent to modulate the expression of TMD1030

25 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), of claim 170, and

determining whether said test agent modulates said gene.

159. A method of claim 158, wherein said agent is an antisense which is effective to inhibit translation of said gene.

- 160. A method for identifying an agent that modulates the expression of a polypeptide coded for by TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205), comprising,
- contacting a polypeptide coded for by TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205) of claim 170, with a test agent under conditions effective for said test agent to modulate said polypeptide, and determining whether said test agent modulates said polypeptide.
- 161. A method of detecting polymorphisms in comprising, comparing the structure of:

 10 genomic DNA or RNA or cDNA comprising all or part of an allele of TMD1030

 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621

 (XM_166205), with SEQ ID NOS 185, 187, 189, or 191 of claim 170.
- 162. A method of claim 161, wherein said polymorphism is a nucleotide deletion,substitution, inversion, or transposition.
 - 163. A method of identifying a genetic basis for a spleen, lymphoid, and/or reticuloendothelial disease or disease-susceptibility, comprising: determining the association of a spleen, lymphoid, and/or reticuloendothelial disease or disease-susceptibility with a nucleotide sequence present in the gene complex of claim 170.
 - 164. A method of claim 163, wherein determining is performed by producing a human-linkage map of said complex.
- 25. A method of claim 163, wherein determining is performed by comparing the nucleotide sequences between normal subjects and subjects having a spleen, lymphoid, and/or reticuloendothelial disease.
- 166. A non-human, transgenic mammal, or a cell thereof. whose genome comprises a functional disruption of a gene represented by TMD1030 (XM_166853), TMD1029 (XM 166854), TMD1028 (XM 166855), or TMD0621 (XM 166205) of claim 170, and

which has a defect in spleen, lymphoid, and/or reticuloendothelial disease function.

- 167. A mammalian cell of claim 166, wherein said cell is a mouse cell.
- 5 168. A spleen, lymphoid, and/or reticuloendothelial cell, comprising a gene operatively linked to an expression control sequence effective to express said gene in spleen, lymphoid, and/or reticuloendothelial, wherein said sequence is SEQ ID NO 205-213.
- 169. A method of selecting a gene predominantly expressed in spleen, lymphoid, and/or
 reticuloendothelial cells from a database comprising polynucleotide sequences for genes, comprising:

displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), or TMD0621 (XM_166205) of claim 170, or complements to the polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.

- 170. A composition consisting essentially of the 11q12.2 spleen gene complex, comprising TMD1030 (XM_166853), TMD1029 (XM_166854), TMD1028 (XM_166855), and TMD0621 (XM_166205).
 - 171. A composition of claim 170, wherein said complex consists essentially of the chromosome region between STS markers G62658 and SHGC-154002.
- 25. 172. A method of detecting a pancreas cell, comprising:
 contacting a sample comprising cells with a polynucleotide specific TMD0077,
 TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530,
 TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677,
 TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199
 under conditions effective for said polynucleotide to hybridize specifically to said gene, and detecting specific hybridization.

173. A method of claim 172, wherein said detecting is performed by:

Northern blot analysis, polymerase chain reaction (PCR), reverse transcriptase PCR, RACE PCR, or *in situ* hybridization.

5 174. A method of detecting a pancreas cell, comprising:

contacting a sample comprising cells with a binding partner specific for a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or

10 TMD1127

of claim 199 under conditions effective for said binding partner bind specifically to said polypeptide, and

detecting specific binding.

- 15 175. A method of claim 174, wherein said detecting is performed by: immunocytochemistry, immunoprecipitation, or Western blot.
- 176. A method of delivering an agent to a pancreas cell, comprising:
 contacting a pancreas with an agent coupled to binding partner specific for
 TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290,
 TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675,
 TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199, whereby said agent is delivered to said cell.
- 25 177. A method of claim 176, wherein the agent is a therapeutic agent or an imaging agent.
 - 178. A method of claim 176, wherein the agent is cytotoxic.
 - 179. A method of claim 176, wherein the binding partner is an antibody.
 - 180. A method of modulating a pancreas, immune, or reticuloendothelial cell, comprising:

contacting said cell with an agent effective to modulate TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, or the biological activity of a polypeptide encoded thereby, of claim 199, whereby the cell is modulated.

181. A method of assessing pancreas function, comprising:

detecting a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199, or fragments thereof, in a body fluid, whereby the amount of said polypeptide in said fluid is a measure of pancreas function.

182. A method of claim 181, wherein said detecting is performed using an antibody which is specific for said polypeptide.

15

10

5

- 183. A method of claim 181, wherein said detecting is performed by RIA, ELISA, or Western blot.
- 184. A method of expressing a heterologous polynucleotide in pancreas cells, comprising:
- expressing a nucleic acid construct in pancreas cell, said construct comprising a promoter sequence operably linked to said heterologous polynucleotide, wherein said promoter sequence is selected SEQ ID NO 258, 261, 262, 265-267, 270-272, 275, 278, 279, 282-284, 287, 290-293, 296, 297, 300, 303, 306, 309-314, 317-320, 323-326, 329, 332-333, 336-338, 341, and 344.

25

20

185. A method of assessing a therapeutic or preventative intervention in a subject having a pancreas or lymphoid disease, comprising,

determining the expression levels of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, or a polypeptide encoded thereby, of claim 199 in

a tissue sample comprising pancreas, lymphoid, or reticuloendothelial cells.

186. A method of claim 185, further comprising assessing the expression levels of a plurality of said genes or polypeptides.

5

187. A method for identifying an agent that modulates the expression of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, comprising,

10

contacting a pancreas, lymphoid, or reticuloendothelial cell, with a test agent under conditions effective for said test agent to modulate the expression of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, of claim 199, and determining whether said test agent modulates said gene.

15

188. A method of claim 187, wherein said agent is an antisense which is effective to inhibit translation of said gene.

20

189. A method for identifying an agent that modulates the expression of a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, comprising,

25

contacting a polypeptide coded for by TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127 of claim 199, with a test agent under conditions effective for said test agent to modulate said polypeptide, and

30

determining whether said test agent modulates said polypeptide.

15

- 190. A method of claim 189, wherein said test agent is an antibody.
- 191. A method of detecting polymorphisms in comprising, comparing the structure of: genomic DNA or RNA or cDNA comprising all or part of an allele of TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, with SEQ ID NOS of Table 23 of claim 199.
- 10 192. A method of claim 191, wherein said polymorphism is a nucleotide deletion, substitution, inversion, or transposition.
 - 193. A method of identifying a genetic basis for a pancreas disease or disease-susceptibility, comprising: determining the association of a pancreas disease or disease-susceptibility with a gene of claim 199.
 - 194. A method of claim 193, wherein determining is performed by producing a human-linkage map of said gene.
- 20 195. A method of claim 193, wherein determining is performed by comparing the nucleotide sequences between normal subjects and subjects having a pancreas disease.
 - 196. A non-human, transgenic mammal, or a cell thereof. whose genome comprises a functional disruption of a gene represented by TMD0077, TMD0233, TMD0256, TMD0258,
- 25 TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, of claim 199, and which has a defect in pancreas, lymphoid, and/or reticuloendothelial disease function.
- 197. A mammalian cell of claim 196, wherein said cell is a mouse cell.
 198. A method of selecting a gene predominantly expressed in pancreas tissue from a

OCID: <WO_____03089583A2_1_>

10

database comprising polynucleotide and amino acid sequences for genes, comprising:


displaying, in a computer-readable medium, a polynucleotide sequence or polypeptide sequence for TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127, of claim 199, or complements to the polynucleotides sequence, wherein said displayed sequences have been retrieved from said database upon selection by a user.


199. A composition comprising genes and/or polypeptide which are expressed predominantly in pancreas tissue comprising:

TMD0077, TMD0233, TMD0256, TMD0258, TMD0267, TMD0271, TMD0290, TMD0530, TMD0574, TMD0608, TMD0639, TMD0645, TMD0674, TMD0675, TMD0677, TMD0726, TMD0727, TMD0739, TMD0753, TMD1111, and/or TMD1127.

STS	ĕ → ⊠	RNA XI	Accn	locus	Gene code	
55520K	RH79988 15 SHGC-54518 RH93840	5930K	- XM_173381	LOC254079		
55940K	T/A004X45 15 = SHGC-82759 1 0153312 15	5950K	XM_086610	CDID		
55960K 55970K 35980K	•	5970K				
55990K	15	5990K				
56110K	RH120517 ¹⁵ ID153258 15		XM_048792	CDIA		
561 20 K	!	6030K				•
560 60K	- DI (3359	6050K	NM_001765.1	CDIC		
56080K	- DX\$ 76.96	E070K E030K				
561 0 0K	1	6100K	" NM_001764.1	CDIB		
56120K	KH46953	6128K	NM_030893.1	CDIE		
361 30K	15	6139H 6140K 6150K	XM 060945	LOC128360	TMD0024	
361 50K 361 60K 361 74K	15	6160K- 6170K-	XM 060946	LOC128361	TMD1779	
56196K	15	6180K- 6190A-	· · · · · · · · · · · · · · · · · · ·	LOC128362	TMD0884	
5621 6K	15	6200K	_ XM_060947			
56231K	SHGC-15525	6230 K	XM_060948	LOC128363	TMD0025	
56244K	15	6240 K- 6250 K-	_ XM_089422	LOC164169	TMD1780	Fig. 1
5626 K 5627 K 5628 K	15	6260K 6270K	XM_089421	LOC149631	TMD1781	
56290K	15	6290 K	XM_060949 XM_089420	LOC128364 LOC164168		
56310K-	15	6310K 6320K		LOC128365		
56230K	15	6330 K	XM_060950	LOC128366		
56350K 56360K	D133249 15 G15944 GDE:191075	6360K	XM_060951	1.OC128367		
56370K-	COB 1 964 18 - RM68459 - RM10259715 - RM69635 - RM	6380К	XM_060952			
53390K 56400K 56410K	, KH65132	6350K 6400K 6410K	XM 060953	LOC 128368		
56420K	15	6420K	NM_003126.1	SPTAI		
36440X- 36450K-	,	6440K 6450K				
56460K 56470K		6460K 6470K	XM_060954	LOC128369		
56+80K- 56+90K-	150	6400K	XM_060955	LOC128370		
56500K	150	6500K-	XM_060956	LOC128371	TMD0304	
56520K 56530K 56540K	•	6530K	– XM_060957	LOC128372	TMD0888	
56550K		6550K	- XM_060958	LOC128373		
56570K		6570K	XM_060959	LOC128374	TMD0890	
36590K	-SHGC-1+545	660 8 K-4	NM_002432.1	MNDA	:	
36620K	•	6620 K	7111-002732.7			
36630K	150	630K				
3665+K- 3666+K-	150	6650K 6660K 6670K		1 ()(140420		
3667•K- 3668•K- 5669•K-	150	680 K	XM_089418	LOC149629		
56700K	150	6700K	metro			
56720K		6720 K				







OCID: <WO_____03089583A2_I_>

XM_062147



XM_061676





FIG. 4

Fig. 58


			4		4		
	24		3 24		3 24		
	23		23		23		
	22 23		22		22		
	21		21		20 21		
	20		20		20		
	19		19		19		
	: 8		8		8		
	. 11		17		17		
	8 9 10 11 12 13 14 15 16 17 18 19		11 12 13 14 15 16 17 18 19 20 21 22		11 12 13 14 15 16 17 18 19		
	15		15		15		
	4		4		4		
	<u> </u>		13		13		
	12		2		12		
			Ξ		Ξ		
	0		10		10		
	,6		6		6		
	∞		∞		∞		
1			1/2]	7		
	4 5 6 7		9		9		
	S		4 5		4 δ		
	4		4		4		
	3		m		3		
	7		7		7		
	_		-		_		
111				111			
TMD0719		TMD0731		TMD0841		-	, ,



Fig. 6



FigIA



FigtB

XM_061785	311 Fig. 8
XM_061785	149
X X D61784	323
New Y	318
	314
WM 061779	

DOCID: <WO____03089583A2_1_>

WO 03/089583 PCT/US03/11497





Fig. 9A






Fig. 9B





Fig.10



DOCID: <WO____03089583A2_I_>

FIG. 121

			24		24		24	•	₹	. :	4			4
	24		•		23 2		· •		24	•	3 24			2
	23		23		22 2		2 23	i 1	22 23		2 23			2 23
	21 - 22		22				1 2) - -		1 22	1	j Li	1 22
			21	•	0 21		21.		5	دفر	2	- 1		21
	20		20		9 20		18		5	230	2			20
	19		61		3 19	*.	19		0		18 19 20 21			19
	18	- C	13 14 15 16 17 18	: .	182		18		_ ≃		28	• • • • • • • • • • • • • • • • • • • •		18
	17		17		=		1	- :	1		7	·		17
ا.	16		16		16		16		9		16		Y	16
	15		15		15		15		15		15			15
	14		4		4		4	7	4		17		-	14
			13		13		13 13		12	Ď.	13 14			13
	12 13			4	12		2		2		12			12 13
	Ξ			4			1 _						3	_
	10		10 11 12	4	10 1		01		10 11		10. 11	4	No.	10 · 11
	9	3		7.7		• .	į		.]					
	œ		ο ∞	71	6.	.:	6		9		6			Q
ž.	7	4		7	∞.				00		00		• • •	∞
4	9			T.			_				7		` :	7
	8	1 7	2	- 3	9	100	9		9		9	· · · · · · · · · · · · · · · · · · ·	:	9
à		i	_	4			S	· · · ·	ν,		S		.:- '	S
ĺ	8		~		4		4		4		4		÷ :	4
i	7		7	-	CO.		<u>س</u>		ù		n		. (m
	-		_ 3	\$	7	· N	7		7		7		. •	7
D111	:#1						-		-		;		•	-
				,			٠.	1111	-					
11	9	33	4	2		∞ •	:	23		11		0		
00		023	5	7		025		026		027		029		
TMD0077	(1 MD0233	TMID0256	Ĵ		TMD0258		TMD0267		TMD0271		TMD0290		
F	-		E	-	i			H		E		E		

:'OCID: <WO _____03089583A2_I_>

FIG. 12]

3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	16 17 18 19 20 21 22 23	15 16 17 18 19 20 21 22 23	13 14 15 16 17 18 19 20 21 22 23	9 20 21 22 23	8 9 10 11 12 13 14 15 15 17 18 10 20 21 22 22		3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24
2 3 4	3 4	2 3 4	2 & 4	3 4	3 4		ئ 4
		-	· · · · · · · · · · · · · · · · · · ·		_ 		,
TMD0530		IMD0608	TMD0639	TMD0645	TMD0674	TMD0675	

FIG. 12C

	24	24	24	24	24	24		24
	23	23	23	23	23	23		23
	22	27	22		52	52		22
1	21	7	77	51	7 7	21		21
I	70	20	28	50	7.5	20		20
	19	19	61	. 6	19 · 20	19		19
	8	∞ .		<u>∞</u>	∞ ⊶	. ~		18
1		17	17 18	17	17	17		17
	16	16	10	19	16	16	. •	16
1:	15	2	5	15	5	15		15
	4	4	4	4	4	4		7
	13	E .	<u> </u>	13	<u>.</u>	13		13
	12	12	2	12	2	. 12		12
	=	Ξ	Ξ,	=	=	=		Ξ
	0	0	10	0	01	0		10.
4	σ,	6	6	· ο	6	6		0
3	∞	∞	∞'	: ∞.	∞	∞		00
	_	7	7	, , ,,,	7	7		7
	•	9	9	v	9	9		9
: ,	^	9	v	v)	S	S		S
-	4	4	4	4	· 5 4	4		4
r	ن.	m	m	m .	m	m		c
c		8	7	. S	7	. 7		7
-		-		 i	 .	_	:	
	111	1111		ni		111		
77	56	27	39	53	3 :	-	27	
TMD0677	TMD0726	TMD0727	TMD0739	TMD0753		IMDIIII	TMD1127	
ME	X	¥	Ā	5		₹	Ä	
Ξ	H	F	F	F	; [=	F	

16U 200 PCT FINAL.ST25 - SEQUENCE LISTING

<110>	OriGene Technologies, Inc
<120>	TISSUE SPECIFIC GENES AND GENE CLUSTERS
<130>	16U 200 PCT
<150> <151>	US 60/372,669 2002-04-16
<150> <151>	US 60/411,882 2002-09-20
<150> <151>	US 60/424,336 2002-11-07
<150> <151>	US 60/374,823 2002-04-24
<150> <151>	US 60/376,558 2002-05-01
<150> <151>	US 60/381,366 2002-05-20
<150> <151>	US 60/403,648 2002-08-16
<160>	344
<170>	PatentIn version 3.1
<210> <211>	1 795
<212> <213>	DNA . Homo sapiens
<220>	nomo saprens
<221> <222>	CDS (1)(795)
<223>	(1)(733)
<400>	l g cgg gtc aat gag act gtg gtg aga gag gtc atc ttc ctc ggc 48
	1 Arg Val Asn Glu Thr Val Val Arg Glu Val Ile Phe Leu Gly 5 10 15
	a tcc ctg gcc agg ctg cag ctg ctc ttt gtt atc ttc ctg 96 r Ser Leu Ala Arg Leu Gln Gln Leu Leu Phe Val Ile Phe Leu 20 25 30
	tac ctg ttc act ctg ggc acc aat gca atc atc att tcc acc 144 in Tyr Leu Phe Thr Leu Gly Thr Asn Ala Ile Ile Ile Ser Thr 35 40 45
att gto	ctg gac agg gcc ctt cat atc ecc atg tac ttc ttc ctt gcc 192
	. Leu Asp Arg Ala Leu His Ile Pro Met Tyr Phe Phe Leu Ala 55 60
Ile Leu	tot tgc tot gag att tgc tac acc ttc atc att gta ccc aag 240 Ser Cys Ser Glu lle Cys Tyr Thr Phe Ile Ile Val Pro Lys
65	70 75 80
	gett gac ctg ctg tcc cag aag aag acc att tct ttc ctg ggc 288 Val Asp Leu Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly 85 90 95
	atc caa atg ttt tcc ttc ctc ttc ctt ggc tgc tct cac tcc 336 Ile Gln Met Phe Ser Phe Leu Phe Leu Gly Cys Ser His Ser 100 105 110
ttt ctg Phe Leu	cctg gca gtc atg ggt tat gat cgt tac ata gcc atc tgt aac Leu Ala Val Met Gly Tyr Asp Arg Tyr Ile Ala Ile Cys Asn 115 120 125
	cgc tac tca gtg cta atg gga cat ggg gtg tgt atg gga cta 432 Arg Tyr Ser Val Leu Met Gly His Gly Val Cys Met Gly Leu 135 140

16U 200 PCT FINAL ST25

gtg Val 145	Ala	gct Ala	gcc Ala	tgt Cys	gcc Ala 150	tgt Cys	ggc Gly	ttc Phe	act Thr	gtt Val 155	gca Ala	cag Gln	atc Ile	atc Ile	aca Thr 160	480
tcc Ser	ttg Leu	gta Val	ttt Phe	cac His 165	ctg Leu	cct Pro	ttt Phe	tat Tyr	tcc Ser 170	tcc Ser	aat Asn	caa Gln	cta Leu	cat His 175	cac His	528
			gac Asp 180													576
cac His	ttt Phe	agt Ser 195	cag Gln	att Ile	gtc Val	atc Ile	ttc Phe 200	atg Met	ctc Leu	tgt Cys	aca Thr	ttg Leu 205	gtc Val	ctg Leu	gct Ala	624
atc Ile	ccc Pro 210	tta Lev	ttg Leu	ttg Leu	atc Ile	ttg Leu 215	gtg Val	tcc Ser	tat Tyr	gtt Val	cac His 220	atc Ile	ctc Leu	tct Ser	gcc Ala	672
ata 11e 225	ctt Leu	cag Gln	ttt Phe	Pro	tcc Ser 230	aca Thr	ctg Leu	gga Gly	gtg Val	ata 11e 235	gca Ala	aaa Lys	agg Arg	aag Lys	Phe 240	720
cac His	aat Asn	agt Ser	gat Asp	gat Asp 245	ttc Phe	tca Ser	cat His	Tyr	aac Asn 250	tct Ser	ttt Phe	caa Gln	gat Asp	cca Pro 255	cct Pro	768
gtc Val	aat Asn	Lys	agt Ser 260	ctc Leu	ctg Leu	att Ile	gat Asp	taa								795

<210> 2

<211> 264

<212> PRT

<213> Homo sapiens

<400> 2

Met Glu Arg Val Asn Glu Thr Val Val Arg Glu Val Ile Phe Leu Gly 1 $$

Phe Ser Ser Leu Ala Arg Leu Gln Gln Leu Leu Phe Val Ile Phe Leu 20 25 30

Leu Leu Tyr Leu Phe Thr Leu Gly Thr Asn Ala Ile Ile Ser Thr 35 40 45

Ile Val Leu Asp Arg Ala Leu His Ile Pro Met Tyr Phe Phe Leu Ala 50 $\,$ 55 $\,$ 60 $\,$

lle Leu Ser Cys Ser Glu Ile Cys Tyr Thr Phe Ile Ile Val Pro Lys 65 70 75 80

Met Leu Val Asp Leu Leu Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly $\theta 5$ 95

Cys Ala Ile Gln Met Phe Ser Phe Leu Phe Leu Gly Cys Ser His Ser 100 105 . 110

Phe Leu Leu Ala Val Met Gly Tyr Asp Arg Tyr Ile Ala Ile Cys Asn 115 120 125

Pro Leu Arg Tyr Ser Val Leu Met Gly His Gly Val Cys Met Gly Leu 130 135 140

Val Ala Ala Ala Cys Ala Cys Gly Phe Thr Val Ala Gln Ile Ile Thr 145 \$150\$ 150 155 160

16U 200 PCT FINAL.ST25

16U 200 PCT FINAL.ST25	
Ser Leu Val Phe His Leu Pro Phe Tyr Ser Ser Asn Gln Leu His His 165 170 175	
Phe Phe Cys Asp Ile Ala Pro Val Leu Lys Leu Ala Ser His His Asn 180 185 190	
His Phe Ser Gln Ile Val Ile Phe Met Leu Cys Thr Leu Val Leu Ala 195 200 205	
Ile Pro Leu Leu Leu Ile Leu Val Ser Tyr Val His Ile Leu Ser Ala 210 215 220	
Ile Leu Gln Phe Pro Ser Thr Leu Gly Val Ile Ala Lys Arg Lys Phe 225 230 235 240	
His Asn Ser Asp Asp Phe Ser His Tyr Asn Ser Phe Gln Asp Pro Pro 245 250 255	
Val Asn Lys Ser Leu Leu Ile Asp 260	
<210> 3 <211> 32 <212> DNA <213> Homo sapiens	
<400> 3 ggtcaatgag actgtggtga gagaggtcat ct	32
<210> 4 <211> 31 <212> DNA <213> Homo sapiens	
<400> 4 ctatcactcc cagtgtggaa ggaaactgaa g	31
<210> 5 <211> 50 <212> DNA <213> Homo sapiens	
<400> 5 ctctttcaga tttaaatggg ccagacttag ttttatgtgg tgcagacatt	50
<210> 6 <211> 807 <212> DNA <213> Homo sapiers	
<220> <221> CDS <222> (1)(807) <223>	
<400> 6 atg gcc gtt att cgc ttc agc tgg act ctc cac act ccc atg tat ggc Met Ala Val Ile Arg Phe Ser Trp Thr Leu His Thr Pro Met Tyr Gly 1 5 10 15	48
ttt cta ttc atc ctt tca ttt tct gag tcc tgc tac act ttt gtc'atc Phe Leu Phe Ile Leu Ser Phe Ser Glu Ser Cys Tyr Thr Phe Val Ile 20 25 30	96
atc cct cag ctg ctg gtc cac ctg ctc tca gac acc aag acc atc tcc Ile Pro Gln Leu Leu Val His Leu Leu Ser Asp Thr Lys Thr Ile Ser 35 40 45	144

160 200 PCT FINAL.ST25

															tgc Cys	192
						gct Ala										240
att Ile	tgt Cys	cac His	cct Pro	ctg Leu 85	agg Arg	tac Tyr	aca Thr	ctc Leu	atc Ile 90	ata Ile	aac Asn	aaa Lys	agg Arg	ctg Leu 95	999 61y	288
				Ser		tca Ser			Thr							336
			Asn			tgt Cys										384
		His				gac Asp 135										432
	Asp					gag Glu										480
						ctg Leu										528
gtt Val	aac Asn	acc Thr	atc Ile 180	ctg Leu	aag Lys	atc Ile	ccc Pro	tca Ser 185	gct Ala	gag Glu	ggc Gly	aag Lys	aag Lys 190	gcc Ala	ttt Phe	576
						ctc Leu										624
						cgg Arg 215										672
Asp 225	Gln	Len	Val	Ala	Val 230	acc Thr	Tyr	Thr	Val	Val 235	Thr	Pro	Leu	Leu	Asn 240	720
cct Pro	ctt Leu	gtc Val	Tyr	agt Ser 245	ctg Leu	agg Arg	aac Asn	Lys	gag Glu 250	gta Val	aaa Lys	act Thr	Ala	ttg Leu 255	aaa Lys	768
						gtg Val .	Ala					taa				807

<210> 7 <211> 268 <212> PRT

<213> Homo sapiens

Phe Leu Phe Ile Leu Ser Phe Ser Glu Ser Cys Tyr Thr Phe Val Ile 20 25 3025

Ile Pro Gln Leu Leu Val His Leu Leu Ser Asp Thr Lys Thr Ile Ser 35 . 40 45

Phe Met Ala Cys Ala Thr Gln Leu Phe Phe Phe Leu Gly Phe Ala Cys 50 60

16U 200 PCT FINAL.ST25

Thr 65	Asn	Cys	Leu	Lev	11e 70	Ala	Val	Met	Gly	Tyr 75	Asp	Arg	Tyr	Val	Ala 80	
Ile	Cys	His	Pro	Leu 85	Arg	Tyr	Thr	Leu	11e 90	Ile	Asn	Lys	Arg	Leu 95	Gly	
Leu	Glu	Leu	11e 100	Ser	Leu	Ser	Gly	Ala 105	Thr	Gly	Phe	Phe	11e 110	Ala	Leu	
Val	Ala	Thr 115	Asn	Leu	Ile	Cys	Asp 120		Arg	Phe	Cys	Gly 125	Pro	Asn	Arg	
Val	Asn 130	His	Tyr	Phe	Cys	Asp 135	Met	Ala	Pro	Val	11e 140	Lys	Leu	Ala	Cys	
Thr 145	Asp	Thr	His	Val	Lys 150	Glu	Leu	Ala	Leu	Phe 155	Ser	Leu	Ser	lle	Leu 160	
Val	lle	Met	Val	Pro 165	Phe	Leu	Leu	Ile	Leu 170	11e	Ser	Туr	Gly	Phe 175	Ile	
Val	Asn	Thr	11e 180	Leu	Lys	lle	Pro	Ser 185	Ala	Glu	Gly	Lys	Lys 190	Ala	Phe	
Val	Thr	Cys 195	Ala	Ser	His	Leu	Thr 200	Val	Val	Phe	Val	His 205	Туr	Gly	Cys	
Ala	Ser 210	lle	Ile	Tyr	Leu	Arg 215	Pro	Lys	Ser	Lys	Ser 220	Ala	Ser	Asp	Lys	
Asp 225	G1n	Leu	Val		Val 230	Thr	Tyr	Thr	Val	Val 235	Thr	Pro	Leu	Leu	Asn 240	
Prc				245					250			Thr	Ala	Leu 255	Lys	
Arg '	Val		Gly 260	Met	Pro	Val	Ala	Thr 265	Lys	Met	Ser					
<210:																
<212: <213:	> D	NA	sapi	ens												
<400: ccac			caga	cacc	a ag	acc										25
<210: <211: <212:	> 2															
<213			sapi	ens									•			
<400> ggcac		aa t	tacc	aggat	t gc	t gag	9							,		27
<210><211><211><212>	5 (D NA														
<213>		omo :	sapi	ens												
<400> gagtg			atata	aaaga	a ggt	tatgi	ttca	atg	caac	atg	ttaa	atgc	aa			50
												2200				

160 200 PCT FINAL ST25

<210> 11	
<211> 50 <212> DNA	
<213> Homo sapiens	
<400> 11	
actccttaga taaaaaaggg cagatttatt aaagaaccct gatttaatca	50
<210> 12 <211> 4982	
<211> 4302 <212> DNA	
<213> Homo sapiens	
<220>	
<221> CDS	
(223)	
<400> 12	
gtactccttc agaatcagag aattccagct tccatggttt acattattca tcatattcag	60
tcaagtgagg gcctagtggc ggttaaaggt tgattagttg aaagaagatt caaatgaaag	120
tcttttggga aagcaatgag gcaaggctaa gcaatgacca taagtttaga tttcctcatt	180
gttttgaata gacaggaaat catttgtcca gaaggaggta ttatgtaggg aaacttttac	240
ctttctgtat ataaaaacat ataactaata cacacacact catacacaaa tatcaatgga	300
ggtatacatt gtgtttactt tttctatgtt tatgtacaat agtaatatct ttatagttat	360
actaacgtta ttaaaataag taattatatt aactaagttt aggaccagtt tctagtaagt	420
aagaaagaaa aaaaatcatc tccaaattct atgaatagat ataatgaatt tcaagaatgc	480
ctgatgaatt aacttaggat tcaggaaaca aaaaaagttg ctattgaata gaaaaatgga	540
aaagtaacag caacaaaatt ctggtagcag atgccaataa tttcccaaga caaaatgatg	600
tagtaacttc agaagtatat aaatgaagac tggataccag caagacatac tggatgattt	660
tgtatccaga tagtgctttt tttacttatt aggttgggtt attgaaaaat gttccagtga	720
aaaaaattag gcctaagatg attttagaaa taatttgtaa tggcagtttg caaaatattt	780
ttagtggcag aatgttcaaa agaaatctta ttaacataac aacatacaaa agatacaaag	840
cctatggttt acagcaggag aggggaaact ggcaaaattc ccaagtgtgc cattctctct	900
cacactetgt ageaagetet gteattteta caaaactett atttetetga gtttetecaa	960
gttagctcag catggaaaag tgaagtgtgt tacaaaatgc cacaaagtca gtcatctctc	1020
tttaccaccc tggtgactat tctcttcctg aaagaagaat ttttttcttt atactaatgc	1080
actaatgtta tttatttta ttttatttta tttatttatt	1140
_tgtcacccag tctggagtgc agaggcacaa tcttggctca ctgcaacctc cgcctcccgg	1200
gctcaagtga atctcatgcc tcagcctccc gagtagctgg gattacaggt gtgtgctgcc	1260
atacctggct aattitigta cittiagtaa agaccaggit tigccatgit gccgaggctg	1320
gtcttgaacc cctggcctca agcaatccac ccaccttggc ttctcaaagt gctgggatta	1380
caggtgtgag ccaccacatc tggctaatgt tatttttgt ttcactgttg actcaatgtt	1440
tcaacttgtg gaacttccaa tagtatttct tattgttccc ttggagatat aaaaagttcc	1500
cagtaaatag atgtgtgctc acatctttac ttagagacca tggaatactt tatctccttt	1560
ctcatttcat ggttggataa actgaagtcc acatgattat gtctgaatat tattcattct	1620
ttcgttctat attctgatca gcttcaggta gctgaagtta acgttttcca ctttggagag	1680
tgagttgcct tgggtttata gtaagtgaca aaaacaacaa tctctctgtt acataagaag	1740

ga	зааа	ctatt	t ago	caaat	ttc	ctaa	tcct	tg g	tcag	agag	a ta	acct	gttc	ttc	acatt	ag 1800
															ttctt	
															tgcca	
															ggttt	
ac	ctc	igtco	: ctg	acto	tcc	ttta	taga	ag t	gctc	1	atg Met 1	gag Glu	caa Gln	gtc Val	aat a Asn L 5	ag 2036 ys
Tn	ir va	er va	10	g G1	u Ph	e Va	l Va	1 Le 15	ច G1	y Ph	e Se	r Se	r Le	u Al	c agg a Arg	2084
re	ս գյ	25	р ге	u Le	u Ph	e Va	30	e Ph	e Lei	u Lei	u Le	u Ty 35	r Le	u Ph	c act e Thr	2132
ct Le	g gg u Gl 40	y Th	c aa r As	t gc n Al	a at a Il	c at e Il 45	c at e Ile	t to e Se	c acc	att r Ile	t gte va: 50	g cte l Le	g ga u Asj	c aga p Are	g gcc g Ala	2180
55	и ні	S Th	r Pr	о ме	60	r Ph	e Phe	e Lei	a Ala	65	e Lei	u Se:	c Cys	s Sei	gag Glu 70	2228
11	есу	т ту	r Th	r Pho 75	e Va.	1 110	e Val	Pro	80 80	Met	Lei	val	l Asp	85	g ctg I Leu	2276
Se	r G1.	п Бу	90 90	s Th	r Ile	e Sei	r Phe	e Leu 95	ı Gly	Cys	Ala	ılle	9 Glr 100	n Met	ttt Phe	2324
Sei	c Ph	e Let 105	u Phe 5	e Phe	e G1)	y Sei	Ser 110	His	Ser	Phe	Leu	115	Ala	Ala		2372
GIZ	120	r Asp O	o Arc	ј Туі	Met	125	lle	Cys	aac Asn	Pro	Leu 130	Arg	Tyr	Ser	Val	2420
135	me	t GIY	/ His	Gly	Val 140	Cys	Met	Gly	cta Leu	Met 145	Ala	Ala	Ala	Cys	Ala 150	2468
cys	GIY	/ Phe	? Thr	155	Ser	Leu	Val	Thr	acc Thr 160	Ser	Leu	Val	Phe	His 165	Leu	2516
710	PHE	: H1S	170	Ser	Asn	GIn	Leu	His 175	cac His	Phe	Phe	Cys	Asp 180	Ile	Ser	2564
FIO	val	185	Lys	Leu	Ala	Ser	Gln 190	His	tcc Ser	Gly	Phe	Ser 195	Gln	Leu	Val	2612
116	200	wet	ren	Gly	Val	Phe 205	Ala	Leu	gtc Val	Ile	Pro 210	Leu	Leu	Leu	lle	2660
cta Leu 215	gtc Val	tcc Ser	tac Tyr	atc Ile	cgc Arg 220	atc Ile	atc Ile	tct Ser	gcc Ala	att Ile 225	cta Leu	aaa Lys	atc Ile	cct Pro	tcc Ser 230	2708
Jei	Agi	ы	Arg	235	Lys	Thr	Phe	Ser	acc Thr 240	Cys	Ala	Ser	His	Leu 245	Ile	2756
,01	AgI	inr	250	His	Tyr	Ser	Cys	Ala 255	tct Ser	Phe	Ile	Tyr	Leu 260	Arg	Pro	2804
aag Lys	act Thr	aat Asn	tac Tyr	act Thr	tca Ser	agc Ser	caa Gln	gac Asp	acc Thr	cta Leu	ata Ile	tct Ser	gtg Val	tca Ser	tac Tyr	2852

16U 200 PCT FINAL.ST25 265 270 275	
acc atc ctt acc cca ttg ttc aat cca atg att tat agt ctg aga aat. Thr Ile Leu Thr Pro Leu Phe Asn Pro Met Ile Tyr Ser Leu Arg Asn 280 285 290	2900
aag gaa tic aaa tca gcc cta cga aga aca atc ggc caa act ttc tat Lys Glu Phe Lys Ser Ala Leu Arg Arg Thr 11e Gly Gln Thr Phe Tyr 295 300 310	2948
cct ctt agt taa agagctattt tttaaactac taatgcctag tacatgccag Pro Leu Ser	3000
gcagaacgtg tgttttatac atttttttc atttaattgt ccagctccac tgtaacataa	3060
gaacatttta catatgagaa gaatgaggct cacagaagtt aagacagtct ggctttctac	3120
tetecatgat aetttaacaa gaetaateag atatgggaae agageacaca gttecataae	3180
aaatttaatt atattttact gctttaaata ttgctaattt aaaaactaat atgagagcaa	3240
agatgcatct aaactgatga gagctgtgtc ttgaagtaga gagcttggat acatcaggaa	3300
agaaaagatg tatccaaaaa aaaaaaaaga aagaaaaaag aaaaaaaaaa	3360
aggaaatcca tctatccgta cttttctttt cctaaagaca acagaaaact ttggtcccac	3420
acattetget acaaatettg gtggteettt ttgteeccaa tteattteet taacetacat	3480
attgaaatat cttggccttt acttggggtt gttttgttct tcctttgttt gaggtggaac	3540
cactitatgg ticteticet gatgeacatg tatgicette acatactagt gigiettage	3600
ccccacattt gttcctgaga caccatacta atttgctctc ttcaaggaag ctactagcat	3660
tgcctacttg ctgaaatatc tcaagtaatt ccaagcaaag ggcttgagtt aatattaata	3720
gaaggctaga ttcctagaat gaccagaaaa ctcatggaaa accctccagt gactcccttt	3780
gccctacaag ataatgccaa gggtccttca ttgtcatgaa tctatcatct agtttccacc	3840
tacctcttca gtattatcat ttctaatttt gttattctcc attltctata tgccttttgt	3900
acactetgaa getaaceaac tattigetig tiltaaaaca aataaaigig aigaacaaaa	3960
taaatgtggt ctctgccctc ataggcctta ttgcctggtt caagatagtc ccagtaaaca	4020
gaaaaatgag ggaaaatacc ttaccagttt aagttgattc tctgaagaaa aagtgcatgc	4080
aggcgataga ggagagaata ctaagataaa cctaatttag atcgaatggc atagggttgg	4140
tttcccagag aaactgagag ttaacctgca tgtaacctga agggtaatta aaagtcttca	4200
ggtaaagggg atatccttta ggacagaaga aacaatgtgt acaaaacccc tgaagcaaga	4260
actggatgag ttggagacaa gcaaagaagg cctgtataaa tgctgtttta aaaatgcttt	4320
tcaattgaca aaattatata tatttatggt gtaaaacatg atattttctc ccatcctgta	4380
ggttgcctgt tcactctgat ggtattttct tttgctgtgc agaagctctt tagtttaatt	4440
agatcccatt tgtcaatttt ggcttttgtt gccattgcct ttggtgttta gacatgaagg	4500
ccttgcccat gcctatgccc tgaatggtac tgcctaggtt ttcttctagg gtttttatgg	4560
ttttaggtct aacatgtaag tcttttatcc atctggaata aatttttgta taaggtgtaa	4620
ggaagggatc cagtttcagc tttctacata tggctagcca gttttcccag caccatttat	4680
taaataggga atcctttccc catttcttgt ttttgtcaga caaagggcta atatccagaa	4740
tctacaatga actcaaacaa atttacaaga aaaaaacaaa caaccccatc aaaaagtggg	4800
caaaggatat gaacagacac ttctcaaaag aagacattta tgcagccaga aaacacatga	4860
aaaaatgctc atcactggcc atcagagaaa tgcaaatcaa aaccacaatg agataccatc	4920
tcacaccagt tagaatggcg atcattaaaa agtcaggaaa caacaggtgc gggagaagat	4980
· · · · · · · · · · · · · · · · · · ·	

gt 4982

<210> 13 <211> 313

<211> 313 <212> PRT

<213> Homo sapiens

<400> 13

Met Glu Gln Val Asn Lys Thr Val Val Arg Glu Phe Val Val Leu Gly 1 $$ 5 $$ 10 $$ 15

Phe Ser Ser Leu Ala Arg Leu Gln Gln Leu Leu Phe Val IIe Phe Leu 20 25 30

Leu Leu Tyr Leu Phe Thr Leu Gly Thr Asn Ala Ile Ile Ser Thr 35 40 45

Ile Val Leu Asp Arg Ala Leu His Thr Pro Met Tyr Phe Phe Leu Ala $50 \hspace{1.5cm} 55 \hspace{1.5cm} 60 \hspace{1.5cm}$

Ile Leu Ser Cys Ser Glu Ile Cys Tyr Thr Phe Val Ile Val Pro Lys 65 70 75 80

Met Leu Val Asp Leu Leu Ser Gln Lys Lys Thr Ile Ser Phe Leu Gly 85 90 95

Cys Ala Ile Gln Met Phe Ser Phe Leu Phe Phe Gly Ser Ser His Ser 100 105 110

Phe Leu Leu Ala Ala Met Gly Tyr Asp Arg Tyr Met Ala Ile Cys Asn 115 120 125

Pro Leu Arg Tyr Ser Val Leu Met Gly His Gly Val Cys Met Gly Leu 130 135 140

Met Ala Ala Cys Ala Cys Gly Phe Thr Val Ser Leu Val Thr Thr 145 150 155 160

Ser Leu Val Phe His Leu Pro Phe His Ser Ser Asn Gln Leu His His 165 170 175

Phe Phe Cys Asp Ile Ser Pro Val Leu Lys Leu Ala Ser Gln His Ser 180 $$180\$

Gly Phe Ser Gln Leu Val Ile Phe Met Leu Gly Val Phe Ala Leu Val

Ile Pro Leu Leu Leu Ile Leu Val Ser Tyr Ile Arg Ile Ile Ser Ala 210 215 220

Cys Ala Ser His Leu Ile Val Val Thr Val His Tyr Ser Cys Ala Ser 245 250 255 ...

Phe Ile Tyr Leu Arg Pro Lys Thr Asn Tyr Thr Ser Ser Gln Asp Thr 260 265 270

16U 200 PCT FINAL.ST25 Leu Ile Ser Val Ser Tyr Thr Ile Leu Thr Pro Leu Phe Asn Pro Met 285 280 lle Tyr Ser Leu Arg Asn Lys Glu Phe Lys Ser Ala Leu Arg Arg Thr 300 295 290 Ile Gly Gln Thr Phe Tyr Pro Leu Ser <210> 14 <211> 24 DNA <212> <213> Homo sapiens <400> 14 24 cctgttcact ctgggcacca atgc <210> 15 <211> 24 <212> DNA <213> Homo sapiens <400> 15 24 ctggttggag gagtggaagg gcag <210> 16 <211> 50 <212> DNA <213> Homo sapiens 50 tacctttctg tatataaaaa catataacta atacacacac actcatacac <210> 50 <211> DNA <212> <213> Homo sapiens <400> 17 50 cttcagaagt atataaatga agactggata ccagcaagac atactggatg <210> 18 <211> 50 <212> DNA <213> Homo sapiens <400> 18 50 cccttggaga tataaaaagt tcccagtaaa tagatgtgtg ctcacatctt <210> 19 <211> 50 <212> DNA ⁻<213> Homo sapiens 50 taatactatg taaaaatcca ctggactaga atcagctgtc ctcatgtgcc <210> 20 <211> 960 <212> DNA <213> Homo sapiens <220> <221> CDS (1).. (960) <222> <223> atg aca cag ttg acg gcc agt ggg aat cag aca atg gtg act gag ttc Met Thr Gln Leu Thr Ala Ser Gly Asn Gln Thr Met Val Thr Glu Phe

Page 10

OCID: <WO._____03089583A2 1, >

1				5					10	160	200	PCT	FINA	AL. 51 15	25		
									aga Arg								96
									atc Ile								144
									gcc Ala								192
									gag Glu								240
									atc Ile 90								288
									tac Tyr							•	336
									atg Met								384
		Cys							acc Thr								432
									ttt Phe								480
									ttg Leu 170								528
									aca Thr								576
									gtg Val							•	624
									gct Ala								672
									gct Ala								720
Phe -	Ser	Thr	Cys	Ala 245	Ala	His	Leu	Ala	gtg Val 250	Phe	Leu	Leu	Phe	Phe 255	Gly		768
Ser	Val	Ala	Val 260	Met	Tyr	Leu	Arg	Phe 265	tca Ser	Ala	Thr	Tyr	Ser 270	Val	Phe		816
Trp	Asp	Thr 275	Ala	Ile	Ala	val	Thr 280	Phe	gtt Val	lle	Leu	Ala 285	Pro	Phe	Phe		864
Asn	Pro 290	lle	lle	Tyr	Ser	Leu 295	Lys	Asn	aag Lys	Asp	Me t 300	Lys	Glu	Ala	Ile		912
gga G1y 305	agg Arg	Ctt Leu	ttc Phe	His	tat Tyr 310	cag Gln	aag Lys	agg Arg	gct Ala	ggt Gly 315	tgg Trp	gct Ala	999 G1 y	aaa Lys	tag		960

Page 11

<210> 21

<211> 319

<212> PRT

<213> Homo sapiens

<400> 21

Met Thr Gln Leu Thr Ala Ser Gly Asn Gln Thr Met Val Thr Glu Phe 1 $$ 10 $$ 15

Leu Phe Ser Met Phe Pro His Ala His Arg Gly Gly Leu Leu Phe Phe 20 25 30

Ile Pro Leu Leu Leu Ile Tyr Gly Phe Ile Leu Thr Gly Asn Leu Ile $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Met Phe Ile Val Ile Gln Val Gly Met Ala Leu His Thr Pro Leu Tyr 50 60

Phe Phe Ile Ser Val Leu Ser Phe Leu Glu Ile Cys Tyr Thr Thr 65 70 75 80

Thr Ile Pro Lys Met Leu Ser Cys Leu Ile Ser Glu Gln Lys Ser Ile 85 90 95

Ser Val Ala Gly Cys Leu Leu Gln Met Tyr Phe Phe His Ser Leu Gly $100 \hspace{1cm} 105 \hspace{1cm} 110$

Ile Thr Glu Ser Cys Val Leu Thr Ala Met Ala Ile Asp Arg Tyr Ile 115 120 125

Ala Ile Cys Asn Pro Leu Arg Tyr Pro Thr Ile Met Ile Pro Lys Leu 130 135 140

Cys Ile Gln Leu Thr Val Gly Ser Cys Phe Cys Gly Phe Leu Leu Val 145 150 160

Leu Pro Ġlu Ile Ala Trp Ile Ser Thr Leu Pro Phe Cys Gly Ser Asn 165 170 175

Gln Ile His Gln Ile Phe Cys Asp Phe Thr Pro Val Leu Ser Leu Ala . 180 185 190

Cys Thr Asp Thr Phe Leu Val Val Ile Val Asp Ala Ile His Ala Ala 195 200 205

Glu Ile Val Ala Ser Phe Leu Val Ile Ala Leu Ser Tyr Ile Arg Ile 210 215 220

Ile Ile Val Ile Leu Gly Met His Ser Ala Glu Gly His His Lys Ala 225 230 240

Phe Ser Thr Cys Ala Ala His Leu Ala Val Phe Leu Leu Phe Phe Gly 245 250 255

Ser Val Ala Val Met Tyr Leu Arg Phe Ser Ala Thr Tyr Ser Val Phe 260 265 270

Trp Asp Thr Ala lle Ala Val Thr Phe Val Ile Leu Ala Pro Phe Phe 275 280 285

16U 200 PCT FINAL.ST25 Asn Pro Ile Ile Tyr Ser Leu Lys Asn Lys Asp Met Lys Glu Ala Ile 290 295 300	
Gly Arg Leu Phe His Tyr Gln Lys Arg Ala Gly Trp Ala Gly Lys 305 310 315	
<210> 22 <211> 24 <212> DNA <213> Homo sapiens	
<400> 22 ctctatgttc ccgcatgcgc acag	24
<210> 23 <211> 27 <212> DNA <213> Homo sapiens	
<400> 23 gcaaggtgga aatccatgca atctcag	· 27
<210> 24 <211> 50 <212> DNA <213> Homo sapiens	
<400> 24 agacagacgt taaaaaatga ccaaacctac agaaaatatt tccagataat	50
<210> 25 <211> 900 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (1)(900) <223>	
<pre><400> 25 atg atc acc gag ttc atc ctt ata ggc ttc tca aac ctg ggg gat ctg Met Ile Thr Glu Phe Ile Leu Ile Gly Phe Ser Asn Leu Gly Asp Leu 1</pre>	48
Cag atc ctt ctc ttc ttt atc ttc cta tta gtc tac ctg acc act ctg Gln Ile Leu Leu Phe Phe Ile Phe Leu Leu Val Tyr Leu Thr Thr Leu 20 25 30	96
atg gcc aac acc acc atc atg aca gtc att cac ctg gac agg gct ttg	144
Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu 35 40 45	144
Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu	192
Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu 35 40 45 cac act cct atg tac ttc ttc ctc ttt gtc ctt tca tgt tct gaa acc His Thr Pro Met Tyr Phe Phe Leu Phe Val Leu Ser Cys Ser Glu Thr	
Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu 35 40 45 cac act cct atg tac ttc ttc ctc ttt gtc ctt tca tgt tct gaa acc His Thr Pro Met Tyr Phe Phe Leu Phe Val Leu Ser Cys Ser Glu Thr 50 55 60 tgc tac acc ttg gtc att gta ccc aaa atg ctt acc aac ctg cta tcc Cys Tyr Thr Leu Val Ile Val Pro Lys Met Leu Thr Asn Leu Leu Ser	192
Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu 35 cac act cct atg tac ttc ttc ctc ttt gtc ctt tca tgt tct gaa acc His Thr Pro Met Tyr Phe Phe Leu Phe Val Leu Ser Cys Ser Glu Thr 50 tgc tac acc ttg gtc att gta ccc aaa atg ctt acc aac ctg cta tcc Cys Tyr Thr Leu Val Ile Val Pro Lys Met Leu Thr Asn Leu Leu Ser 65 gca att cca act att tct ttc tct gga tgt gtg gtc cag ctc tat tta Ala Ile Pro Thr Ile Ser Phe Ser Gly Cys Val Val Gln Leu Tyr Leu	192 240
Met Ala Asn Thr Thr Ile Met Thr Val Ile His Leu Asp Arg Ala Leu 35 cac act cct atg tac ttc ttc ctc ttt gtc ctt tca tgt tct gaa acc His Thr Pro Met Tyr Phe Phe Leu Phe Val Leu Ser Cys Ser Glu Thr 50 tgc tac acc ttg gtc att gta ccc aaa atg ctt acc aac ctg cta tcc Cys Tyr Thr Leu Val Ile Val Pro Lys Met Leu Thr Asn Leu Leu Ser 65 gca att cca act att tct ttc tct gga tgt gtg gtc cag ctc tat tta Ala Ile Pro Thr Ile Ser Phe Ser Gly Cys Val Val Gln Leu Tyr Leu 90 ttt gtg ggc ttg gct tgt acc aac tgt ttt ctc att gct gtg atg ggc Phe Val Gly Leu Ala Cys Thr Asn Cys Phe Leu Ile Ala Val Met Gly	192 240 288

130	Ala Ser	Ser Phe 135		Gly				PCT Ser				
aat atc ctg Asn Ile Leu 145	gtg ttc Val Phe	agt gtg Ser Val 150	ctc Leu	ctc Leu	tgt Cys	gcc Ala 155	tcc Ser	aat Asn	cgg Arg	atc Ile	aac Asn 160	480
cac ttt ttc His Phe Phe	tgt gac Cys Asp 165	att tcc Ile Ser	cct Pro	gtc Val	ata Ile 170	aaa Lys	ctg Leu	ggc Gly	tgc Cys	aca Thr 175	gac Asp	528
acc aac ctg Thr Asn Leu	aag gag Lys Glu 180	atg gtc Met Val	atc Ile	ttt Phe 185	ttc Phe	ctc Leu	agc Ser	att Ile	ctg Leu 190	gta Val	ttg Leu	576
ctg gtt ccc Leu Val Pro 195	ctt gtg Leu Val	ttg ata Leu Ile	ttc Phe 200	atc Ile	tcc Ser	tac Tyr	atc lle	ttc Phe 205	ata Ile	gtt Val	tcc Ser	624
acc atc ctc Thr Ile Leu 210	aag atc Lys Ile	tcc tca Ser Ser 215	Val	gaa Glu	gga Gly	cag Gln	tgc Cys 220	aaa Lys	gcc Ala	ttc Phe	gcc Ala	672 _.
acc tgt gct Thr Cys Ala 225	tcc cac Ser His	ctc aca Leu Thr 230	gtg Val	gtc Val	gtc Val	gtc Val 235	cac His	tat Tyr	ggc Gly	tgt Cys	gct Ala 240	720
tcc ttt atc Ser Phe Ile	tac ttg Tyr Leu 245	agg ccc Arg Pro	aca Thr	tcc Ser	ctg Leu 250	tac Tyr	tct Ser	tca Ser	gat Asp	aag Lys 255	gac Asp	768
cgg ctc gtg Arg Leu Val	gca gtg Ala Val 260	act tat Thr Tyr	act Thr	gtg Val 265	att Ile	act Thr	cca Pro	cta Leu	ctc Leu 270	aac Asn	ccc Pro	816
ctt gtc tat Leu Val Tyr 275	aca ctg Thr Leu	aga aat Arg Asn	aaa Lys 280	gaa Glu	gta Val	aag Lys	atg Met	gct Ala 285	ctg Leu	aga Arg	aag Lys	864
gtt ctg ggt Val Leu Gly 290	aga tgc Arg Cys	tta aat Leu Asn 295	Ser	aaa Lys	act Thr	gta Val	tga					900
Val Leu Gly 290 <210> 26 <211> 299 <212> PRT	aga tgc Arg Cys sapiens	Leu Asn	Ser	aaa Lys	act Thr	gta Val	tga					900
Val Leu Gly 290 <210> 26 <211> 299 <212> PRT	Arg Cys	Leu Asn	Ser	aaa Lys	act Thr	gta Val	tga					900
Val Leu Gly 290 <210> 26 <211> 299 <212> PRT <213> Homo	Arg Cys	Leu Asn 295	Ser	Lys	Thr	Val		Leu	Gly	Asp 15	Leu	900
Val Leu Gly 290 <210> 26 <211> 299 <212> PRT <213> Homo <400> 26 Met Ile Thr	sapiens Glu Phe	Leu Asn 295	Ser	Gly	Phe	Val Ser	Asn			15		900
Val Leu Gly 290 <210> 26 <211> 299 <212> PRT <213> Homo <400> 26 Met Ile Thr l	sapiens Glu Phe 5	Leu Asn 295	Ser Ile	Gly Leu 25	Phe 10	Ser Val	Asn Tyr	Leu	Thr 30	15 Thr	Leu	900
<pre>Val Leu Gly 290 <210> 26 <211> 299 <212> PRT <213> Homo <400> 26 Met Ile Thr 1 Gln Ile Leu Met Ala Asn</pre>	sapiens Glu Phe 5 Leu Phe 20	Ile Leu Phe Ile Ile Met	Ile Phe Thr	Gly Leu 25	Phe 10	Ser Val	Asn Tyr Leu	Leu Asp 45	Thr 30 Arg	Thr Ala	Leu Leu	900
<pre>Val Leu Gly 290 <210> 26 <211> 299 <212> PRT <213> Homo <400> 26 Met Ile Thr 1 Gln Ile Leu Met Ala Asn 35</pre>	sapiens Glu Phe 5 Leu Phe 20 Thr Thr	Ile Leu Phe Ile Ile Met	Ile Phe Thr 40	Gly Leu 25 Val	Phe 10	Ser Val His	Asn Tyr Leu Ser 60	Leu Asp 45 Cys	Thr 30 Arg Ser	Thr Ala Glu	Leu Leu Thr	900
Val Leu Gly 290 <210> 26 <211> 299 <212> PRT <213> Homo <400> 26 Met Ile Thr Gln Ile Leu Met Ala Asn 35 His Thr Pro 50 Cys Tyr Thr	sapiens Glu Phe 5 Leu Phe 20 Thr Thr Met Tyr	Ile Leu Phe Ile Ile Met Phe Phe 55	Ile Phe Thr 40 Leu Pro	Gly Leu 25 Val	Phe 10 Leu Ile Val	Ser Val His Leu 75	Asn Tyr Leu Ser 60	Asp 45 Cys	Thr 30 Arg Ser	Thr Ala Glu Leu	Leu Thr Ser 80	900

Tyr As	p Arg 115	Tyr	Val	Ala	Ile	Cys 120	Asn	Pro		200 Asn						
Leu Va 13		Ala	Ser	Ser	Phe 135	Cys	G1 y	Phe	Leu	Thr 140	Ser	Val	Ile	Val		
Asn II 145	e Leu	Val	Phe	Ser 150	Val	Leu	Leu	Cys	Ala 155	Ser	Asn	Arg	1 le	Asn 160		
His Ph	e Phe	Cys	Asp 165	Ile	Ser	Pro	Val	Ile 170	Lys	Leu	Gly	Cys	Thr 175	Asp		
Thr As	n Leu	Lys 180	Glu	Met	Val	lle	Phe 185	Phe	Leu	Ser	11e	Leu 190	Val	Leu		
Leu Va	l Pro 195	Leu	Val	Leu	Ile	Phe 200	lle	Ser	Туr	lle	Phe 205	lle	Val	Ser		
Thr 11 21		Lys	lle	Ser	Ser 215	Val	Glu	Gly	Gln	Cys 220	Lys	Ala	Phe	Ala		
Thr Cy 225	s Ala	Ser	His	Leu 230	Thr	Val	Val	Val	Val 235	His	Tyr	Gly	Cys	Ala 240		
Ser Ph	e Ile	Tyr	Leu 245	Arg	Pro	Thr	Ser	Leu 250	Tyr	Ser	Ser	Asp	Lys 255	Asp		
Arg Le		Ala 260	Val	Thr	Tyr	Thr	Val 265	lle	Thr	Pro	Leu	Leu 270	Asn	Pro		
Leu Va	1 Tyr 275	Thr	Leu	Arg	Asn	Lys 280		Val	Lys	Met	Ala 285	Leu	Arg	Lys		
Val Le 29		Arg	Cys	Leu	Asn 295	Ser	Lys	Thr	Val							
<210><211><211><212><213>	27 29 DNA Homo	sapi	iens													
<400> tgtcaa	27 tatc o	ctggt	gtto	a gt	gtga	tcc										29
<210> <211> <212> <213>	28 30 DNA															
<400> catcta	Homo 28 ccca c			et ca	gago	cato	=									30
<210> <211> <212>	29 50 DNA											•				
<213> <400> gtcacte	Homo 29			eq ca	atac	aaac	ı daa	iatat	taa	aact	agaa	ıcc			•	50
<210> <211>	30 50		,,,,,	,	,-3		, 300				- 3	- •				
<212> <213>	DNA Homo	sapi	ens													

Page 15

<400> 30 tttcttcatt tataacatga gggggcttgg ctagatattt aacagcctgc	50
<210> 31	
<211> 50	
(212) DNA	
<213> Homo sapiens	
<400> 31 gctagatatt taacagcctg cctgtattga ccacttatgc atcaggaaat	50
· <210> 32	
<211> 50	
<212> DNA <213> Homo sapiens	
<213> Homo sapiens	
<400> 32 atttgagtta tgtatatgag agactgggta catcactttt tacttgtttt	50
<210> 33	
<211> 5086	
<212> DNA (212) None positions	
<213> Homo sapiens	
<220>	
<221> CDS <222> (2034)(2972)	
<223>	
<4005 22	
<400> 33 tatccaaatg gtgaaagaga ttctagaaca aggaaagagc tacagcaaag gttttaaatg	60
atatgtcact gaacacattt gatcgatgga aacgcagaac ctàatttaga atttaacagg	120
atcactctgg tgtgttgaga tgaggctaca agtgaacaaa tgcaagtagg gagatctgtt	180
aggagtcaat tacagtaaga ggggagagat aaaagtgact tggaccgagg tggtcaaaca	240
tagtcagttc ctggatatat gagagaaaga tagaaacaag gatgactgca ggagtttagc	300
ttgtcagttg aaagattgca attgccatca tttgtgatgg ggaagactag gggtagagac	360
cccaggagtt cagtttgaga tggctcttcg actcccaaga ggagatgtga gtaggcagtg	420
aaatatatga gtctggagta gcagagaaaa atatcgcctg agatatggat ttagatgtct	480
tcaacacatt tatagtgtit aaagctctgg tattggatgg tatagagcag aggagttgag	540
tttatataga agagaaaaaa aaaagattaa acactgacca tgggcactgt gacattaaaa	600
ggatggggca tggaggagaa actaaagttg gagaatgaga aggaatgact aataagatag	660
aaagtaacca aaagtatagt accccgagaa tcaagtcaag	720
ataaatcaat actgtcaaga aacagatagt ccaagtaagc tgaggaatga gaaatgacca	780
ttggatccag gaaatcttag ataattaatg tctatgagaa aggaggtttt aatggagtgg	840
tggtagtata aatctaatta gagtgggttt aagaagaaac ttaaagagag gcattaaagg	900
caatgcgtat agccgactct tggaagagtt ttcttttagg gacatagaaa gaaatagagc	960
agtggctgtg ggatgagtaa agagaaagaa tttaaggctc ttgcttttt gtttgtttag	1020
tagatgagaa taatagcatg tttttacatt gatagagtat tccatgaaag agctgtataa	1080
tagttagttg tttctctata ctctgtatta caatattagt ttgttaacat caggtgccac	1140
attttatttg tttagtccct gttctaagta taatgcccag agtactgaaa ataatcaatt	1200
attgttacat tgacctcaac acagtagagc atgtatattt aatatctaca gaagcaataa	1260
accagaaaag agcatttgaa gttgatagag ggggaaatgg caggaagaac tgatgaagtg	1320
gccacagtct gaagttgaaa tgcagaaaga tagatttgcc tcctgtcttt ctttggcttt	1380

tttat	ttact	ctaa	cctt	ct ta	attt	ttgad	t tg	gage	tctc	acca	agtg	tcc .	aaaa	gaggtc	1440
taaat	tctga	ccta	catgo	cc c	ctga	aagat	t gc	tage	agac	ctga	agtt	ctc	ataa	aggaat	1500
aggag	gga gc	agaag	gggaa	aa a	caati	tgati	t ct	ttgg	tagc	caga	aaag	ttg .	aagaa	agaaaa	1560
caaat	taaaa	tgaga	aati	ta ga	aaaa	taata	a tto	caaa	ttat	atai	tatt	tgg '	tcca	gtacgg	1620
tatca	atata	ttate	cagta	et a	aatg	atgai	t tt	ttac	ctta	gate	gaac	aat	atgt	ataaat	1680
gttaa	tatat	accti	t gga1	tt a	gaaa	tacci	t aaa	attt	ctaa	aato	ctata	ata (gatt	ctattg	1740
agaaa	gtcaa	ctgg	gttad	ca g	gatgo	gatta	a gga	aagge	ссаа	aaat	tgag	ctg	tgtt	aatcag	1800
ggaag	actaa	acata	aaag	gt ga	aata	gtct	g aaq	ggag	gctg	ttga	acag	gaa (gggc	agggag	1860
ggatg	gaat t	gaaat	tgtt	да с	ctct	caaa	g ca	ttta	ctta	gagg	ggct	tta	ctct	ggaggt	1920
gagag	aaggg	agggo	caata	ag ta	aatt	tgage	g gt1	tgcc	ttct	tgti	taga	acc (ctata	agttca	1980
acttt	ctttc	ctate	ctto	cc a	cacti	tcaca	a tci	tagg	gaca	tgaa	atgg	tga (1	atg Met 1	2036
gac a Asp T	ca ggg hr Gly	Asn	tgg Trp	agc Ser	cag Gln	gta Val	gca Ala 10	gaa Glu	ttc Phe	atc Ile	atc Ile	ttg Leu 15	ggc Gly	ttc Phe	2084
	at ctc is Leu 20														2132
att t Ile T	ac ctc yr Leu 5	atg Met	act Thr	gtg Val	ttg Leu 40	gga Gly	aac Asn	ctg Leu	ctg Leu	ata Ile 45	ttc Phe	ctg Leu	gtg Val	gtc Val	2180
	tg gac eu Asp														2228
	cc ttc er Phe														2276
	ca aac la Asn														2324
	tg cag eu Gln 100														2372
Leu L	tg aca eu Thr 15														2420
	ac tac is Tyr														2468
	gc tgt ly Cys														2516-
	tt tca le Ser														2564
	gt gac ys Asp 180														2612
Ile As	at gtc sn Val 95														2660
	tc ctg ne Leu														2708

210	215		6U 200 PCT 220	FINAL.ST25 225	
ctc aga att ccc tca Leu Arg Ile Pro Ser 230	Ala Ala Gly	aag agg a Lys Arg 1 235	ag gçc atc Lys Ala Ile	tcc acg tgt Ser Thr Cys 240	2756
gcc tcc cac ttc act Ala Ser His Phe Thr 245	gtg gtt ctc Val Val Leu	atc ttc t Ile Phe T 250	yr Gly Ser	atc ctt tcc Ile Leu Ser 255	2804
atg tat gtg cag ctg Met Tyr Val Gln Leu 260	aag aag agc Lys Lys Ser 265	tac tca c Tyr Ser L	tg gac tat eu Asp Tyr 270	gac cag gcc Asp Gln Ala	2852
ctg gca gtg gtc tac Leu Ala Val Val Tyr 275	tca gtg ctc Ser Val Leu 280	aca ccc t Thr Pro P	tc ctc aac he Leu Asn 285	ccc ttc atc Pro Phe lle	2900
tac agc ttg cgc aac Tyr Ser Leu Arg Asn 290	aag gag atc Lys Glu Ile 295	Lys Glu A	ct gtg agg la Val Arg 2 00	agg cag cta Arg Gln Leu 305	2948
aag aga att ggg ata Lys Arg Ile Gly Ile 310	ttg gca tga Leu Ala	gttggggct	g agagtaggc	aaggccgggc	3002
ctgaggatat ggtggccc	a gggatcaaca	gtggccag	ag acgagaaad	ct aaaaattcag	3062
tgcttttcta tgtggggtg	g tggagctgca	gcaagtgc	tg actgactto	c agtgttatag	3122
cgaccttcat actgtctgc	t ggagccacat	ttggcttg	ag acċagagao	t agggaaagta	3182
cacatccctt caacatgat	g tagtgcagtg	attttcaaa	a ctcagatgt	t tatgtatcac	3242
acttaggttt tttttaaaa	t ctgtgtctta	cctattata	c gtttatagg	c atttttcaaa	3302
tttacttgac ttaatataa	a tatagtcagg	catgtccta	a acaaaatgt	g attcatgatg	3362
ttttttgtac cacttgcaa	t catttcatgt	ggagaagac	t ggtacagta	g aaaaaagcat	3422
gttttttgaa ctcatatat	a tctggattta	aatcatgtt	t tattcagtc	a cttgctaatt	3482
acttaatctt tagaaagta	a cttagcatct	ctgagtctt	a atttcatta	t ttgataatgg	3542
tattttcttg aagagtgtt	t tgaatattaa	cgttaagat	t tgtaaacca	c agtgcacagt	3602
gtctgacatg taggtgata	g taaataaata	aggacttgt	t tttatttat	t ttattctgcg	3662
aagacttcac atcattact	c tgggtcttag	aacaatato	t agtaaaaca	t aaataaacaa	3722
aaatactttc caagtattt	t ctccaaagga	aaggagcaa	a ccagccaga	a ggaatacttg	3782
tatagtatac aagtatact	a tacttgaaaa	gtatagttt	g tcacagttc	t gttctgacaa	3842
gtttcatgta cctgtctta	g tggtcctaat	atctatggc	c agtataatg	t atgaaagtat	3902
aggagttgag tcagtggaaa	gaaataggat	tacttttta	c atcgaacca	ttctttattg	3962
aattgtaagc taattattto	ctgaaacgtg	tgaaaaata	a ttctaaaat	g tagcatatga	4022
gagatetggg gatteaatta	atagctaata	ttatgtatt	c tttatgtato	cttccatgaa	4082
Eggaggat ca aatattaact	acaagaaatc	tttgaattc	t atagaactto	: ctaagaagat	4142
tacaaaatat ttttaataco	acacttttaa	aggtattca	ccatccatgo	attcaaatta	4202
acacgtttat ttagctctta	ctatatatca	gatgcagtgt	caactctaca	aaagcaatga	4262
acaagacata tatatgtcca	ggtcctacct	ttagggtgti	: ttaaaagagt	tgagaatata	4322
aatattaaaa ttataattaa	tttataatta	gttataatta	attataattg	tgggaagtag	4'382
attaagata aacatgcatt	ctcctttttt	ttcacttgtc	: tttgaagttt	attgagaatt	4442
taagcagat aaatgttttt	acattaaata	atcaccagga	attcaaaata	ttatactcta	4502
caaatggga actigaattg					4562
atttagtgt ttcatctaga					4622

gtt	tgacttt	tggtaaaatt	ttttgtcctg	gacatttttg	atgactaagt	atcactaaat	4682
cta	tgctagg	taaatttgcc	cctattattt	tcttttttat	tttattttat	tttatttcat	4742
tat	tatttta	tttagggtac	atgtgcacaa	cgtgcaagtt	ttttacatat	gtatacatgt	4802
gcc	atgttgg	tgtgctgcac	ccattaactc	atcatttagc	attaggagta	tctcctaatg	4862
cta	tecetee	cccatccccc	аассссасаа	cagtccccag	tgtgtgatgt	tccccttctc	4922
aat	atcatac	tgaatgggca	aaaactggaa	gcattccctt	tgaaaacggg	cacaagacag	4982
gga	tgccctc	tctcaccact	cctattcaac	atagtgtttg	atgttctggc	cagggcaatc	5042
agg	taggaga	aggaaattaa	gggtgttcaa	ttaggaaaag	agga		5086

<210> 34

<211> 312

<212> PRT

<213> Homo sapiens

<400> 34

Met Asp Thr Gly Asn Trp Ser Gln Val Ala Glu Phe Ile Ile Leu Gly 1 5 10 15

Phe Pro His Leu Gln Gly Val Gln Ile Tyr Leu Phe Leu Leu Leu 20 25 30

Leu Ile Tyr Leu Met Thr Val Leu Gly Asn Leu Leu Ile Phe Leu Val 35 40 45

Val Cys Leu Asp Ser Arg Leu His Thr Pro Met Tyr His Phe Val Ser 50 60

Ile Leu Ser Phe Ser Glu Leu Gly Tyr Thr Ala Ala Thr Ile Pro Lys 65 70 75 80

Met Leu Ala Asn Leu Leu Ser Glu Lys Lys Thr Ile Ser Phe Ser Gly 85 90 95

Cys Leu Leu Gln Ile Tyr Phe Phe His Ser Leu Gly Ala Thr Glu Cys $100 \hspace{1.5cm} 105 \hspace{1.5cm} 105 \hspace{1.5cm} 110 \hspace{1.5cm}$

Tyr Leu Leu Thr Ala Met Ala Tyr Asp Arg Tyr Leu Ala Ile Cys Arg 115 120 125

Pro Leu His Tyr Pro Thr Leu Met Thr Pro Thr Leu Cys Ala Glu Ile 130 $$135\$

Ala Ile Gly Cys Trp Leu Gly Gly Leu Ala Gly Pro Val Vaf GTu ffe 145 150 155 160

Ser Leu Ile Ser Arg Leu Pro Phe Cys Gly Pro Asn Arg Ile Gln His 165 170 - 175

Val Phe Cys Asp Phe Pro Pro Val Leu Ser Leu Ala Cys Thr Asp Thr 180 185 190

Ser Ile Asn Val Leu Val Asp Phe Val Ile Asn Ser Cys Lys Ile Leu 195 200 205

Ala Thr Phe Leu Leu Ile Leu Cys Ser Tyr Val Gln Ile Ile Cys Thr

Val 1 225	Leu Arg	lle	Pro	Ser 230	Ala	Ala	Gly	Lys	Arg 235	Lys	Ala	lle	Ser	Thr 240		
Cys A	Ala Ser	His	Phe 245	Thr	Val	Val	Leu	11e 250	Phe	Туг	Gly	Ser	11e 255	Leu		
Ser M	let Tyr	Val 260	Gln	Leu	Lys	Lys	Ser 265	Туr	Ser	Leu	Asp	Туг 270	Asp	Gln		
Ala L	eu Ala 275	Val	Val	Туr	Ser	Val 280	Leu	Thr	Pro	Phe	Leu 285	Asn	Pro	Phe		
Ile T	yr Ser 90	Leu	Arg	Asn	Lys 295	Glu	He	Lys	Glu	Ala 300	Val	Arg	Arg	Gln		
Leu L 305	ys Arg	lle		11e 310	Leu	Ala									-	
<210><211><211><212><213>		sapi	ens													
<400> ggaact	35 tggag c	caggi	tagc	a gaa	atte	atc _.										29
<210><211><211><212><212><213>	36 25 DNA Homo :	sapie	ens													
<400> ggagca	36 agagg at	tcago	agga	agg	jtg											25
<210><211><211><212><213>	37 50 DNA Homo s	sapie	ns											•		
<400> acactg	37 cagt ta	atata	gggt	ggc	ccag	igta	gttg	jagct	gg t	gaaa	tttg	ıa				50
<210><211><211><212><213>	38 50 DNA Homo s	api e	ns													
<400> gcactg	38 tgac at			tgg	ggca	tgg .	agga	gaaa	ct a	aagt	tgga	g				50
<210> <211> <212> <213>	39 50 DNA Homo s	apien	าร									•				
<400> attcaaa	39 atta ta			gtco	agta	acg (gtate	caata	at a	ttate	cagt	a			:	50
<210><211><211><212><213>	40 848 DNA	.ni											:			
(220>	Homo sa		13													
	(6)(8	40)														

_	2	2	2	•

<400 gaat	c at	10 tg ga et As	nt ca sp Hi	ac gt is Va	c aç al Se 5	ot ca er Hi	it aa s As	oc tç sn Tı	gg ac	t ca r Gl	n Se	t tt	t at e Il	c ct	t gct eu Ala 15	50
ggt Gly	ttc Phe	acc Thr	acc Thr	act Thr 20	999 Gly	acc Thr	cta Leu	caa Gln	cct Pro 25	ctt Leu	gcc Ala	ttc Phe	ttg Leu	ggg Gly 30	acc Thr	98
cta Leu	tgc Cys	atc Ile	tat Tyr 35	ctc Leu	ctc Leu	aca Thr	ctt Leu	gca Ala 40	ggg Gly	aac Asn	att Ile	ctc Leu	atc Ile 45	att Ile	gtc Val	146
ctg Leu	agg Arg	tgt Cys 50	ggt Gly	atg Met	tca Ser	gca Ala	cca Pro 55	cag Gln	tgc Cys	cca Pro	tgc Cys	tgc Cys 60	tgc Cys	aca Thr	cct Pro	194
tgc Cys	tcc Ser 65	aag Lys	ggt Gly	gtt Val	cac His	ccg Pro 70	tct Ser	cat His	cag Gln	ctg Leu	tat Tyr 75	gct Ala	tta Leu	ttc Phe	agc Ser	242
tat Tyr 80	gtc Val	ttt Phe	cat His	tcc Ser	tta Leu 85	999 G1 y	atg Met	act Thr	gag Glu	tgc Cys 90	tac Tyr	ctg Leu	ctg Leu	ggt Gly	gtc Val 95	· 290
atg Met	gca Ala	ctg Leu	gat Asp	agc Ser 100	tac Tyr	ctt Leu	atc Ile	atc Ile	tgc Cys 105	cac His	cca Pro	ctc Leu	cac His	tac Tyr 110	cac His	338
gca Ala	ctc Leu	atg Met	agc Ser 115	aga Arg	cag Gln	gta Val	cag Gln	tta Leu 120	cga Arg	cta Leu	gct Ala	ggg Gly	gcc Ala 125	agt Ser	tgg Trp	386
Val	Ala	Gly 130	Phe	Ser	Ala	Ala	Leu 135	Val	Pro	gcc Ala	Thr	Leu 140	Thr	Ala	Thr	434
Leu	Pro 145	Phe	Cys	Leu	Lys	Glս 150	Val	Ala	His	tac Tyr	Phe 155	Cys	Asp	Leu	Ala	482
cca Pro 160	cta Leu	atg Met	cgg Arg	ttg Leu	gca Ala 165	tgt Cys	gtg Val	gac Asp	aca Thr	agc Ser 170	tgg Trp	cat His	gct Ala	agg Arg	gcc Ala 175	530
His	ĞÎy	Thr	Val	11e 180	Gly	Val	Ala	Thr	Gly 185	tgc Cys	Asn	Phe	Val	Leu 190	Ile	578
Leu	.Gly	Leu	Tyr 195	Gly	Gly	Ile	Leu	Asn 200	Ala	gtg Val	Leu	Lys	Leu 205	Pro	Ser	626
Ala	Ala	Ser 210	Ser	Ala	Lys	Ala	Phe 215	Ser	Thr	tgt Cys	Ser	Ser 220	His	Val	Thr	674
_Val	Val 225	Ala	Leu	Phe	Tyr	Ala 230	Ser	Ala	Phe	aca Thr	Val 235	Tyr	Val	Gly	Ser	722
Pro 240	Gly	Ser	Arg	Pro	Glu 245	Ser	Thr	Asp	Lys	ctt Leu 250	Val	Ala	Leu	Val	Tyr 255	770
Ala	Leu	Ile	Thr	Pro 260	Phe	Leu	Asn	Pro	11e 265	atc Ile	tat Tyr	agc Ser	ctt Leu	Arg 270	aac Asn	818
				tat Tyr					tga						:	848

<210> 41 <211> 280 <212> PRT

<213> Homo sapiens

<400> 41

Met Asp His Val Ser His Asn Trp Thr Gln Ser Phe Ile Leu Ala Gly 1 10 15

Phe Thr Thr Gly Thr Leu Gln Pro Leu Ala Phe Leu Gly Thr Leu 20 25 30

Cys lle Tyr Leu Leu Thr Leu Ala Gly Asn Ile Leu Ile Ile Val Leu $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Arg Cys Gly Met Ser Ala Pro Gln Cys Pro Cys Cys Cys Thr Pro Cys 50 60

Ser Lys Gly Val His Pro Ser His Gln Leu Tyr Ala Leu Phe Ser Tyr 65 70 75 80

Val Phe His Ser Leu Gly Met Thr Glu Cys Tyr Leu Leu Gly Val Met $85 \hspace{1cm} 90 \hspace{1cm} 95$

Ala Leu Asp Ser Tyr Leu Ile Ile Cys His Pro Leu His Tyr His Ala 100 $$105\$ 110

Leu Met Ser Arg Gln Val Gln Leu Arg Leu Ala Gly Ala Ser Trp Val 115 120 125

Ala Gly Phe Ser Ala Ala Leu Val Pro Ala Thr Leu Thr Ala Thr Leu 130 135 140

Pro Phe Cys Leu Lys Glu Val Ala His Tyr Phe Cys Asp Leu Ala Pro 145 150 155 160

Leu Met Arg Leu Ala Cys Val Asp Thr Ser Trp His Ala Arg Ala His 165 170 175

Gly Thr Val 11e Gly Val Ala Thr Gly Cys Asn Phe Val Leu 11e Leu 180 185 190

Gly Leu Tyr Gly Gly Ile Leu Asn Ala Val Leu Lys Leu Pro Ser Ala 195 200 205

Ala Ser Ser Ala Lys Ala Phe Ser Thr Cys Ser Ser His Val Thr Val 210 215 220

Val Ala Leu Phe TyrAla Ser Ala Phe Thr Val TyrVal Gly Ser Pro225230235240

Gly Ser Arg Pro Glu Ser Thr Asp Lys Leu Val Ala Leu Val Tyr Ala 245 250 255

Leu Ile Thr Pro Phe Leu Asn Pro Ile Ile Tyr Ser Leu Arg Asn Lys 260 265 270

Glu Leu Leu Tyr Cys Phe Leu Cys 275 280

<210> 42 <211> 26 <212> DNA

<213> Homo sapiens	
<400> 42 tcaccaccac tgggacccta caacct	26
<210> 43 <211> 23	
<212> DNA	
<213> Homo sapiens	
<400> 43 ggccacacca atcactgtgc cat	23
gyctacacca accaccycyc cut	
<210> 44	
<211> 50	
<212> DNA <213> Homo sapiens	
(213) Home Doptom	
<400> 44	5.0
caatctgtta tttatacggc ctctacatcc atccagtacc tgcttatgta	50
<210> 45	
<211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 45	
gttctcttt tataaaaggc tatgtgggac ttgcaaaact tctagtggcc	50
:210: 16	
<210> 46 <211> 50	
<211> 30 <212> DNA	
<213> Homo sapiens	
<400> 46 gaacatgaaa tataagtagg ggagtatett ggggtagaaa ggatgeegag	50
gaacatgaaa tataagtagg ggagtateet gggggtageaa ggetgergeg	
<210> 47	
<211> 1476 <212> DNA	
<213> Homo sapiens	
<220>	
<221> CDS	
<221> CDS <222> (1)(1476)	
<221> CDS	
<221> CDS <222> (1)(1476) <223> <400> 47	48
<221> CDS <222> (1). (1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att	48
<221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile	48
<221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1 5 10 15	
<221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1 5 10 15 Cag ctg gcc ctc ttt gta gtt ttt ctt ttt ctg tat cta gtc att ctt	48
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1 5 10 15 cag ctg gcc ctc ttt gta gtt ttt ctt ttt ctg tat cta gtc att ctt Gln Leu Ala Leu Phe Val Val Phe Leu Phe Leu Tyr Leu Val Ile Leu</pre>	
<221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1 5 10 15 Cag ctg gcc ctc ttt gta gtt ttt ctt ttt ctg tat cta gtc att ctt	
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192 240
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192 240
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192 240
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192 240
<pre><221> CDS <222> (1)(1476) <223> <400> 47 atg gtc acc gaa ttc ctg ttg ctg ggt ttt tcc agc ctt ggt gaa att Met Val Thr Glu Phe Leu Leu Gly Phe Ser Ser Leu Gly Glu Ile 1</pre>	96 144 192 240

				10	0				1	05		16	υ 2	00	PC:		(NAI	L.S	T 25	
t a Ty	r A	sp.	cgc Arg 115	ta:	t gc r Al	t go a Al	cc a la I	le C	gt c ys H 20	ac is	cc Pr	t cl	ig c eu H	at	ta Ty: 12:	r Pi	ro :	act Thr	ct Le	t 384 u
a t Me	t Se	gc er ' 30	tgg I'rp	Gli	g gt n Va	g tç 1 Cy	/s G	ga a ly L 35	aa c ys L	t g eu	gc Al	ago aAl	a A	cc 1a 40	t g t Cys	t go	a a la I	at t	99 61	t 432 y
99 G1 14	y Pi	ic i	ttg Leu	gcc Ala	tc Se:	t ct r Le 15	u Tl	ca g hr V	tag alV	ta al	aa Asi	t tt n Le 15	ט ע	tt al	t t d Phe	ag Se	jc c	et c	CC Pro	9
t t Ph	t tg e Cy	jt a /s S	gc Ser	gcc Ala	: aad Asi 16	n Ly	agt SVa	ic aa	at cosn H	at is	tac Ty:	r Ph	c t e C	gt ys	gac Asp	at 11	e S	ca er 75	gca Ala	528 5
gt Va	c at l Il	t c e l	tt eu	ctg Leu 180	Ala	t tg a Cy	t ac s Th	c aa nr As	ac ac sn Tl	ca hr 85	gat Asp	t gt o Va	ta lA	ac sn	gaa Glu	tt Ph 19	e V	t g a l	ata Ile	576
t t Ph	c at	e C	gt ys 95	gga G1 y	gtt Val	ct Le	t gt u Va	a ct l Le 20	t gt eu Va 00	ig al	gt t Va]	cc Pr	c t: o Pl	he	ctg Leu 205	Ph	ta e I	tc le	t o t C y s	624
gt (Va	t tc I Se 21	r T	ət yr	ctc Leu	t go Cys	ati	t ct e Le 21	u Ar	ig ac	r	ato	ct Le	g aa u Ly 22	/5	att Ile	cc Pr	c t	ca er	gct Ala	672
gag Glu 225) G1	ca y A	ga rg	cgg Arg	aaa Lys	gc Ala 230	a Ph	t to e Se	c ac	r	tgc Cys	gc Al: 23	a Se	r I	cac His	c t c	c a u S	gt er	gtt Val 240	
gt t Va)	at	tg eV	tt al	cat His	tat Tyr 245	C1.7	tg / Cy	t gc s Al	t to a Se	r	ttc Phe 250	116	e ta	r l	ctg Leu	agg Arg) Co) Pi 25	ro	aca Thr	768
gca Ala	aac Asi	t to	yr '	gtg Val 260	tcc Ser	aac Asn	aa Ly:	a ga s As	c ag p Ar 26	g 1	ctg Leu	gto Val	g ac	g ç	gtg /al	aca Thr 270	T)	ec yr	acg Thr	816
att	gto Val	2 ac	JL I	cca Pro	tta Leu	cta Leu	aad Asi	28	c at o Me O	g ç t \	gtt Val	tat	ag Se	r I	tc eu 85	aga Arg	aa As	ec sn	aag Lys	864
gat Asp	gto Val 290	G	aa o	ett Leu	gct Ala	atc Ile	aga Arg 295	Ly	agt SVa	g t	tg Leu	990 G1 y	aa Ly 30	s L	aa ys	ggt Gly	at Il	t e	ctt Leu	912
tct Ser 305	at c Ile	t c	t g er G	jaa Slu	atc lle	ttc Phe 310	Tyr	aca Thi	ac Th	t g r V	tt al	att 11e 315	Le	gc uP	cc ro	aag Lys	at Me	t	ctt Leu 320	960
atc Ile	aac Asn	Le	at uP	ne	tct Ser 325	gta Val	t t c Phe	agg Arg	aca Thi	r L	tc eu 30	tcc Ser	t t t	tg eV	tg al	agt Ser	tg Cy 33	S	gcc Ala	1008
acc Thr	caa Gln	at Me	t P	tc he 40	ttc Phe	ttc Phe	Ctc Leu	ggt Gly	Phe 345	e A	ct la	gtc Val	act Thi	: a:	5n	tgt Cys 350	ct Le	g (ctt Leu	1056
ctg Leu	gga Gly	gt Va 35	I W	tg (ggt Gly	tat Tyr	gat Asp	cgt Arg 360	tat	g A	ct la	gcc Ala	ato	C	gt ys (cag Gln	Pro	t 1	t t g Leu	1104
caa Gln	tac Tyr 370	gc Al	t gʻ	tt d	ctc Leu	atg Met	agc Ser 375	tgg Trp	aga Arg	g V	ta al	tgt Cys	gga Gly 380	G]	aa (ln]	c t ġ Le u	ata	a ç	jca Nla	1152
oct Thr 385	tgt Cys	at: Il	t at	tt a le S	ser (ggc Gly 390	ttc Phe	cta Leu	ata Ile	t o	er	ctg Leu 395	gtg Val	G1	ja a y 1	eca Thr	act Thi	r i P	tt he 00	1200
gtc /al	ttt Phe	age Sei	c t	eu F	ro 1	ttc Phe	tgt Cys	ggc Gly	tcc Ser	As	ec sn :	aag Lys	gtc Val	aa As	n l	ac Bis	tac Tyr 415	: P	tt	1248
gt	gat	att	to	a c	ca q	g t t	atc	cgt	ctc	gc	c i	tgt	gct	ga	c a	igc	tac	a	tc	1296

				200 PCT FINA	
Cys Asp Ile	Ser Pro Val 420		eu Ala Cys 25	Ala Asp Ser 430	Tyr Ile
agt gaa ctg Ser Glu Leu 435	gtc atc ttc Val Ile Phe	atc ttc go Ile Phe G 440	gg gtc ttg Sly Val Leu	gtg ctt gtt Val Leu Val 445	gtg ccc 1344 Val Pro
ttg ata ttt Leu Ile Phe 450	atc tgc att Ile Cys Ile	tcc tat go Ser Tyr G 455	gc ttc att Sly Phe Ile	gtc cgc acc Val Arg Thr 460	atc ctg 1392 Ile Leu
aag atc cca Lys Ile Pro 465	tca gct gaa Ser Ala Glu 470	Gly Lys G	caa aaa gcc Sln Lys Ala 475	ttc tcc acc Phe Ser Thr	tgt gct 1440 Cys Ala 480
	att gta gtc 11e Val Val 485			tga	1476
<210> 48 <211> 491 <212> PRT <213> Homo	sapiens				
<400> 48					
Met Val Thr 1	Glu Phe Leu 5	Leu Leu G	Gly Phe Ser 10	Ser Leu Gly	Glu Ile 15
Gln Leu Ala	Leu Phe Val 20		Leu Phe Leu 25	Tyr Leu Val 30	Ile Leu
Ser Gly Asn 35	Val Thr Ile	Ile Ser V 40	/al Ile His	Leu Asp Lys · 45	Ser Leu
His Thr Pro 50	Met Tyr Phe	Phe Leu G 55	Gly Ile Leu	Ser Thr Ser 60	Glu Thr
Phe Tyr Thr 65	Phe Val Ile 70	Leu Pro L	Lys Met Leu 75	Ile Asn Leu	Leu Ser 80
Val Ala Arg	Thr Ile Ser 85	Phe Asn C	Cys Cys Ala 90	Leu Gln Met	Phe Phe 95
				Leu Gly Val	Met Gly
Tyr Asp Arg 115	Tyr Ala Ala	Ile Cys H 120	lis Pro Leu	His Tyr Pro 125	Thr Leu
Met Ser Trp _ 130	Gln Val Cys	Gly Lys L 135	Leu Ala Ala	Ala Cys Ala 140	Ile Gly
Gly Phe Leu 145	Ala Ser Leu 150		Val Asn Leu 155	Val Phe Ser	Leu Pro 160
Phe Cys Ser	Ala Asn Lys 165	Val Asn H	lis Tyr Phe 170	Cys Asp Ile	Ser Ala 175
Val Ile Leu	Leu Ala Cys 180		Thr Asp Val	Asn Glu Phe 190	Val''lle

Phe Ile Cys Gly Val Leu Val Leu Val Val Pro Phe Leu Phe Ile Cys 195 200 205

Val Ser Tyr Leu Cys Ile Leu Arg Thr Ile Leu Lys Ile Pro Ser Ala 210 215 220

Glu Gly Arg Arg.Lys Ala Phe Ser Thr Cys Ala Ser His Leu Ser Val 225 230 235 240

Val 11e Val His Tyr Gly Cys Ala Ser Phe 11e Tyr Leu Arg Pro Thr 245 250 255

Ala Asn Tyr Val Ser Asn Lys Asp Arg Leu Val Thr Val Thr Tyr Thr 260 265 270

Ile Val Thr Pro Leu Leu Asn Pro Met Val Tyr Ser Leu Arg Asn Lys 275 280 285

Ser Ile Ser Glu Ile Phe Tyr Thr Thr Val Ile Leu Pro Lys Met Leu 305 310 315 320

Ile Asn Leu Phe Ser Val Phe Arg Thr Leu Ser Phe Val Ser Cys Ala 325 330 .335

Thr Gln Met Phe Phe Phe Leu Gly Phe Ala Val Thr Asn Cys Leu Leu 340 345 350

Leu Gly Val Met Gly Tyr Asp Arg Tyr Ala Ala Ile Cys Gln Pro Leu 355 360 365

Gln Tyr Ala Val Leu Met Ser Trp Arg Val Cys Gly Gln Leu Ile Ala 370 375 380

Thr Cys Ile Ile Ser Gly Phe Leu Ile Ser Leu Val Gly Thr Thr Phe 385 390 395 400

Val Phe Ser Leu Pro Phe Cys Gly Ser Asn Lys Val Asn His Tyr Phe 405 410 415

Cys Asp lle Ser Pro Val Ile Arg Leu Ala Cys Ala Asp Ser Tyr Ile 420 425 430

Ser Glu Leu Val Ile Phe Ile Phe Gly Val Leu Val Leu Val Val Pro 435 440 445

Leu Ile Phe Ile Cys Ile Ser Tyr Gly Phe Ile Val Arg Thr Ile Leu 450 455 460

Lys lle Pro Ser Ala Glu Gly Lys Gln Lys Ala Phe Ser Thr Cys Ala 465 470 475 480

Ser His Leu Ile Val Val Ile Val His Tyr Gly 485 490

<210> 49

<211> 35

<212> DNA

<213> Homo sapiens

<400> 49

ctctgaaatc ttctacacaa ctgttattct gccca

35

```
<210>
 <211>
          27
 <212>
          DNA
 <213>
         Homo sapiens
 <400> 50
 atgagatggg aagcacaggt ggagaag
                                                                                                   27
 <210>
          51
 <211>
          50
 <212>
          DNA
 <213>
         Homo sapiens
 <400> 51
 atcaatattg ttaaaatggc cgtactgtca aaagcaattt acagattcaa
                                                                                                   50
 <210>
          52
          50
 <211>
 <212>
          DNA
 <213>
         Homo sapiens
 <400> 52
atatgaaacc aaaaaagccc tcaaatagcc caagtaaccc taaagaaaaa
 <210>
 <211>
 <212>
          DNA
 <213>
         Homo sapiens
 <400> 53
cgccctattc aataaatggt gtgggaatag ctggctagcc atctgcagaa
                                                                                                   50
<210>
          54
<211>
          50
<212>
          DNA
<213> Homo sapiens
<400> 54
cataagggtt cttaaaattg ggagagagaa tcagaaagtc agagaaagag
<210>
<211>
          276
<212>
         DNA
<213>
          Homo sapiens
<220>
<221> CDS
<222>
         (1)..(276)
<223>
atg aca gtt tat gat tcc tat gtt gcc atc tgc cat cca ctt cac tac Met Thr Val Tyr Asp Ser Tyr Val Ala Ile Cys His Pro Leu His Tyr _1^{\rm I} 5 10 15
                                                                                                   48
cct gtc ctt acg agc tgg cag ata tgc tcc ttc tta gat ttt cag ctg
Pro Val Leu Thr Ser Trp Gln Ile Cys Ser Phe Leu Asp Phe Gln Leu
                                                                                                  96
ctt ttc tgt ggc cca aac aag atc aac cac tac ttc tgt ggc atc tca Leu Phe \overset{\circ}{\text{Cys}} Gly Pro Asn Lys Ile Asn His Tyr Phe \overset{\circ}{\text{Cys}} Asp Ile Ser
ctg ctt att cag ctt gcc tgt act gat acc tac atc agg gag cta gtc
Leu Leu Ile Gln Leu Ala Cys Thr Asp Thr Tyr Ile Arg Glu Leu Val
                                                                                               - 192
atc ttc att ggt gga att cta gca ctt acg gtt cct ctg att tta ttt Ile Phe Ile Gly Gly Ile Leu Ala Leu Thr Val Pro Leu Ile Leu Phe
                                                                                                 240
gca tct cct atg gct tca ttg ttc aca cca tcc tga
                                                                                                 276
```

```
16U 200 PCT FINAL.ST25
  Ala Ser Pro Met Ala Ser Leu Phe Thr Pro Ser
  <210>
 <211> 91
  <212>
       PRT
 <213> Homo sapiens
 <400> 56
 Pro Val Leu Thr Ser Trp Gln Ile Cys Ser Phe Leu Asp Phe Gln Leu 20 25 30
 Leu Phe Cys Gly Pro Asn Lys Ile Asn His Tyr Phe Cys Asp Ile Ser 35 40 45
 Ile Phe Ile Gly Gly Ile Leu Ala Leu Thr Val Pro Leu Ile Leu Phe 65 70 70 80
 Ala Ser Pro Met Ala Ser Leu Phe Thr Pro Ser
 <210>
      57
 <211>
       33
 <212>
      DNA
 <213> Homo sapiens
 <400> 57
atgacagttt atgattccta tgttgccatc tgc
                                                                33
<210>
       58
<211> 29
<212> DNA
<213> Homo sapiens
<400> 58
tcaggatggt gtgaacaatg aagccatag
                                                                29
<210>
      59
<211>
      50
<212> DNA
<213> Homo sapiens
ttccctattt aataaatggt gctgggaaaa ċtggctagcc atatgtagaa
                                                               50
<210>
      60
<211>
      50
<212>
      DNA
<213> Homo sapiens
<400> 60
aacaacccca tcaaaaagtg ggccaaagat atgaacagac acttctcaaa
                                                               50
<210>
      61
<211>
      50
<212> DNA
<213> Homo sapiens
<400> 61
aatggcgatc attaaaaagt caggaaacaa caggtgctgg agaggatgtg
```

Page 28

50

```
<210>
 <211>
        50
 <212>
        DNA
       Homo sapiens
 <213>
 <400> 62
 cccagaggat tataaatcat gctgctgtaa agacacatgc ccacgtatgt
                                                                        50
 <210>
        63
 <211>
        5269
 <212>
        DNA
 <213>
       Homo sapiens
 <220>
 <221> CDS
 <222>
       (2211)..(3152)
 <223>
 <400> 63
taaaagcaaa aataacaact aaattcaaaa ggagataaac tataggaaag aagatttcat
ctgtcatatt tcggggattc aaatatttaa agcattatta cctattttat agttacgttt
                                                                     - 120
tggacacaaa ggccattatg taaaatgtaa cattagttta aaataaaatt taaatgcctt
                                                                      180
agataaataa aatgcagtgt taagaaaaaa atgtgctgtc caggcatttt ggctcatgcc
                                                                      240
tgtaatctca gctactcagg aggctgaggc aggagaatct cttgaaccca ggaggcggga
                                                                      300
ggcggaggtt acagtgagcc ataatcacgc cactgcactc cagtctgggc gacagagcaa
                                                                      360
gattctgtct ccaaaaaaaa aaaaggaaag aaagaaagag aaaagaaaaa atatgctaat
                                                                      420
taggatatet gggtttgtga tggattgtet tttgaggttg tetatttttt tttgagaegg
agtetegete tgtegeecag getggagtge agtggegegg ggtetetget taetggaage
                                                                      540
tecgeetect gggtteactg ggtteacgee attetectge eteageetee tgagtagetq
                                                                      600
ggactacagg cgcctgccac tacgcccggg taattttttg tatttttt ttagtagaga
                                                                      660
cggggtttca ccgtgttagc caggatggtc tcaatctctt gacctcgtga tccacccgcc
                                                                      720
totgtotocc aaagtgotgg gattacagto gtgagcoacc gcgcccggcc ttgaggttgt
                                                                      780
ctttaataca caaattcatg agtataggaa gagagggccc ttgaatatgt tggtcttgca
                                                                      840
tgtaaattaa catctttctt gataggccgt ctaaaaattt gggtgggtta tgtgaataga
                                                                      900
tataatgtct attatgatag agaaagagat tacagatatg atagcatctg agaggtgttg
                                                                      960
gacactaatt agagcaatat aatgattett teetattatt gittietgit iteteatgaa
                                                                     1020
atgtattcat gttgctgtac tatctcaagt ttttagttct tctccttcat aggtaataga
                                                                     1080
tggacacaat gaatatataa tgtgtcttga agggagagaa aagaaataga catggagaca
                                                                     1140
gggatagaca gagaggacct agaagaaaag ggaagtttgc aagtcagact cttacactag
                                                                     1200
ttatttctgg gtaaaaagat tttcctcaat cccaffctca tgtgttttat cttgatgctg
ctttctaata tatctttgtg gcagtaactg tcactggact atgtagattc tctagtctgc
                                                                     1320
ttattaattg aaagtatggt tattaatgaa gggaatgtgt tagtatctcg acctagataa
                                                                     1380
tggagcagag tttggtgcgg gtaaagggtt acatgtctag gagttcaagg atcaaaaccc
                                                                     1440
tagtcacaga tgtgtagatt ggccttcctg ggcatatcga taggaaattc aaagcttctc
                                                                     1500
tggcttctac tttgtcacct atagaataaa gaataaacaa gggtatctgt attgactatt
                                                                     1560
cgatatttat tatttctcaa gcaatgagga aggattgata attagtacag cctgattttg
                                                                     1620
gagcatacgc tctgaaacaa ttagttcagc tgtattttga agtcaaattt tctgggtcag
                                                                     1680
acaaacatta aactgctata tggaattaac aataaaggca caaatgttaa gcgttagggc
                                                                     1740
```

	tc	ttg	atag	t ta	atgto	catc	gtai	taaac	aa a	attai				T Flattta		ST25 Baattt	tg 1800
	at	ttgi	tata	a ct	gatta	ataa	gatt	taca	ica a	tcaç	gtcat	c at	tatt	atac	g age	gaagat	ca 1860
	tt	tato	gtag	a at	gctta	aagg	aggo	ctga	aa t	tatt	atgt	a aa	attti	ttaat	: tta	aaata	at 1920
	ca	caaa	itat	t ta	atcto	att	ttcc	tata	tt t	ggaa	atat	t aa	aaaat	taca	gtt	actaa	ct 1980
	ta	ctct	ttt	a cto	caata	att	gtat	tttt	ct t	aaga	aatt	a aa	aaaa	atta	caç	tgttt	tt 2040
	aci	atgt	taga	a tai	ttaa	gaa	atct	taaa	ca a	caaa	ctca	t aç	gatto	cgga	aga	gatati	tt 2100
	gci	ttca	tcci	t tca	aggag	ccg	taaa	ggta	tt c	aato	accc	t to	ttat	tttc	tca	ttctc	et 2160
	taa	acat	ttt	t gtt	ttca	igaa	ctaa	cttt	ca g	atto	gaag	a aa	caga	agcg		ctg Leu	2216
1	cto Lei	ac Th	t ga r As 5	at ag sp Ar	ja aa :g As	t ac n Th	a ag ir Se	t gg r Gl 10	g ac y Th	c ac r Th	g tt r Ph	c ac e Th	c ct r Le 15	u Le	g gg u Gl	c ttc y Phe	2264
5	t ca Se r	ga As 20	рТу	ic cc r Pr	a ga o G1	act uLe	g ca u G1: 25	a gte n Vai	c cc	a ct o Le	c tt u Ph	c ct e Le 30	u Va	t tt l Ph	t ct e Le	g gcc u Ala	2312
3	1 e 35	ту	r As	n Va	1 Th	r Va 40	l Le	u Gly	y Ası	n 11	e G1; 45	y Le	u Il	e Va	1 11	c atc e Ile 50	2360
I	ys	11	e As	n Pr	o Ly: 55	s Le	u His	5 Thi	Pro	60	t Ty	r Ph	e Ph	e Le	65	c caa r Gln	2408
L	eu	Se	r Ph	e Va 70	l Asp	Phe	e Cys	5 Туг	75	Sei	r Ile	2 11	e Ala	a Pro 80	D Ly:	g atg s Met	2456
L	eu	Val	85	n Lei	u Val	l Va]	l Lys	90	Arg	Thi	116	e Sei	95	e Lei	ı Gly	tgc Cys	2504
. v	aı	100	G11)	n Phe	≥ Phe	Phe	Phe 105	Cys	Thr	Phe	e Val	11(l Thi	Glu) Ser	ttt Phe	2552
1	eu 15	Leu	Ala	a Val	Met	120	Tyr	Asp	Arg	Phe	gtg Val 125	Ala	ı Ile	e Cys	Asn	130	2600
ь	ยบ	Leu	Туг	Thr	135	Asn	Met	Ser	Gln	Lys 140		Cys	Val	Leu	Leu 145	Val	2648
Vá	31	Gly	Ser	150	Ala	Trp	Gly	Va]	Ser 155	Cys	tcc Ser	Leu	Glu	Leu 160	Thr	Cys	2696
-	er	Ala	165	Lys	Leu	Cys	Phe	His 170	Gly	Phe	aac Asn	Thr	11e 175	Asn	His	Phe	2744
Ph	e	Egt Cys 180	gag Glu	ttc Phe	tcc Ser	tca Ser	cta Leu 185	ctc Leu	tcc Ser	ctt Leu	tct Ser	tgc Cys 190	Ser	gat Asp	act Thr	tac Tyr	2792
19	e .	Asn	Gin	Trp	Leu	Leu 200	Phe	Phe	Leu	Ala	acc Thr 205	Phe	Asn	Glu	Ile	Ser 210	2840
10	r.	ren	Len	He	Val 215	Leu	Thr	Ser	Tyr	Ala 220	ttc Phe	Ile	Val	Val	Thr 225	Ile 	2888
re	u .	ьys	Met	230	Ser	Val	Ser	Gl y	Arg 235	Arg	aaa Lys	Ala	Phe	Ser 240	Thr	Cys	2936
gc	C 1	tcc	cac	ctg	act	gcc	atc	acc	atc	ttc	cat	ggc	acc	atc	ctc	ttc	2984

Ala Ser His Leu Thr Ala Ile Thr Ile Phe His Gly Thr Ile Leu Phe 245 250 255	
ctt tac tgt gtg ccc aac tcc aaa aac tcc agg cac aca gtc aaa gtg Leu Tyr Cys Val Pro Asn Ser Lys Asn Ser Arg His Thr Val Lys Val 260 265 270	3032
gcc tct gtg ttt tac acc gtg gtg atc ccc atg ttg aat ccc ctg atc Ala Ser Val Phe Tyr Thr Val Val Ile Pro Met Leu Asn Pro Leu Ile 275 280 285 290	3080
tac agt ctg aga aat aaa gat gtc aag gat aca gtc acc gag ata ctg Tyr Ser Leu Arg Asn Lys Asp Val Lys Asp Thr Val Thr Glu Ile Leu 295 300 305	3128
gac acc aaa gtc ttc tct tac tga gcctgttact ttcatggagt ttgtcacaca Asp Thr Lys Val Phe Ser Tyr 310	3182
tataaataaa ttctgtccat aaatattgat cttaaagata tctttacaaa taaacaaagt	3242
tagggttgta caactcaacg aaatggattt tcttttcaac agactaaact tagctctgtc	3302
tcttactttc tgggaagcat cagtaatccc tctaatcttt aatatttcat ttatgaaatt	-3362
agtatagtat gggttagatc atagtctgat tgtgaagatt aaaatataat ggacacctta	3422
cgtaagtcaa tggatattaa tttcatgtcc tttccttata agataccggg aatagactaa	3482
gtgcttagga aacatatgaa tttcttttat aaatgtgcaa aataagttaa aagaagaaat	3542
agtecteate tteaaggatg aaaactgtgt tgataatagg acaatgaaga agtggecatt	3602
gtgtaaggca gaaattaata tgtaccaaag agagtttgag agaagagaaa gttcaaatct	3662
acttagggat tttagaagga tgtcttaatg aaataggtat tgtttgaaac cggcttttga	3722
aaaggaaatg ggcggagttt atgagataca ttccagggag aaaggagttt tcttctggag	3782
aaaacaatgt gaataaaacc aattaggtaa gaatgtaata cctagtcaaa gatctaatac	3842
ttgttttatt gagctaacat aatataatgt gtgtttgtgt gtgtgtgtgt gtgtgtgt	3902
atgtatacgg gttacttgac atgaactgaa attttaatat gatatgggct acatcctgaa	3962
tgtgttttca aaggagctcc agtgtgacca tctgataaac cataatagac ttcaccagat	4022
gctgatgaat aatggatcag atcttagaaa atcctatgta ccaaattagg gatgatgaac	4082
acctgcccaa cctgtatgtc atactgttag acatcacaaa ctttatcaat ccattatgat	4142
ttttttatga gcatggaaat aatctctgaa tccttctcaa cagaattccc aacaaccttt	4202
ataaaaaggt atttggagta gtcttaagtg ttgaaagctc tttggctgca taaacttatt	4262
caaaataaat aaaaatcagg taatcattaa tatcaagacc tctttaacac agcaaattaa	4322
aaatgctagc tctttcttac cttaataact cactttcatt cgaataaatt gtataccctt	4382
ctccttttca atgtgtctag atacagttcc aaacaaatca tcaatatagt ggaagaagta	4442
aatttccagg tgttttgtta agggagaaaa aataaactgg ggaacaattt tatataaact	4502
tcttaaattt atttagaatg ttcatattat tttgacctta tgatgattat taaagttatg	4562
ataattatta aagtgattca tottacatat attatttgat aaagaatcca otaaataato	4622
cttgtaatag aaaaattttt caaaatgtaa ggaacagtgt tttagatatt aaatgcctga	4682
ggagggaata ctttttctct tgatatctgt atctccaggt attcaaacat ttatcctttg	4742
tacacatetg gtaettatae aattittaat titeteagaa gitgggaeat igititaata	4802
ttaaatcgaa tactgaattt caccatcttt tgaaatcctg aaaagctgcc atgggaacaa	4862
gcataaaata ggatatttga taatgaggaa aattagccca tatccccatc acaagggctt	4922
ttctctggca acctaccaga cttgagtgtg aagccctgtg agatgatctg acctgccagc	4982

tga	ecagt	ata	caca	caag	jca a	gaca	agco	a aç	atca			PCT cagg			T25 gagca	g	5042
aac	caco	tgg	atga	tcca	itg c	aata	gagt	c àc	aggo	aata	aga	ggtt	gtt	gtgt	ttagc	С	5102
aat	aggt	ttt	ggag	tggt	tt g	ttat	acag	jt ca	ttag	agto	att	cact	ttc	tcaa	attct	g	5162
qqa	atqo	tac	caaa	aaaa	ct t	cacq	atgt	t tt	atta	tgta	ata	atto	acc	atct	tctati	t	5222
	-					_	_		aaat	_							5269
			3-95	,						9-9-		١					
<21		64															
<21 <21	2>	313 PRT															
<21	.3>	Homo	sap	iens													
< 40	0>	64															
Met 1	Leu	Leu	Thr	Asp 5	Arg	Asn	Thr	Ser	Gly 10	Thr	Thr	Phe	Thr	Leu 15	Leu		
Gly	Phe	Ser	Asp 20	Туг	Pro	Glu	Leu	Gln 25	Val	Pro	Leu	Phe	Leu 30	Val	Phe		
Leu	Ala	11e 35	Туг	Asn	Val	Thr	Val 40	Leu	Gly	Asn	Ile	Gly 45	Leu	Ile	Val		•
Ile	11e 50	Lys	Ile	Asn	Pro	Lys 55	Leu	His	Thr	Pro	Met 60	Туr	Phe	Phe	Leu		
Ser 65	Gln	Leu	Ser	Phe	Val 70	Asp	Phe	Cys	Туг	Ser 75	Ser	lle	Ile	Ala	Pro 80		
Lys	Met	Leu	Val	Asn 85	Leu	Val	Val	Lys	Asp 90	Arg	Thr	Ile	Ser	Phe 95	Leu		
Gly	Cys	Val	Val 100		Phe	Phe	Phe	Phe 105	Cys	Thr	Phe	val	Val 110	Thr	Glu		
Ser	Phe	Leu 115	Leu	Ala	Val	Met	Ala 120	Tyr	Asp	Arg	Phe	Val 125	Ala	lle	Cys		
Asn	Pro 130	Leu	Leu	Туr	Thr	Val 135	Asn	Met	Ser	Gln	Lys 140	Leu	Cys	Val	Leu		
Leu 145	Val	Val	Gly	Ser	Туг 150	Ala	Trp	Gly	Val	Ser 155	Cys	Ser	Leu	Glu	Leu 160		
Thr	Суѕ	Ser	Ala	Leu 165	Lys	Leu	Cys	Phe	His 170	Gly	Phe	Asn	Thr	Ile 175	Asn		
His	Phe	Phe	Cys 180	Glu	Phe	Ser	Ser	Leu 185	Leu	Ser	Leu	Ser	Cys 190	Ser	Asp		
Thr *	Туr	11e 195	Asņ	Gln	Trp	Leu	Leu 200	Phe	Phe	Leu	Alà	Thr 205	Phe	Asn	Glu		
Ile	Ser 210	Thr	Leu	Leu	Ile	Val 215	Leu	Thr	Ser	Tyr	Ala 220	Phe	Ile	Val.		:	
Thr 225	Ile	Leu	Lys	Met	Arg 230	Ser	Val	Ser	Gly	Arg 235	Arg	Lys	Ala,	Phe	Ser 240		
	_											:					

Thr Cys Ala Ser His Leu Thr Ala Ile Thr Ile Phe His Gly Thr Ile

Leu Phe Leu Tyr Cys Val Pro Asn Ser Lys Asn Ser Arg His Thr Val 265

Lys Val Ala Ser Val Phe Tyr Thr Val Val Ile Pro Met Leu Asn Pro

Leu Ile Tyr Ser Leu Arg Asn Lys Asp Val Lys Asp Thr Val Thr Glu 295

Ile Leu Asp Thr Lys Val Phe Ser Tyr

<210> 65

<211> 50 <212> DNA

<213> Homo sapiens

<400> 65

ataggccgtc taaaaatttg ggtgggttat gtgaatagat ataatgtcta

50

360

<210> 66

50 <211>

<212> DNA

<213> Homo sapiens

<400> 66

acacaatgaa tatataatgt gtcttgaagg gagagaaaag aaatagacat 50

<210> 67

<211> 32 <212> DNA

<213> Homo sapiens

<400> 67

32 atgctgctga ctgatagaaa tacaagtggg ac

<210> 68

<211> 29

<212> DNA

<213> Homo sapiens

<400> 68

gactttggtg tccagtatct cggtgactg 29

<210> 69

<211> 4558

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1822)..(2766)

<223>

<400> 69

gggaactcag agtagaagct agacagttga gcattccctg aatattgatt tctcttggca 60

tttttaccac ctaagagagc acctagagaa gtatgagaat aaaagggcaa caaaaagagg 120

agagaaaaga agagagaga aggggaatac acaagcaatg ataagatcat ataaggggag . 180

tagaggagat gggagctaga ttggaaggaa ttaaaaaatta agagatgagg aattagataa 240

tgaattactc aactttttca acaaacattg ttgtgaagga aaacagttgc gggtgttaga 300

tggagggaga tataaggcca aggaatgcgg gattgtgctg atgtcaagaa aaacatttta

aaaaaggggg cagatttgtg tgggaggggg aatattgtaa tgacaaataa cagttttaca 420

atgctttaca gtttacaggg actcttctca tgattttatc tttcctcatc atgaagcagt	480
aaaattgtca tggaagatat ggttatgcct tcatctatag gtgaggaacc taaatcttta	540
aaaatttcag tgattaatac tagtttctat tggtaggctg atggctcaat cattacttaa	600
acceaagtet ttagatteta attttttte etatateatg ataatgagtt tgagttatat	660
ttetgttaac ttgaatatge tggatttata ettettagga ágcáatgagg tagaagcága	720
agagtgtagt gatttaagac attggattgg gaggcagcaa accagagttc tcgaagctca	780
agtiticated tigaegitti ecaacigite tgatigitag igaettagie tittigitite	840
tcaattcata agtgtccacg tttactgagc actgtttcaa gatttgtgct aagtgtttta	900
aaagatetea aaateeecaa aagaaagttt ttaggeagga getgaaaaaa aaggtggeae	960
aggicaaaaa tatigcaagg aaaigittaa acgitticaa gggaaaigac aacagaaggi	1020
ggaaaaagat agaatgataa ggatcccaga tggaaaaata gtgtgaaggg aataggtcag	1080
tcttgcaaaa aggtaagtgt ggggcatctc ttctgaatgt catgaagtcc aggaaggaag	1140
aagcacgtag agatgaaggt taaactacag ttaggcaaaa gagaacaaca aaagggcttc	1200
tcatgttctc aagttacctg gaggtagggc tttagttgga gggatttctg agtgtcaaac	1260
aaggacctac gaaaccctgc tagaaaaaaa atctaaagaa cttgtaggga agtgaattat	1320
tagaaagtgc taactacatt tatttttcat atgaccaaga ttgacatttc agggcagaaa	1380
ctctttcata attgggagtg tagtttgaat tggaaggcaa taggaagaca gtgacggtaa	1440
atgittgigg gtatgattig aattaagcag caatcigtat tatitacaaa giigciittg	1500
gccacatgca ggccacaaaa ggctcttcct ccacttgatt tctcaataag gctgctttgt	1560
aatactagct ttattggaat taaatgtcct gagcacccag tgtttttata aacagcttaa	1620
gggcaaggat catgcataat atttcatgat acatatgatt attttctcat ttcttttcat	1680
gtctaaaaat gggtctaaga actaatcttc tcacaagaat gatcagagtt tgaatgtgag	1740
cattgtaatt ctgctgatat tgaatattct ctggaagggc cctgtggaag cagataagga	1800
ggaagagaat teecaggage e atg tea gee tee aat ate ace tta aca eat Met Ser Ala Ser Asn Ile Thr Leu Thr His 1 5 10	1851
cca act gcc ttc ttg ttg gtg ggg att cca ggc ctg gaa cac ctg cac Pro Thr Ala Phe Leu Leu Val Gly 11e Pro Gly Leu Glu His Leu His 15 20 25	1899
atc tgg atc tcc atc cct ttc tgc tta gca tat aca ctg gcc ctg ctt lle Trp lle Ser lle Pro Phe Cys Leu Ala Tyr Thr Leu Ala Leu Leu 30 35 40	1947
gga aac tgc act ctc ctt ctc atc atc cag gct gat gca gcc ctc cat Gly Asn Cys Thr Leu Leu Leu Ile Ile Gln Ala Asp Ala Ala Leu His 45 50 55	1995
gaa ccc atg tac ctc ttt ctg gcc atg ttg gca gcc atc gac ctg gtc Glu Pro Met Tyr Leu Phe Leu Ala Met Leu Ala Ala Ile Asp Leu Val 60 65 70	2043
ctt tcc tcc tca gca ctg ccc aaa atg ctt gcc ata ttc tgg ttc agg Leu Ser Ser Ser Ala Leu Pro Lys Met Leu Ala Ile Phe Trp Phe Arg 75 80 85 90	2091
gat cgg gag ata aac ttc ttt gcc tgt ctg gcc cag atg ttc ttc ctt Asp Arg Glu Ile Asn Phe Phe Ala Cys Leu Ala Gln Met Phe Phe Leu 95 100 105	2139
cac tcc ttc tcc atc atg gag tca gca gtg ctg ctg gcc atg gcc ttt His Ser Phe Ser Ile Met Glu Ser Ala Val Leu Leu Ala Met Ala Phe 110 115 120	2187

gac cgc tat gtg gct atc tgc aag cca ctg cac tac acc aag gtc ctg Asp Arg Tyr Val Ala Ile Cys Lys Pro Leu His Tyr Thr Lys Val Leu 125 130 135	2235
act ggg tcc ctc atc acc aag att ggc atg gct gtg gcc cgg gct Thr Gly Ser Leu Ile Thr Lys Ile Gly Met Ala Ala Val Ala Arg Ala 140 145 150	2283
gtg aca cta atg act cca ctc ccc ttc ctg ctg aga tgt ttc cac tac Val Thr Leu Met Thr Pro Leu Pro Phe Leu Leu Arg Cys Phe His Tyr 155 160 165 170	2331
tgc cga ggc cca gtg atc gct cac tgc tac tgt gaa cac atg gct gtg Cys Arg Gly Pro Val Ile Ala His Cys Tyr Cys Glu His Met Ala Val 175 180 185	2379
gtg agg ctg gcg tgt ggg gac act agc ttc aac aat atc tat ggc atc Val Arg Leu Ala Cys Gly Asp Thr Ser Phe Asn Asn Ile Tyr Gly Ile 190 195 200	2427
gct gtg gcc atg ttt att gtg gtg ttg gac ctg ctc ctt gtt atc ctg Ala Val Ala Met Phe Ile Val Val Leu Asp Leu Leu Leu Val Ile Leu 205 210 215	2475
tct tat atc ttt att ctt cag gca gtt cta ctg ctt gcc tct cag gag Ser Tyr Ile Phe lle Leu Gln Ala Val Leu Leu Leu Ala Ser Gln Glu 220 225 230	2523
gcc cac tac aag gca ttt ggg aca tgt gtc tct cat ata ggt gcc atc Ala His Tyr Lys Ala Phe Gly Thr Cys Val Ser His Ile Gly Ala Ile 235 240 245 250	2571
tta gcc ttc tac aca act gtg gtc atc tct tca gtc atg cac cgt gta Leu Ala Phe Tyr Thr Thr Val Val Ile Ser Ser Val Met His Arg Val 255 260 265	2619
gcc cgc cat gct gcc cct cat gtc cac atc ctc ctt gcc aar ttc tat Ala Arg His Ala Ala Pro His Val His Ile Leu Leu Ala Asn Phe Tyr 270 275 280	2667
ctg ctc ttc cca ccc atg gtc aat ccc ata atc tat ggt gtc aag acc Leu Leu Phe Pro Pro Met Val Asn Pro Ile Ile Tyr Gly Val Lys Thr 285 290 295	2715
aag caa atc cgt gag agc atc ttg gga gta ttc cca aga aag gat atg Lys Gln Ile Arg Glu Ser Ile Leu Gly Val Phe Pro Arg Lys Asp Met 300 305 310	2763
tag agggtgaggt ggagaaagaa tgggttggct tgtctgctgg agttggagac	2816
aggotatggt agaatgtgca oggotgocag gatottoatg titagtitit tottggaaaa	2876
aaaaaaaatg atgteetgaa aeteagagee aeeagtetgt teaggaetea tgggtetgtg	2936
tcctctggta gcctgtggat tgaatgtgct gactgtgctg tcttctcaca gtgccctcac	2996
ccctatcagt aacttgacag agacttgacc catgggtctc caggtgactt caccgaaaga	3056
cacaaagatg cttccaactt catttgctga agagaagact ttgaaaatct gagtttcttt	3116
tettagteat tgggaatttg gtgaactate tactcaggae etgggtgagg gecaacagta	3176
tatctgacat aggaatcctt cattcattct gactggtggt gtccagcttc tgatgaaaca	3236
ctcagtgtta ggaagtttga aacattccag ggctgcaggt tctgagtaag acacctatgc	3296
ttgctagaaa atcatttttt cacctaagcc agtatgtgta ttcttttgct-tatatttacc	3356
aatccatcct tatgtccaat teettttatt aagtaetttg aataagacat gteetetgge	3416
tttatgtttc atgcaactct ttctttgcac atagatgtat cttatgtttt caagaatgag	3476
aatggeteat ttatttaeta atteeaceaa atetgtgata ggggatgggg acacatatae $\frac{1}{a^2}$	3536
taaattaggg gtgtcagact tgtgtatttg tcctaagaca gagaaggaaa tgataattat	3596
gatagattet gttetetgaa atttecatee caaggeecag cataataaaa gaagageaag	3656
accaagcaga taggaggcaa gaatattatg tttctctttt cctgtctcat gtgaacttac	3716

ctactatata	attctctatt	aatcctgaca	acacagctaa	gcttttcaca	caagccctgt	3776
ataaatacat	tgttctgctg	ttatcttctg	acccacttgt	ttcctcagat	attattgctt	3836
agaaattata	tatctctttt	gctatcactg	tatctttctc	tatttaccta	tctatattat	3896
ttagccttga	aagataattt	ccaagcctat	ttcaggtggg	gtgtagaagg	ttggaagetg	3956
tccaggaggg	aagagtatag	caagaaccta	gagttttact	tccccttata	ttccacctct	4016
gctcttataa	ttccctttga	cacaaaaaca	aataccccag	agaaataatg	tattacataa	4076
aaaattgcta	catgctagat	atatatattt	ttggagtata	tgtgatattc	tgatatattc	4136
atataataga	taatgatcaa	atcaggataa	ttggaatatc	catgacctta	aatgtttctt	4196
ttatgctagg	aacattaaaa	ttattctctt	ctagctattt	tgatatatac	agtagattgt	4256
tttctatagt	ccctactgat	ttcttgaaca	ctacatcttg	ttatttttta	tatctagctg	4316
tatttttata	ctcaattaat	ctcttatcct	ccctgcctcc	cttcccagcc	cccaataacc	4376
accaatctgc	tctctatttt	catgagctgt	acttagcatc	cacatgagtg	agaaatacaa	4436
taattgtctt	tctgtacctg	gcttgtttca	cttaacttaa	tgacctacag	tttcatccac	4496
gttgctgcaa	gtgacaggat	ttcattcttt	cttatgacta	atattccatg	tgtatcatat	4556
tt						4558

<210> 70 <211> 314

<211> 314 <212> PRT

<213> Homo sapiens

<400> 70

Met Ser Ala Ser Asn Ile Thr Leu Thr His Pro Thr Ala Phe Leu Leu $1 \ \ \,$ 10 $\ \ \,$ 15

Val Gly 1le Pro Gly Leu Glu His Leu His 1le Trp Ile Ser 1le Pro 20 25 30

Phe Cys Leu Ala Tyr Thr Leu Ala Leu Leu Gly Asn Cys Thr Leu Leu 35 40 45

Leu Ile Ile Gln Ala Asp Ala Ala Leu His Glu Pro Met Tyr Leu Phe 50 60

Leu Ala Met Leu Ala Ala Ile Asp Leu Val Leu Ser Ser Ser Ala Leu 65 70 75 80

Pro Lys Met Leu Ala Ile Phe Trp Phe Arg Asp Arg Glu Ile Asn Phe 85 90 95

Phe Ala Cys Leu Ala Gln Met Phe Phe Leu His Ser Phe Ser Ile Met 100 105 110

Glu Ser Ala Val Leu Leu Ala Met Ala Phe Asp Arg Tyr Val Ala Ile 115 120 125

Cys Lys Pro Leu His Tyr Thr Lys Val Leu Thr Gly Ser Leu Ile Thr 130 135 140 .:

Lys Ile Gly Met Ala Ala Val Ala Arg Ala Val Thr Leu Met Thr Pro 145 150 155 160

Leu Pro Phe Leu Leu Arg Cys Phe His 7	16U 200 PCT FINAL.ST25 Yr Cys Arg Gly Pro Val Ile 70 175
Ala His Cys Tyr Cys Glu His Met Ala V 180 185	al Val Arg Leu Ala Cys Gly 190
Asp Thr Ser Phe Asn Asn Ile Tyr Gly I 195 200	le Ala Val Ala Met Phe Ile 205
Val Val Leu Asp Leu Leu Leu Val Ile L 210 215	eu Ser Tyr Ile Phe Ile Leu 220
Gln Ala Val Leu Leu Leu Ala Ser Gln G 225 230	lu Ala His Tyr Lys Ala Phe 235 240
Gly Thr Cys Val Ser His Ile Gly Ala I 245 2	le Leu Ala Phe Tyr Thr Thr 50 255
Val Val Ile Ser Ser Val Met His Arg V 260 265	al Ala Arg His Ala Ala Pro 270
His Val His Ile Leu Leu Ala Asn Phe T 275 280	yr Leu Leu Phe Pro Pro Met 285
Val Asn Pro Ile Ile Tyr Gly Val Lys T 290 295	hr Lys Gln Ile Arg Glu Ser 300
Ile Leu Gly Val Phe Pro Arg Lys Asp M 305 310	let
<210> 71 <211> 50 <212> DNA <213> Homo sapiens	
<400> 71 gaaaaacatt ttaaaaaagg gggcagattt gtgt	gggagg gggaatattg 50
<210> 72 <211> 50 <212> DNA	
<213> Homo sapiens <400> 72 gctaagtgtt ttaaaagatc tcaaaatccc caaa	agaaag tttttaggca 50
<210> 73 <211> 50 <212> DNA	
<212> DNA <213> Homo sapiens	
<400> 73 gcaggagctg aaaaaaagg tggcacaggt caaa	aatatt gcaaggaaat 50
<210> ·74 <211> 50 <212> DNA	
<213> Homo sapiens <400> 74	, , , ,
cccagtgttt ttataaacag cttaagggca agga	tcatgc ataatatttc 50
<210> 75 <211> 50 <212> DND	

<pre></pre>	
•	
<400> 75 ttttcatgtc taaaaatggg tctaagaact aatcttctca caagaatgat	50
<210> 76	
<211> 29 <212> DNA	
<213> Homo sapiens	
<400> 76	
cagootocaa tatoacotta acacatoca	29
<210> 77	
<211> 25	
<212> DNA <213> Homo sapiens	
<400> 77	
caccacaata aacatggcca cagcg	25
<210> 78 <211> 2520	
<212> DNA	
<220> <221> CDS	
<222> (727)(1722) <223>	
<400> 78 attaaagtct tcagtctcca cattccctac tttccaaatt cagctttccc gggaggtctg	60
gagcagctgc ctctctgggg agatgctgga ggtctcggaa tcacctcacg cggcctcagg	120
gcccagttgg agccaccca agtgacacca gcaggcagat gaccagagag cctgagcctc	180
cggccccgag tctgtgaagc ctagccgctg ggctggagaa gccactgtgg gcaccaccgt	
gggggaaaca ggcccgttgc cctggcctct ttgccctggg ccagcctttg tgaagtgggc	240
contettet ggcccettga ageatgetgg agaacttete ggccgccgtg cccagccace	300
	360
gctgctgggc acccctcctg gacaacagca cggctcaggc cagcatccta gggagcttga	420
gloctgagge cotoctgget atttccated egeogggede caaccagagg ecccaccagt	480
gccgccgctt ccgccagcca cagtggcagc tcttggaccc caatgccacg gccaccagct	540
ggagcgaggc cgacacggag ccgtgtgtgg atggctgggt ctatgaccgc agcatcttca	600
cctccacaat cgtggccaag tggaacctcg tgtgtgactc tcatgctctg aagcccatgg	660
cccagtccat ctacctggct gggattctgg tgggagctgc tgcgtgcggc cctgcctcag	720
acagtg atg gag tgg acg gcg gca cgg gcc cga ccc ttg gtg atg acc	768
Met Glu Trp Thr Ala Ala Arg Ala Arg Pro Leu Val Met Thr 1 5 10	
ttg aac tot otg ggo tto ago tto ggo cat ggo otg aca got goa gtg	816
Leu Asn Ser Leu Gly Phe Ser Phe Gly His Gly Leu Thr Ala Ala Val 15 20 25 30	
gcc tac ggt gtg cgg gac tgg aca ctg ctg cag ctg gtg gtc tcg gtc Ala Tyr Gly Val Arg Asp Trp Thr Leu Leu Gln Leu Val Val Ser Val	864
35 40 45	
ccc ttc ttc ctc tgc ttt ttg tac tcc tgg tgg ctg gca gag tcg gca Pro Phe Phe Leu Cys Phe Leu Tyr Ser Trp Trp Leu Ala Glu Ser Ala	912
50 55 60	
cga tgg ctc ctc acc aca ggc agg ctg gat tgg ggc ctg cag gag ctg	960
Arg Trp Leu Leu Thr Thr Gly Arg Leu Asp Trp Gly Leu Gln Glu Leu 65 70 75	

tgg Trp	agg Arg 80	gtg Val	gct Ala	gcc Ala	atc Ile	aac Asn 85	gga Gly	aag Lys	ggg Gly	gca	gtg	PCT cag Gln	gac	acc	ctg	1008
acc Thr 95	cct Pro	gag Glu	gtc Val	ttg Leu	ctt Leu 100	tca Ser	gcc Ala	atg Met	cgg Arg	gag Glu 105	gag Glu	ctg Leu	agc Ser	atg Met	ggc Gly 110	1056
	cct Pro															1104
	cgg Arg															1152
ttc Phe	ttc Phe	ggc Gly 145	ctg Leu	gcc Ala	ctg Leu	gac Asp	ctg Leu 150	cag Gln	gcc Ala	ctg Leu	ggc Gly	agc Ser 155	aac Asn	atc Ile	ttc Phe	1200
ctg Leu	ctc Leu 160	caa Gln	atg Met	ttc Phe	att Ile	ggt Gly 165	gtc Val	gtg Val	gac Asp	atc Ile	cca Pro 170	gcc Ala	aag Lys	atg Met	G) y	1248
gcc Ala 175	ctg Leu	ctg Leu	ctg Leu	ctg Leu	agc Ser 180	cac His	ctg Leu	ggc Gly	cgc Arg	cgc Arg 185	ccc Pro	acg Thr	ctg Leu	gcc Ala	gca Ala 190	1296
	ctg Leu															1344
cac His	gaa Glu	atg Met	999 Gly 210	gct Ala	ctg Leu	cgc Arg	tca Ser	gcc Ala 215	ttg Leu	gcc Ala	gtg Val	ctg Leu	999 Gly 220	ctg Leu	ggc Gly	1392
999 G1y	gtg Val	ggg Gly 225	gct Ala	gcc Ala	ttc Phe	acc Thr	tgc Cys 230	atc Ile	acc Thr	atc Ile	tac Tyr	agc Ser 235	agc Ser	gag Glu	ctc Leu	1440
ttc Phe	ccc Pro 240	act Thr	gtg Val	ctc Leu	agg Arg	atg Met 245	acg Thr	gca Ala	gtg Val	ggc Gly	ttg Leu 250	ggc Gly	cag Gln	atg Met	gca Ala	1488
gcc Ala 255	cgt Arg	gga Gly	gga Gly	gcc Ala	atc Ile 260	ctg Leu	Gly ggg	cct Pro	ctg Leu	gtc Val 265	cgg Arg	ctg Leu	ctg Leu	ggt Gly	gtc Val 270	1536
cat His	ggc Gly	ccc Pro	tgg Trp	ctg Leu 275	ccc Pro	ttg Leu	ctg Leu	gtg Val	tat Tyr 280	999 Gly	acg Thr	gtg Val	cca Pro	gtg Val 285	ctg Leu	1584
	ggc Gly							_				_	_		• .	1632
	gac Asp															1680
_cat 所s	ggc GTy 320															1722
tage	ctc	ctg (ggga	acct	gc ga	atgg	gacg	g tc	agag	gaag	aga	cttc	ttc	tgtt	ctctgg	1782
agaa	aggca	agg a	aggaa	agca	aa aq	gacci	tccat	t tt	ccag	aggc	cca	gagg	ctg	ccct	ctgagg	1842
tccc	ccact	ct	cccc	agg	gc to	gccc	ctcca	a gg	tgag	ccct	gcc	cctc	tca ·	cagt	ccaagg	1902
ggco	ccct	tte a	aata	etgaa	ag go	ggaaa	aagga	a ca	gttt	gatt	ggc	agga	ggt	gacc	cagtgc	1962
				-											gggaac	2022
			-			-									acccgt	2082
															ctccac	2142
acaa	agcaç	jta (gagto	tca	jc to	caca	agcti	ta	cca	yaag		tgta	agc	LLGG	cccctg	2202

geoectecce atgtecetee aggeoteage cacetgeong coacatecte tgcotgctgt	2262
ccccttccca ccctcatccc tgaccgactc cacttaaccc ccaaacccag cccccttcc	2322
aggggtccag ggccagcctg agatgcccgt gaaactccta cccacagtta cagccacaag	2382
cotgootcot cocaccotgo cagootatga gttoccagag ggttggggca gtcccatgac	2442
cccatgtccc agctccccac acagcgctgg gccagagagg cattggtgcg agggattgaa	2502
taaagaaaca aatgaatg	2520

<210> 79

211> 332

<212> PRT

<213> Homo sapiens

<400> 79

Met Glu Trp Thr Ala Ala Arg Ala Arg Pro Leu Val Met Thr Leu Asn 1 10 15

Ser Leu Gly Phe Ser Phe Gly His Gly Leu Thr Ala Ala Val Ala Tyr 20 25 30

Gly Val Arg Asp Trp Thr Leu Leu Gln Leu Val Val Ser Val Pro Phe $35 \hspace{1cm} 40 \hspace{1cm} 45$

Phe Leu Cys Phe Leu Tyr Ser Trp Trp Leu Ala Glu Ser Ala Arg Trp 50 60

Leu Leu Thr Thr Gly Arg Leu Asp Trp Gly Leu Gln Glu Leu Trp Arg 65 70 75 80

Val Ala Ala Ile Asn Gly Lys Gly Ala Val Gln Asp Thr Leu Thr Pro 85 90 95

Glu Val Leu Leu Ser Ala Met Arg Glu Glu Leu Ser Met Gly Gln Pro 100 105 110

Pro Ala Ser Leu Gly Thr Leu Leu Arg Met Pro Gly Leu Arg Phe Arg 115 120 125

Thr Cys Ile Ser Thr Leu Cys Trp Phe Ala Phe Gly Phe Thr Phe Phe 130 $$135\$

Gly Leu Ala Leu Asp Leu Gln Ala Leu Gly Ser Asn Ile Phe Leu Leu 145 150 155 160

Gln Met Phe Ile Gly Val Val Asp Ile Pro Ala Lys Met Gly Ala Leu 165 170 175

Leu Leu Ser His Leu Gly Arg Arg Pro Thr Leu Ala Ala Ser Leu 180 185 190

Leu Leu Ala Gly Leu Cys Ile Leu Ala Asn Thr Leu Val Pro His Glu 195 200 205

Met Gly Ala Leu Arg Ser Ala Leu Ala Val Leu Gly Leu Gly Gly Val 210 220

Gly Ala Ala Phe Thr Cys Ile Thr Ile Tyr Ser Ser Glu Leu Phe Pro 225 230 235 240

Thr Val Leu Arg Met Thr Ala Val Gly Leu Gly Gln Met Ala Ala Arg 245 250 255	
Gly Gly Ala Ile Leu Gly Pro Leu Val Arg Leu Leu Gly Val His Gly 260 265 270	
Pro Trp Leu Pro Leu Leu Val Tyr Gly Thr Val Pro Val Leu Ser Gly 275 280 285	
Leu Ala Ala Leu Leu Pro Glu Thr Gln Ser Leu Pro Leu Pro Asp 290 295 300	
Thr Ile Gln Asp Val Gln Asn Gln Ala Val Lys Lys Ala Thr His Gly 305 310 315 320	
Thr Leu Gly Asn Ser Val Leu Lys Ser Thr Gln Phe 325 330	
<210> 80 <211> 2250 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (10)(738) <223>	
<pre><400> 80 caaggcagc atg agc cga tca ccc ctc aat ccc agc caa ctc cga tca gtg</pre>	51
ggc tcc cag gat gcc ctg gcc ccc ttg cct cca cct gct ccc cag aat Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn 20 25 30	99
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn	99 147
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn 15 20 25 30 ccc tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly	
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn 20 25 30 ccc tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly 35 40 45 ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu	147
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn 20 25 30 ccc tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly 35 40 45 ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu 50 55 60 ctc tgt gtc tcc cac ctg ctc ctg ctt tgc agt ctc tcc cca gga gga Leu Cys Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly	147 195
CCC tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly 35 Ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu 50 Ctc tgt gtc tcc cac ctg ctc ctg ctt tgc agt ctc tcc cca gga gga Leu Cys Val Ser His Leu Leu Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly 65 Ctc tct tac tcc cct tct cag ctc ctg gcc tcc agc ttc ttt tca tgt Leu Ser Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys	147 195 243
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn 20 25 30 30 ccc tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly 45 ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu Cys Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly 65 70 75 ctc tct tac tcc cct tct cag ctc ctg gcc tcc agc ttc ttt tca tgt Leu Ser Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys 80 ggt atg tct acc atc ctg caa act tgg atg agc agg ctg cct ctt Gly Met Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu	147 195 243
Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn 30 ccc tcc acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly 45 ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu Cys Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly 65 ctc tct tac tcc cct tct cag ctc ctg gcc tcc agc tcc agc tcc tct tct tac tcc cct tct cag ctc ctg gcc tcc agc ttc ttt tca tgt Leu Ser Tyr Ser Pro Ser Gln Leu Leu Leu Ala Ser Ser Phe Phe Ser Cys 80 ggt atg tct acc atc ctg caa act tgg atg ggc agc agc agg ctg cct ctt Gly Met Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu Pro Leu 105 gtc cag gct cca tcc tta gag ttc ctt atc cct gct ctg gtg ctg acc Val Gln Ala Pro Ser Leu Glu Phe Leu Ile Pro Ala Leu Val Leu Thr	147 195 243 291
CCC tCC acc cac tct tgg gac cct ttg tgt gga tct ctg cct tgg ggc Pro Ser Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly 35 Ctc agc tgt ctt ctg gct ctg cag cat gtc ttg gtc atg gct tct ctg Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu 50 Ctc tgt gtc tcc cac ctg ctc ctg ctt tgc agt ctc cca gga gga Leu Cys Val Ser His Leu Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly 65 Ctc tct tac tcc cct tct cag ctc ctg gcc tcc agc ttc ttc ccc gga gga Leu Ser Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys 80 ggt atg tct acc atc ctg caa act tgg atg ggc agc agg ctg cct ctt Gly Met Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu 95 agc cag aag cta ccc cgg gcc atc cag aca cct gga aac tcc tcc ctc Ser Gln Lys Leu Pro Arg Ala Ile Gln Thr Pro Gly Asn Ser Ser Leu	147 195 243 291 339

160	165	16	U 200 PCT I 170	FINAL.ST25	
ctg cag ggc atg at Leu Gln Gly Met Me 175	g ggg ctg ctg t Gly Leu Lei 180	g ggg agt cc u Gly Ser Pr 18	o Gly His Y	gtg ttc ccc /al Phe Pro 190	579
cac tgt ggg ccc ct His Cys Gly Pro Le 19	u Val Leu Ala	ccc agc ct Pro Ser Le 200	g gtt gtg o u Val Val 1	gca ggg ctc Ma Gly Leu 205	627
tct gcc cac agg ga Ser Ala His Arg Gl 210	g gta gcc cag u Val Ala Glr	ttc tgc tt Phe Cys Ph 215	e Thr His 1	gg ggg ttg rp Gly Leu 20	675
gcc ttg ctg tac gt Ala Leu Leu Tyr Va 225	g agt oot gag 1 Ser Pro Glu 230	Arg Arg Gl	g atg gtg c y Met Val F 235	cc agt ggg ro Ser Gly	723
ggt gta tgg ggg gad Gly Val Trp Gly Asp 240	c taggggaggg o	cagaactget (ggtcctatca	gattcagcag	778
cgactggaat agggaca	at tttatattt	g gaatccaaga	cttttcctt	g attcatctgg	838
tctccttgaa tttcacad	tg ttttctgct	g tececeaage	tcacttcct	a ttccttccat	898
gggagtttcc ttctctgg	ta tcaccccc	g ctcttatgat	attotgcco	a ctcccacctc	958
ctttcccatc cctcagga	ta cccactgcc	t cttgctccta	aagccttct	g tctcctaggg	1018
ttatcctgct catggtgg	tc tgttctcag	c acctgggctc	ctgccagtt	t catgtgtgcc	1078
cctggaggcg agcttcaa	cg tcatcaact	acact <u>cctct</u>	ccctgtctt	cggctccttt	1138
cggtatgtgt gggtctgg	gc agggcagta	g aggtcagaag	ggctggcct	gagtgctcac	1198
tccatcccct accttttg	gc ttctgtctad	ccctgcaagg	ctggctcaga	aggttctggg	1258
ggaggagttc ttttctca	gt ctcgcccct	aggtgctgat	cccagtggc	tgtgtgtgga	1318
ttgtttctgc ctttgtgg	ga ttcagtgtta	tccccagga	actgtctgcc	cccaccaagg	1378
caccatggat ttggctgc	ct cacccaggtg	agtggaattg	gcctttgctg	acgcccagag	1438
ctctggctgc aggcatct	cc atggccttgg	cagcctccac	cagttccctg	ggctgctatg	1498
ccctgtgtgg ccggctgc	tg catttgcctc	ccccacctcc	acatgcctgc	agtcgagggc	1558
tgagcctgga ggggctgg	gc agtgtgctgg	ccgggctgct	gggaagcccc	atgggcactg	1618
catccagett ceccaacg	ig ggcaaagtgg	gtcttatcca	ggtacgtgga	cctgggatgg	1678
gagtggggta ggatggagd	t agaggggaag	aagaaggaca	ggaacttaca	ccgattgatt	1738
gccaggtgtg cctagcaco	t cacatcaact	atcttacttg	gggaggtgcc	taagattaga	1798
ctttgggcta agagagtgg	g gaagtgaaca	aatcaccacg	gaactcctgt	gcatgaggca	1858
ctgtatcaag gctagggca	a agaaccagtc	acataaagtt	ctgctctctt	ggggacttca	1918
tagagggaga ggcagacag	t tgaaggaaaa	aagtatcttt	ttaaaaaagt	gggccaggca	1978
⊧99t99∈t ca cacctgtaa	t cctagcacgt	ggggaggctg	aggcaggcag	atcacttagg	2038
ctaggaattc aagaccagc	c tggccaacat	ggtgaaaccc	tgtctctact	aaaaatacaa	2098
aaattagctg ggcatggtg	t tgtgcaccta	taattccagc	tactcaggag	gctgaggcag	2158
gagaatcgct tgagcctgg	g aggcagaggt	tgctgtgagc	cgagaccgca	ccactgcact	2218
ccagcctggg cgacagagc	g agactccatc	tc		r	2250
<210> 81 <211> 243				.:	

<210> 81 <211> 243 <212> PRT <213> Homo sapiens

<400> 81

16U 200 PCT FINAL.ST25 Met Ser Arg Ser Pro Leu Asn Pro Ser Gln Leu Arg Ser Val Gly Ser Gln Asp Ala Leu Ala Pro Leu Pro Pro Pro Ala Pro Gln Asn Pro Ser 20 25 30 Thr His Ser Trp Asp Pro Leu Cys Gly Ser Leu Pro Trp Gly Leu Ser Cys Leu Leu Ala Leu Gln His Val Leu Val Met Ala Ser Leu Leu Cys Va) Ser His Leu Leu Leu Cys Ser Leu Ser Pro Gly Gly Leu Ser 65 70 75 80Tyr Ser Pro Ser Gln Leu Leu Ala Ser Ser Phe Phe Ser Cys Gly Met Ser Thr Ile Leu Gln Thr Trp Met Gly Ser Arg Leu Pro Leu Val Gln Ala Pro Ser Leu Glu Phe Leu Ile Pro Ala Leu Val Leu Thr Ser Gln 115 120 125 Lys Leu Pro Arg Ala Ile Gln Thr Pro Gly Asn Ser Ser Leu Met Leu His Leu Cys Arg Gly Pro Ser Cys His Gly Leu Gly His Trp Asn Thr 145 150 155 160 Ser Leu Gln Glu Val Ser Gly Ala Val Val Ser Gly Leu Leu Gln Gly Met Met Gly Leu Leu Gly Ser Pro Gly His Val Phe Pro His Cys 180 185 190Gly Pro Leu Val Leu Ala Pro Ser Leu Val Val Ala Gly Leu Ser Ala His Arg Glu Val Ala Gln Phe Cys Phe Thr His Trp Gly Leu Ala Leu 210 215 220

Leu Tyr Val Ser Pro Glu Arg Arg Gly Met Val Pro Ser Gly Gly Val

Trp Gly Asp

<210> 82 <211> 1865 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (99)..(1508) <223>

<400> 82
attttatttc aggaatccat caacatcctt tgcagctaca taggcaggaa aatctagaaa 60
ttgtaattta tatagaattt taaaactctt caattaca atg gat aga ggg gag aaa 110
Page 43

160	20	0	PG	T	FI	NAL.	ST25	,
Me	e t	A:	sp	Ar	g	Gly	Glu	Lys
1							5	

												1				5		
at II	a ca e G	ag i	ct <i>c</i> Leu	aag Lys 10	aga Arg	gt g Va	g tt 1 Ph	t gg e Gl	a ta y Ty 15	t tg r Tr	g tg p Tr	p G1	c ac y Th	a ag r Se 20	er P	tt he	ttg Leu	164
c t Le	t at	le i	aat Asn 25	atc Ile	att	gg G1	t gc y Al	a gga a G1: 30	a at y Il	t tt e Ph	t gte e Va	g tc l Se	c cc r Pr 35	O Ly	a g /s G	gt ly	gtg Val	212
t t Le	g go u A) 40	a	ac Tyr	tct Ser	t gc Cys	ate Mei	g aad t Asi 45	c gto n Val	g gg l G1	a gt y Va	c tce 1 Se	c ct c Le	g tg u Cy	c gt s Va	t to	99 rp /	gct Ala	260
gg G1 55	у Су	rs A	icc lla	ata Ile	ctg Leu	gco Ala 60	a Me	g aca t Thi	tc Se	a ac r Th	t cti r Lei 65	t tge	c tc s Se	t gc r Al	a ga a Gì	u :	ata Ile 70	308
ag Se	t at r Il	a a e S	gc er	ttc Phe	cca Pro 75	t go Cys	agt Ser	t gga t Gly	gc' Ala	t caa a Gli 80	a tao	tai Tyi	t tti	t ct e Le	c aa u Ly 85	rs A	aga Arg	356
ta:	c tt r Ph	t g e G	1 y	tcc Ser 90	acg Thr	gtt Val	gct Ala	ttt Phe	tte Lei 95	g aat u Asi	t ctc n Lev	tgg Trp	g aca o Thi	tc Se 10	r Le	g t	tt he	404
Lei	9 99 1 G1	y S	ca er 05	999 Gly	gta Vạl	gtt Val	gct Ala	ggc Gly 110	Gli	gct Ala	t ctg a Leu	cto Lev	ctt Leu 115	1 Al	t ga a Gl	g t u T	ac 'yr	452
ago Sei	110 120	e G	ag (ln i	cct Pro	ttt Phe	ttt Phe	Pro 125	Ser	t go Cys	tct Ser	gtc Val	Pro 130	Lys	Lei	g cc u Pr	t a o L	ag ys	500
Lys 135	Cy	s L	eus A	41a	Leu	Ala 140	Met	Leu	Trp	att Ile	Val 145	Gly	Ile	Lei	ı Th	r S	er 50	549
Arg	GI	y Va	a]]	.ys	G1ս 155	Val	Thr	Trp	Leu	Cag Gln 160	Ile	Ala	Ser	Ser	16	1 L 5	eu	596
rys	val	Se	er 1	70	Leu	Ser	Phe	Ile	Ser 175		Thr	Gly	Val	Val 180	Phe	e L	eu	644
He	Arg	1 G I	y I 5	ys I	Lys	Glu	Asn	Val 190	Glu	cga Arg	Phe	Gln	Asn 195	Ala	Phe	? A:	sp	692
Ala	200	Le	u P	ro A	Asp	Ile	Ser 205	His	Leu	ata Ile	Gln	Ala 210	Ile	Phe	Glr	ı G	ÌУ	740
1yr 215	Phe	Al	ат	yr S	Ser (G1 y 220	Gly	Ala	Cys	ttt Phe	Thr 225	Leu	Ile	Ala	Gly	23	l u 30	788
Leu	rys	Ly	s P	ro A 2	rg 1	lhr	Thr	Ile	Pro	aaa Lys 240	Cys	Ile	Phe	Thr	Ala 245	Le	eu	836
Pro	Leu	Va	2	hr V 50	al \	/al	Tyr	Leu	Leu 255	gtt Val	Asn	Ile	Ser'	Tyr 260	Leu	Th	r	884
vai	гев	26:	r Pi	CO A	rg G	ilu i	Ile	Leu 270	Ser	tca Ser	Asp	Ala	Val 275	Ala	Ile	Th	r	932
тър	280	AS) Ai	rg A	la F	he i	Pro 285	Ser i	Leu	gca Ala	Trp	11e i 290	Met	Pro	Phe	Al	a	980
11e 295	Ser	Thi	t Se	r L	eu P	tt a he s 00	ser i	aac (Asn 1	ct t Leu	ctg Leu	att Ile: 305	tct Ser	ata Ile	ttt Phe	aaa Lys	tc Se 31	r	1028

														L.ST		1076
tcg Ser	aga Arg	Pro	lle	Tyr	Leu	Ala	Ser	Gln	Glu	G1 y	Gln	Leu	Pro	t t g Leu	Leu	1070
				315					320					325		
ttt	aat	aca Thr	ctt	aat Asn	agt Ser	cac	tct	tct	cca	ttt	aca Thr	gct Ala	gtg Val	cta Leu	cta Leu	1124
rne	nau		330	71.511	561		501	335			••••		340			
ctt	gtc	act	ttg	gga	tcc	ctt	gca	att	atc	tta	aca	agt	cta	att	gat	1172
Leu	Val	Thr 345	Leu	Gly	Ser	Leu	Ala 350	lle	lle	Leu	Thr	Ser 355	Leu	Ile	Asp	
tta	ata	aac	tat	att	+++	ttc	aca	oat	tca	tta	taa	tct	ata	tta	tta	1220
	He					Phe					Trp			Leu		
	360					365					370					
atg Met	ata	gga Glv	ata	cta	agg Arg	cgg Arg	aga Aro	tac Tvr	cag Gln	gaa Glu	CCC Pro	aat Asn	cta Leu	tct Ser	ata Ile	1268
375		0.,	***	200	380	9		-,-		385					390	
cct	tat	aag	gtg	ttt	ttg	tca	ttt	cca	tta	gca	aca	ata	gtc	atc	gac	1316
Pro	Tyr	Lys	Val	Phe 395	Leu	Ser	Phe	Pro	100	Ala	Thr	116	val	11e 405	Asp	
ata	aac	tta	att	ata	ata	cca	tta	αta	aao	tct	сса	aat	ata	cat	tat	1364
Val	Gly	Leu	Val	Val	Ile	Pro	Leu	Val	Lys	Ser	Pro	Asn	Val 420	His	Tyr	
			410					415								
gtc Val	tac Tyr	gtg Val	ctt Leu	ctg Leu	tta Leu	gtt Val	ctc Leu	agc Ser	gga Gly	tta Leu	cta Leu	ttt Phe	tac Tyr	ata Ile	cct Pro	1412
	•	425					430					435				
														act		1460
ren	440	H15	Pne	rys	116	445	ren	Ala	пр	rne	450	rys	net	Thr	cys	
tat	tta	caa	tta	cta	ttt	aat	att	tgc	ctc	cct	gat	gtg	tct	gag	gaa	1508
Tyr 455	Leu	Gln	Leu	Leu	Phe 460	Asn	lle	Cys	Leu	Pro 465	Asp	Val	Ser	Glu	Glu 470	
								. ++.	10001		222		at a	tate:	agatto	1568
															tatttt	1628
						-									cagag	1688
															gtttgc	1748
gtag	ctt	gat a	agagt	gati	ta ta	acaad	cttc	ati	ctc	cac	ttti	ttt	ttc	tgtal	cccac	1808
ccct	ttt	cta d	etgaa	attt	gt g	ggat	ccta	a taa	ataaa	agt	gaal	tgac'	taa	aaat	tt	1865
<210)> {	33														
<211		170														
<212 <213		PRT Iomo	sapi	ens												
< 400)> {	33														

Trp Gly Thr Ser Phe Leu Leu Ile Asn Ile Ile Gly Ala Gly Ile Phe 20 25 30

Val Ser Pro Lys Gly Val Leu Ala Tyr Ser Cys Met Asn Val Gly Val 35 40 45

Ser Leu Cys Val Trp Ala Gly Cys Ala Ile Leu Ala Met Thr Ser Thr 50 55 60

Leu Cys Ser Ala Glu Ile Ser Ile Ser Phe Pro Cys Ser Gly Ala Gln 65 70 75 80

Tyr Tyr Phe Leu Lys Arg Tyr Phe Gly Ser Thr Val Ala Phe Leu Asn 85 90 95

Leu Trp Thr Ser Leu Phe Leu Gly Ser Gly Val Val Ala Gly Gln Ala 100 105 110

Leu Leu Leu Ala Glu Tyr Ser Ile Gln Pro Phe Phe Pro Ser Cys Ser 115 120 125

Val Pro Lys Leu Pro Lys Lys Cys Leu Ala Leu Ala Met Leu Trp Ile 130 135 140

Val Gly lle Leu Thr Ser Arg Gly Val Lys Glu Val Thr Trp Leu Gln 145 150 155 160

Ile Ala Ser Ser Val Leu Lys Val Ser Ile Leu Ser Phe Ile Ser Leu 165 170 175

Thr Gly Val Val Phe Leu Ile Arg Gly Lys Lys Glu Asn Val Glu Arg 180 185 190

Phe Gln Asn Ala Phe Asp Ala Glu Leu Pro Asp Ile Ser His Leu Ile 195 200 205

Gln Ala Ile Phe Gln Gly Tyr Phe Ala Tyr Ser Gly Gly Ala Cys Phe 210 215 220

Thr Leu Ile Ala Gly Glu Leu Lys Lys Pro Arg Thr Thr Ile Pro Lys 225 230 235 240

Cys Ile Phe Thr Ala Leu Pro Leu Val Thr Val Val Tyr Leu Leu Val 245 250 255

Asn Ile Ser Tyr Leu Thr Val Leu Thr Pro Arg Glu Ile Leu Ser Ser 260 265 270

Asp Ala Val Ala Ile Thr Trp Ala Asp Arg Ala Phe Pro Ser Leu Ala 275 280 285

Trp Ile Met Pro Phe Ala Ile Ser Thr Ser Leu Phe Ser Asn Leu Leu 290 295 300

Ile Ser Ile Phe Lys Ser Ser Arg Pro Ile Tyr Leu Ala Ser Glu 305 310 315 320

Gly Gln Leu Pro Leu Leu Phe Asn Thr Leu Asn Ser His Ser Ser Pro 325- 330- 335

Phe Thr Ala Val Leu Leu Leu Val Thr Leu Gly Ser Leu Ala Ile Ile 340 345 350

Leu Thr Ser Leu Ile Asp Leu Ile Asn Tyr Ile Phe Phe Thr Gly Ser 355 360 365

Leu Trp Ser Ile Leu Leu Met Ile Gly Ile Leu Arg Arg Tyr Gln 370 375 380

Glu Pro Asn Leu Ser Ile Pro Tyr Lys Val Phe Leu Ser Phe Pro Leu 385 390 395 400

60

120

16U 200 PCT FINAL.ST25

Ala	Thr	Ile	Val	He	Asp	Val	Gly	Leu	Val	Val	lle	Pro	Leu	Val	Lys
				405					410					415	_

Ser Pro Asn Val His Tyr Val Tyr Val Leu Leu Leu Val Leu Ser Gly
420 425 430

Leu Leu Phe Tyr Ile Pro Leu Ile His Phe Lys Ile Arg Leu Ala Trp 435 440 445

Phe Glu Lys Met Thr Cys Tyr Leu Gln Leu Leu Phe Asn Ile Cys Leu 450 455 460

Pro Asp Val Ser Glu Glu 465 470

<210> 84 <211> 1046

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (319)..(852)

<223>

<400> 04
gaacacatet gaatteette tetgtggcat atgetttagg agaggageag acagetetta
getagggtca gattteaaat teteatetet tggtgccaat accaccacca gattettett

tgaagtcaac ttttgagatc ttcactaagt acacgttggt gtctgaagat tcacacgagt 180

gcctctggta atcattttct tcagggaatc acagtctctc ctctcagcaa agcatccact 240 gtactgaact ttgcttttgg aaacatcttc ttcctgagac ctcgttgaaa gaaactctct 300

ggtgtcatac tttccaat atg gag gtg aag aac ttt gca gtt tgg gat tat 351

Met Glu Val Lys Asn Phe Ala Val Trp Asp Tyr

1 5 10

gtt gta ttt gca gcc ctc ttt ttc att tcc tct gga att ggg gtg ttc
Val Val Phe Ala Ala Leu Phe Phe Ile Ser Ser Gly Ile Gly Val Phe
15 20 25

ttt gcc att aag gag aga aaa aag gca act tcc cga gag ttc ctg gtt
Phe Ala Ile Lys Glu Arg Lys Lys Ala Thr Ser Arg Glu Phe Leu Val

ggg gga agg caa atg agc ttt ggc cct gtc ggc ttg tct ctg aca gcc 495 Gly Gly Arg Gln Met Ser Phe Gly Pro Val Gly Leu Ser Leu Thr Ala 45 50 55

agc ttc atg tca gct gtc acg gtc ctg ggg acc cct tct gaa gtc tac
Ser Phe Met Ser Ala Val Thr Val Leu Gly Thr Pro Ser Glu Val Tyr
60 65 70 75

cgc ttt ggg gca tcc ttc cta gtc ttc ttc att gct tac cta ttt gtc
Arg Phe Gly Ala Ser Phe Leu Val Phe Phe Ile Ala Tyr Leu Phe Val

atc ctc tta aca tca gag ctc ttt ctc cct gtg ttc tac aga tct ggt

Ile Leu Thr Ser Glu Leu Phe Leu Pro Val Phe Tyr Arg Ser Gly

95

100

105

atc acc agc act tat gag tac tta caa cta cga ttc aac aaa cca gtt

1le Thr Ser Thr Tyr Glu Tyr Leu Gln Leu Arg Phe Asn Lys Pro Val

110 115 120

cgc tat gct gcc acg gtc atc tac att gta cag acg att ctc tac aca
Arg Tyr Ala Ala Thr Val Ile Tyr Ile Val Gln Thr Ile Leu Tyr Thr
125
130
135

996 G1 146	y Va	g gt 1 Va	g gt l Va	g ta 1 Ty	t gc r Al 14	a Pr	t gc o Al	c ct a Le	g gc u Al	a ct	c aa u As	t ca	a at	a ac	ST25 t ggg r Gly 155	783
tt! Phe	t ga e As	t ct p Le	c tg u Tr	g gg p Gl 16	y Se	t gt r Va	g tt 1 Ph	t gc e Al	a aca a Th: 16	r Gl	a at y 11	t gt e Va	t tg l Cy	c ac s Th	a ttc r Phe 0	831
tac Tyr	tg Cy:	t ac s Th	c cter r Ler 17	u Va	a tg 1 Cy:	t ate	c ta e	gctg	tgaa	gaa	gtat	tta	асас	tacc	tc	882
cta	ata	tggg	ata	aggg	caa a	atct	ccag	ca a	taggo	catc	t aa	ttat	agca	gaa	ttcgtta	942
tto	caa	aatt	aago	caga	agt a	atgto	ggc	tt a	tctgt	caca	a gti	ttcc	tgag	gaa	ggtgctg	1002
ttg	ittta	васа	ttc	ttt	cat 1	tacca	acc!	tt ta	aggag	gaati	t taa	at				1046
<21 <21 <21	1> 2>	85 178 PRT														
<21			sar	oien:	5											•
<40	0>	85														
Met 1	Glu	va)	Lys	Asr 5	n Ph∈	Ala	Va]	Trp	Asp 10	Туг	· Val	Va]	Phe	2 Ala 15	a Ala	
Leu	Phe	Phe	11e 20	Ser	Ser	: Gly	Ile	Gly 25	val	Phe	Phe	· Ala	11e 30	. Lys	Glu	
Arg	Lys	Lys 35	Ala	Thr	Ser	Arg	Glu 40	Phe	Leu	Val	Gly	Gly 45	Arg	G)n	Met	
Ser	Phe 50	G1 y	Pro	Val	Gly	Leu 55	Ser	Leu	Thr	Ala	Ser 60	Phe	Met	Ser	Ala	
Val 65	Thr	Val	Leu	G) y	Thr 70	Pro	Ser	Glu	Val	Tyr 75	Arg	Phe	Gly	Ala	Ser 80	
Phe	Leu	Val	Phe	Phe 85	Ile	Ala	Tyr	Leu	Phe 90	Val	Ile	Leu	Leu	Thr 95	Ser	
Glu	Leu	Phe	Leu 100	Pro	Val	Phe	Tyr	Arg 105	Ser	Gly	Ile	Thr	Ser 110	Thr	Tyr	
Glu	Tyr	Leu 115	Gln	Leu	Arg	Phe	Asn 120	Lys	Pro	Val _.	Arg	Tyr 125	Ala	Ala	Thr	
Val -	11e 130	Tyr	Ile	Val	Gln	Thr 135	lle	Leu	Туr	Thr	Gly 140	Va _. 1	Val	Val	Tyr	
Ala 145	Pro	ΑΊa	Ľeu	Ala	Leu 150	Asn	Gln	Val	Thr	Gly 155	Phe	Asp	Leu	Trp	Gly 160	
Ser	Val	Phe	Ala	Thr 165	Gly	lle	Val	Cys	Thr 170	Phe	Tyr	Cys	Thr	Leu 175	Val·	

Cys Ile

<210> 86 <211> 4751 <212> DNA <213> Homo sapiens

										16U	200	PCT	FIN	AL.S	T25	
<22 <22 <22 <22	1> 2>	CDS (382	2)(1929))	-										
<40 ccc		86 gag	ctgg	cggg	ıgc t	gaat	gago	c gg	tgca	tttc	gaa	ggcc	gag	cact	gggati	t 60
ttc	cgcg	cta	cgct	tccc	tc t	cccg	gcgt	t gc	cago	tagg	ccc	ccgg	ccc	cagc	ctcgc	c 12 0
ggc	gcct	ccg	ccca	gtcc	gc t	cccc	gccc	c ac	cgaa	gcgc	gga	tcgc	gca	gcct	99 9 9c	2 180
cgg	gaag	999	ccac	tgcg	ca g	ggac	gcgg	c tc	ggcg	ggtg	cgc	cccg	ggg	gcat	gtccg	240
gcg	ctac	cgc	cagg	gctg	ca g	tggt	cccg	g cg	aggc	cctg	gca	acca	cca	ttct	acttt	300
tgt	gtct	atg	agtt	tgac	ta c	ccta	agga	c ct	caca	tggc	gag	taac	сса	tggg	ccagg	t 360
agc	gttc	tat	gcca	acct	tg a			tca Ser								411
								ttg Leu								459
aaa Lys	aga Arg	aaa Lys	acc Thr 30	atg Met	gca Ala	aaa Lys	gta Val	aat Asn 35	aga Arg	gct Ala	cgg Arg	tct Ser	acc Thr 40	tcc Ser	cct Pro	507
								att Ile								555
								aga Arg								603
								gat Asp								651
								atg Met								699
gtt Val	gtc Val	agt Ser	aac Asn 110	cat His	tta Leu	tcc Ser	tgt Cys	caa Gln 115	gtg Val	gga Gly	atc 11e	atg Met	ctg Leu 120	ggt Gly	ggc Gly	747
			Ser					ct g Leu								795
								gtt Val								843
ctt Leu 155	tgt Cys	tac Tyr	tct Ser	cca Pro	gct Ala 160	att Ile	gcc Ala	atg Met	gtt Val	ggc Gly 165	aag Lys	tac Tyr	ttc Phe	agc Ser	aga Arg 170	891
								gcc Ala								939
acc Thr	ttc Phe	atc Ile	ctg Leu 190	gct Ala	cct Pro	gtg Val	gtt Val	cag Gln 195	ctc Leu	ctt Leu	att Ile	gaa Glu	cág Gln 200	ttt Phe	tcc Ser	987
tgg Trp	cgg Arg	gga Gly 205	gcc Ala	tta Leu	ctc Leu	att Ile	ctt Leu 210	61 y	ggc Gly	ttt Phe	gtc Val	ttg Leu 215	aat Asn	ctc Leu	tgt Cys	1035
gta Val	tgt Cys 220	ggt Gly	gcc Ala	ttg Leu	atg Met	agg Arg 225	cca Pro	att Ile	act Thr	ctt Leu	aaa Lys 230	gag Glu	gac Asp	cac His	aca Thr	1083
act	cca	gag	cag	aac	cat	gtg	tgt	aga	act	cag	aaa	gaa	gac	att	aag	1131

Th:		o 61:	a Glm	a Asn	His 240		Cys	Aŕ	3 Thr		Lys	PCT Glu				
Ari Cgi	g gto g Val	g tot 1 Sei	ccc Pro	tat Tyr 255	Ser	Ser	ttg Leu	aco Thi	aaa Lys 260	Glu	t g g Trp	gca Ala	cag Gln	act Thr 265	Cys	1179
				Leu					agt Ser							1227
			Leu					Leu	ttt Phe							1275
		Phe					Pro		gct Ala							1323
cat His 315	Gln	caa Gln	gct Ala	gct Ala	ttt Phe 320	ctt Leu	atg Met	tcc Ser	ata Ile	ctt Leu 325	gga Gly	gtg Val	att Ile	gac Asp	att Ile 330	1371
									acc Thr 340							1419
aat Asn	tac Tyr	cag Gln	tat Tyr 350	gtt Val	tgc Cys	tac Tyr	ctc Leu	ttt Phe 355	gcc Ala	gtg Val	gga Gly	atg Met	gat Asp 360	999 Gly	ctc Leu	1467
tgc Cys	tat Tyr	ctc Leu 365	tgc Cys	ct <i>c</i> Leu	cca Pro	atg Met	ctt Leu 370	caa Gln	agt Ser	ctc Leu	cct Pro	ctg Leu 375	ctc Leu	gtg Val	cct Pro	1515
ttc Phe	tct Ser 380	tgt Cys	acc Thr	ttt Phe	ggc Gly	tac Tyr 385	ttt Phe	gat Asp	ggt Gly	gcc Ala	tat Tyr 390	gtg Val	act Thr	t t g Leu	atc Ile	1563
cca Pro 395	gta Val	gtg Val	acc Thr	aca Thr	gag Glu 400	ata Ile	gtg Val	999 G1 y	acc Thr	acc Thr 405	tct Ser	ttg Leu	tca Ser	tca Ser	gcg Ala 410	1611
ctt Leu	ggt Gly	gtg Val	Val	tac Tyr 415	ttc Phe	ctt Leu	cac His	gca Ala	gtg Val 420	cca Pro	tac Tyr	ttg Leu	Val	agc Ser 425	cca Pro	1659
ccc Pro	atc Ile	gca Ala	gga G1y 430	cgg Arg	ctg Leu	gta Val	gat Asp	acc Thr 435	acc Thr	ggc Gly	agc Ser	Tyr	act Thr 440	gca Ala	gca Ala	1707
ttc Phe	ctc Leu	ctc Leu 445	tgt Cys	gga Gly	ttt Phe	tca Ser	atg Met 450	ata Ile	ttt Phe	agt Ser	Ser	gtg Val 455	t t g Leu	ctt Leu	ggc Gly	1755
t t t Phe	gct Ala 460	aga Arg	ctt Leu	ata Ile	Lys	aga Arg 465	atg Met	aga Arg	aaa Lys '	Thr (cag Gln 470	ttg (Leu (cag Gln	ttc Phe	att Ile	1803
gcc Ala 475	aaa Lys	gaa Glu	tct (Ser)	Asp :	cct Pro:	aag Lys	ctg Leu	cag Gln	cta (Leu :	tgg-a Frp 1 485	hr i	aat (Asn (gga Gly :	Ser	gtg Val 490	1851
gct Ala	tat Tyr	tct Ser	Val 1	gca a Ala a 195	aga (Arg (gaa Glu i	tta Leu i	Asp	cag a Gln 1 500	aaa d Lys H	at d	999 9 Gly 6	Slu 1	ect of Pro 1 505	gtg Val	1899
gct Ala	aca Thr	Ala	gtg d Val I 510	ect e	ggc 1 Gly 1	tac . Tyr :	Ser !	ctc Leu 515	aca t Thr	gaco	aaaq	gg co	ttga			1949
caga	atct	tc a	ggttt	gaga	gag	ggtg	gggc	cac	cagat	tc t	tcat	gttt	c to	jaaad 	tttt	2009
tatt	ttgg	ca g	aagga	ttgo	cti	ccaa	gga	aat	tatta	i tt a	ttgt	tttg	t ta		atta	2069
atat	ttat	aa g	ggaaa	acaç	, cad	ata	taa	gga	aagct	99 a	ctag	ccca	g aç	ccti	ctca	2129
tttg	ggat	tt g	tgctc	ataa	cto	gaact	cgt	atc	ttttg	gt c	aatg	ggca	t ag	ctcl	gtaa	2189

gaaatgtaag	gacacagctg	atataattag		200 PCT FIR ggataatttc		2249
caaagcagat	gacactgggc	agcagctttg	ttccagtctc	aggcccttca	tgttccctcc	2309
tcagaaagaa	aatggaaaca	ttaacgtgta	gctttgctta	ccttgttctg	gttagagaag	2369
ggaggtcagc	ttgggtgtgg	tggtgaagag	tgaagatgcc	atacttttc	atggtggagt	2429
ttctcattag	ggttttactt	gggattgtta	aagaatactt	gagattcttc	aaaaagtggt	2489
gattaatata	gaaagaaact	cttatttttt	ttttctctta	gtcttccagc	cagecettge	2549
ctctgcccaa	gggtagacac	cactatgaga	atccaaataa	tcatggaatg	ccatggttgg	2609
aatagatctt	aaagggcatc	tggtaagatc	catttgaaat	tgtccactgg	aaaccgaaag	2669
ctcttttcct	aagactgggt	tccaggctct	cacatttgtt	accatcacat	ataatactta	2729
ctctaaattt	agcagaacac	acttagtcac	aaggacaacc	tctcaatctt	acctgaaatg	2789
tcaacaacac	caaaacttcc	cgtcttttac	cttcagagaa	gaagctctta	cttagactgc	2849
agacgcattc	ctgttaggtt	ggaaaaatgt	tggcagtatt	ccaattgggc	aggaactgaa	2909
ttcttgaatc	agcaggtctc	tggtgagagt	tttctttgca	gatcagacat	ttagttttat	2969
cattacccaa	aagaggattg	gagggagtca	gttgtctgaa	aaatattatc	ctagagatat	3029
tctaaaggtg	agattccttt	ctccctgtgt	taattcttgt	tccactatcc	actgctcttc	3089
atctctttat	agataataat	tagaaatcta	ctcattggat	tataagttta	ttcattctca	3149
aatactccac	ttttctatgg	tttgggataa	tttctgagtc	ttcagattga	agagggaa gg	3209
catggaggga	agaaaaagtc	cagatecece	agcttgtttc	caaccatttt	aagtccaaag	3269
aattataatc	ctgaatctca	cagtgtgtca	cacctgtaat	aggagtaaat	tatgcaatca	3329
attttaatta	ccaggagttt	aaaatccaaa	tgtcaaggaa	ctgttttgac	cctgaaggct	3389
atttaatcca	ctgtccccta	caaggcctca	caagtgctgg	gggaaaaaaa	acagcaatga	3449
ggatgatcct	gagttaatgt	gtatgctccg	caagagagct	tgcctatacc	ttgattattt	3509
cataaaatca	catgttaata	cattgctttc	agaatgaaat	actgacttga	tctgatagga	3569
gaaaatggta	atatttcata	gttgttttcc	aaagacaaat	ttaaatgttg	tctgttatct	3629
ccttacttag	tttaagaatt	tagttttgaa	ccccattgac	tttgtcattt	gcaattttaa	3689
aaatatttgg	gactgggcat	ggtcgctcac	gcctgtaatc	ccagcacttt	gggaggctga	3749
ggcgggtgga	tcatgaggtc	aggagatcaa	gaccatcctg	gctaacatcg	tgaaactccg	3809
tctctactaa	aaatgcaaaa	gattagccag	gcgtggtggc	gggcgcctgt	agtcccagct	3869
actcatgagg	ctgaggccgg	acaatcgctt	gaacccagga	ggtggaggtt	gcagtgagcc	3929
aaaatcatgc	cactgcactc	caccctgggc	gacagagcaa	gactccatct	сааваавааа	3989
_aaattggaag	gtatctgtaa	aatgtcaaag	ttaagatgaa	gttatatctg	tttggaatag	4049
cactttgccc	taaatatcat	ttcttgaatt	ttcaagccta	aagatgttta	aaaatatgaa	4109
tagttacaaa	tattcttata	catattttt	atcatgatca	caacaaaatt	ttgtttatgt	4169
ggttctgcaa	tataatttct	gtgaagtatt	acaagtattt	atgaaaaata	agcatagtga	4229
				tttgacttta		4289
				aaaatcagta	* *	.4349
			_	ttagtgttaa	•	4409
				tgatgtattt		4469
				ttctttctac		4529
tctactttgg	aattatctga	gtagaaaatc	agaagacatt	atctaacttt	gtagatacac	4589

tgtatgattg	ggctttttgt	tcagattgta	atttcattaa	tagatgaaat	atttatgcta	4649
atattttctt	atttcaaaag	caaaataaaa	tgaatttatt	gtcctgtgta	aaaaaaaaa	4709
aaaaaaaaaa	aaaaaaaaa	aaaaaaaaa	аааааааааа	aa		4751

<210>	87	
<211>	516	
<212>	PRT	
<213>	Homo	sapiens

<400> 87

Met Pro Ser Gly Ser His Trp Thr Ala Asn Ser Ser Lys Ile Ile Thr 1 5 15

Trp Leu Leu Glu Gln Pro Gly Lys Glu Glu Lys Arg Lys Thr Met Ala $20 \hspace{1cm} 25 \hspace{1cm} 30$

Lys Val Asn Arg Ala Arg Ser Thr Ser Pro Pro Asp Gly Gly Trp Gly 35 40 45

Trp Met Ile Val Ala Gly Cys Phe Leu Val Thr Ile Cys Thr Arg Ala 50 55 60

Val Thr Arg Cys Ile Ser Ile Phe Phe Val Glu Phe Gln Thr Tyr Phe 65 70 75 80

Thr Gln Asp Tyr Ala Gln Thr Ala Trp Ile His Ser Ile Val Asp Cys . 85 90 95

Val Thr Met Leu Cys Ala Pro Leu Gly Ser Val Val Ser Asn His Leu $100 \hspace{1cm} 105 \hspace{1cm} 110$

Ser Cys Gln Val Gly 11e Met Leu Gly Gly Leu Leu Ala Ser Thr Gly 115 120 125

Leu Ile Leu Ser Ser Phe Ala Thr Ser Leu Lys His Leu Tyr Leu Thr 130 135 140

Leu Gly Val Leu Thr Gly Leu Gly Phe Ala Leu Cys Tyr Ser Pro Ala 145 150150155 160

Ile Ala Met Val Gly Lys Tyr Phe Ser Arg Arg Lys Ala Leu Ala Tyr 165 170 175

Gly Ile Ala Met Ser Gly Ser Gly Ile Gly Thr Phe Ile Leu Ala Pro 180 185 190

Val Val Gln Leu Leu Ile Glu Gln Phe Ser Trp Arg Gly Ala Leu Leu 195 200 205

lle Leu Gly Gly Phe Val Leu Asn Leu Cys Val Cys Gly Ala Leu Met 210 215

Arg Pro Ile Thr Leu Lys Glu Asp His Thr Thr Pro Glu Gln Asn His 225 230 235

Val Cys Arg Thr Gln Lys Glu Asp Ile Lys Arg Val Ser Pro Tyr Ser 245 250 255

16U 200 PCT FINAL.ST25 Ser Leu Thr Lys Glu Trp Ala Gln Thr Cys Leu Cys Cys Cys Leu Gln 260 265 270

Gln Glu Tyr Ser Phe Leu Leu Met Ser Asp Phe Val Val Leu Ala Val 275 280 285

Ser Val Leu Phe Met Ala Tyr Gly Cys Ser Pro Leu Phe Val Tyr Leu 290 295 300

Val Pro Tyr Ala Leu Ser Val Gly Val Ser His Gln Gln Ala Ala Phe 305 310 315 320

Leu Met Ser Ile Leu Gly Val Ile Asp Ile Ile Gly Asn Ile Thr Phe 325 \$330\$

Gly Trp Leu Thr Asp Arg Arg Cys Leu Lys Asn Tyr Gln Tyr Val Cys 340 350

Tyr Leu Phe Ala Val Gly Met Asp Gly Leu Cys Tyr Leu Cys Leu Pro 355 360 365

Met Leu Gln Ser Leu Pro Leu Leu Val Pro Phe Ser Cys Thr Phe Gly

Tyr Phe Asp Gly Ala Tyr Val Thr Leu Ile Pro Val Val Thr Glu 385 390 395 400

lle Val Gly Thr Thr Ser Leu Ser Ser Ala Leu Gly Val Val Tyr Phe

Leu His Ala Val Pro Tyr Leu Val Ser Pro Pro Ile Ala Gly Arg Leu 420 425 430

Val Asp Thr Thr Gly Ser Tyr Thr Ala Ala Phe Leu Cys Gly Phe

Ser Met Ile Phe Ser Ser Val Leu Leu Gly Phe Ala Arg Leu Ile Lys

Arg Met Arg Lys Thr Gln Leu Gln Phe Ile Ala Lys Glu Ser Asp Pro 465 470 475 480

Lys Leu Gln Leu Trp Thr Asn Gly Ser Val Ala Tyr Ser Val Ala Arg 485 490 495

Glu Leu Asp Gln Lys His Gly Glu Pro Val Ala Thr Ala Val Pro Gly 505

Tyr Ser Leu Thr 515

<210> 88

<211> 2150

<212> DNA

<213> Homo sapiens

<220>

<221>

<222> (63)..(1760)

<223>

<400> 88

qc	toga	caaa	gct	aacc	ata (cagg	cact	ca o	acat				r Fli		ST25 cggccag	60
	atg	gac	agc	ctc	cag	gac	aca	gtg	gcc	ctg Leu	gac	cat	ggg	ggc	tac	107
	- 1				5					10					15	
Cy.	s Pr	o Al	a Le	u Sei 20	c Arg	g Cto	g gti val	l Pro	aga Arg 25	a ggo	Phe	Gl	g act	61 G1v	g atg u Met	155
															g ctg l Leu	203
Thi	t tti r Phe	t ato	g ato	tac Tyr	ato Ile	gtg Val	ser 55	act Thr	gtç Val	tto Phe	tgc Cys	999 Gly 60	g cad y His	cto Lei	g Gly	251
															gtc Val	299
															ttg Leu 95	. 347
atg Met	tct Ser	Gln	ago Ser	Phe 100	Gly	agc Ser	ccc Pro	aac Asn	aag Lys 105	Lys	cac His	gtg Val	ggc Gly	gtg Val 110	atc Ile	395
ct g Leu	cag Gln	cgg Arg	ggc Gly 115	Ala	ctg Leu	gtc Val	ct g Leu	ctc Leu 120	Leu	tgc Cys	tgc Cys	ct c Leu	cct Pro 125	Cys	tgg Trp	443
gcg Ala	ctc Leu	ttc Phe 130	Leu	aac Asn	acc Thr	cag Gln	cac His 135	Ile	ctg Leu	ctg Leu	ctc Leu	ttc Phe 140	Arg	cag Gln	gac Asp	491
ccg Pro	gac Asp 145	gtg Val	tcc Ser	agg Arg	ttg Leu	acc Thr 150	cag Gln	gac Asp	tat Tyr	gta Val	atg Met 155	att Ile	ttc Phe	att Ile	cca Pro	539
gga Gly 160	Leu	ccg Pro	gtg Val	att Ile	ttt Phe 165	ctt Leu	tac Tyr	aat Asn	ctg Leu	ctg Leu 170	gca Ala	aaa Lys	tat Tyr	ttg Leu	caa Gln 175	587
aat Asn	cag Gln	aag Lys	atc Ile	acc Thr 180	tgg Trp	ccc Pro	caa Gln	gtc Val	ctc Leu 185	agt Ser	ggt Gly	gtg Val	gtg Val	ggc Gly 190	aac Asn	635
tgt Cys	gtc Val	aac Asn	ggt Gly 195	gtg Val	gcc Ala	aac Asn	tat Tyr	gcc Ala 200	Leu	gtt Val	tct Ser	gtg Val	ctg Leu 205	aac Asn	ctg Leu	683
										atc Ile						731
acc Thr	gtc Val 225	ttc Phe	ctc Leu	ctt Leu	ctc Leu	tac Tyr 230	att Ile	gtg Val	ctg Leu	aag Lys	aag Lys 235	ctg Leu	cac His	ctg Leu	gag Glu	779
acg Thr 240	tgg Trp	gca Ala	ggt Gly	tgg Trp	tcc Ser 245	agc Ser	cag Gln	tgc Cys	ctg Leu	cag Gln 250	gac Asp	tgg Trp	G] y	ccc Prọ	ttc Phe 255	827
ttc Phe	tcc Ser	ctg Leu	gct Ala	gtc Val 260	CCC Pro	agc Ser	atg Met	ctc Leu	atg Met 265	atc Ile	tgt Cys	gtt Val	gaġ Glu	tgg Trp 270	tgg Trp	875
gcc Ala	tat Tyr	Gl u	atc Ile 275	GJ y ggg	agc Ser	ttc Phe	Leu	atg Met 280	999 Gly	ctg Leu	ctc Leu	agt Ser	gtg Val 285	Val	gat Asp	.1923
ctc Leu	Ser	gcc Ala 290	cag Gln	gct Ala	gtc Val	Ile '	tac Tyr 295	gag Glu	gtg Val	gcc Ala	Thr	gtg Val 300	acc Thr	tac Tyr	atg Met	971
att	ccc	ttg	9 99	ctc	agc .	atc (ggg ·	gtc	tgt	gtc	cga -	gtg	999	atg	gct	1019

	lle	Pro 305	Leu	Gly	Leu	Ser	11e 310	Gl y	Val	Cys					L.ST Met		
	ctg Leu 320	ggg Gly	gct Ala	gcg Ala	gat Asp	act Thr 325	gtg Val	cag Gln	gcc Ala	aag Lys	cgc Arg 330	tcg Ser	gcc Ala	gtc Val	tcg Ser	ggc Gly 335	1067
	gtg Val	ctc Leu	agc Ser	ata Ile	gtt Val 340	ggc Gly	att Ile	tcc Ser	ctg Leu	gtc Val 345	ctg Leu	ggc Gly	acc Thr	ctg Leu	ata Ile 350	agc Ser	1115
	atc lle	ctg Leu	aaa Lys	aat Asn 355	cag Gln	ctg Leu	61 y	cat His	att Ile 360	ttt Phe	acc Thr	aat Asn	gat Asp	gaa Glu 365	gat Asp	gtc Val	1163
	att Ile	gcc Ala	ctg Leu 370	gtg Val	agc Ser	cag Gln	gtc Val	ttg Leu 375	ccg Pro	gtt Val	tat Tyr	agt Ser	gtc Val 380	ttt Phe	cac His	gtg Val	1211
	ttt Phe	gag Glu 385	gcc Ala	atc Ile	tgt Cys	tgt Cys	gtc Val 390	tat Tyr	ggc Gly	gga Gly	gtt Val	ctg Leu 395	aga Arg	gga Gly	act Thr	999 Gly	1259
	aag Lys 400	cag Gln	gcc Ala	ttt Phe	ggt Gly	gcc Ala 405	gct Ala	gtg Val	aat Asn	gcc Ala	atc Ile 410	aca Thr	tat Tyr	tac Tyr	atc Ile	atc Ile 415	1307
	GJ y ggc	cta Leu	cca Pro	ctg Leu	ggc Gly 420	atc Ile	ctt Leu	ctg Leu	acc Thr	ttt Phe 425	gtg Val	gtc Val	aga Arg	atg Met	aga Arg 430	atc Ile	1355
	atg Met	ggc Gly	ctc Leu	tgg Trp 435	ctg Leu	ggc Gly	atg Met	ctg Leu	gcc Ala 440	tgt Cys	gtc Val	ttc Phe	ctg Leu	gca Ala 445	act Thr	gct Ala	1403
	gcc Ala	ttt Phe	gtt Val 450	gct Ala	tat Tyr	act Thr	gcc Ala	cgg Arg 455	ctg Leu	gac Asp	tgg Trp	aag Lys	ctt Leu 460	gct Ala	gca Ala	gag Glu	1451
	gag Glu	gct Ala 465	aag Lys	aaa Lys	cat His	tca Ser	ggc Gly 470	cgg Arg	cag Gln	cag Gln	cag Gln	cag Gln 475	aga Arg	gca Ala	gag Glu	agc Ser	1499
	act Thr 480	gca Ala	acc Thr	aga Arg	cct Pro	999 Gly 485	cct Pro	gag Glu	aaa Lys	gca Ala	gtc Val 490	cta Leu	tct Ser	tca Ser	gtg Val	gct Ala 495	1547
	aca Thr	ggc Gly	agt Ser	tcc Ser	cct Pro 500	ggc Gly	att Ile	acc Thr	ttg Leu	aca Thr 505	acg Thr	tat Tyr	tca Ser	agg Arg	tct Ser 510	gag Glu	1595
	tgc Cys	cac His	gtg Val	gac Asp 515	Phe	t t c Phe	Arg	Thr	Pro	gag Glu	gag Glu	gcc Ala	cac His	gcc Ala 525	ctt Leu	tca Ser	1643
	gct Ala	cct Pro	acc Thr 530	agc Ser	aga Arg	cta Leu	tca Ser	gtg Val 535	aaa Lys	cag Gln	ctg Leu	gtc Val	atc 11e 540	Arg	cgt Arg	G1 y	1691
-	gct Ala	gct Ala 545	ctg Leu	61 X	gcg Ala	gcg Ala	tca Ser 550	Ala	aca Thr	ctg Leu	atg Met	gtg Val 555	Gly	ctc Leu	acg Thr	gtc Val	1739
						agg Arg 565		tag	caaa	gaa (gctt	ggaa	at a	gaaa	gcca	g	1790
	gag	tggc	tgt (cccc	agta	tg c	aaac	acac	c ac	ggtc	tgcc	ctg	caaa	aac	acca	atgggg	1850
	tct	agtg	cag	gtgg	acac	tt t	gaac	cact	c ct	caaa	aaaa	gaa	cttt	ggc	tgat	tccttg	1910
			_												, ,	ggagtt	1970
															. :	gagtcc	2030
	agg	gatt	gtc	acta	ttat	ta a	taat	gtaa	a tg	gctt	caaa	tgg	gaca	ctg	caga	taaaat	2090
																aaaaaa	2150

<210> 89

<211> 566

<212> PRT

<213> Homo sapiens

<400> 89

Met Asp Ser Leu Gln Asp Thr Val Ala Leu Asp His Gly Gly Cys Cys l 5 10 15

Pro Ala Leu Ser Arg Leu Val Pro Arg Gly Phe Gly Thr Glu Met Trp 20 25 30

Thr Leu Phe Ala Leu Ser Gly Pro Leu Phe Leu Phe Gln Val Leu Thr 35 40 45

Phe Met Ile Tyr Ile Val Ser Thr Val Phe Cys Gly His Leu Gly Lys 50 60

Val Glu Leu Ala Ser Val Thr Leu Ala Val Ala Phe Val Asn Val Cys 65 70 75 80

Gly Val Ser Val Gly Val Gly Leu Ser Ser Ala Cys Asp Thr Leu Met 85 90 95

Ser Gln Ser Phe Gly Ser Pro Asn Lys Lys His Val Gly Val Ile Leu 100 105 110

Asp Val Ser Arg Leu Thr Gln Asp Tyr Val Met Ile Phe Ile Pro Gly 145 150 155 160

Leu Pro Val Ile Phe Leu Tyr Asn Leu Leu Ala Lys Tyr Leu Gln Asn 165 170 175

Gln Lys lle Thr Trp Pro Gln Val Leu Ser Gly Val Val Gly Aşn Cys 180 185 190

Val Asn Gly Val Ala Asn Tyr Ala Leu Val Ser Val Leu Asn Leu Gly 195 200 205

Val Arg Gly Ser Ala Tyr Ala Asn Ile Ile Ser Gln Phe Ala Gln Thr 210 215 220

Val Phe Leu Leu Leu Tyr Ile Val Leu Lys Lys Leu His Leu Glu Thr 225 230 235 240

Trp Ala Gly Trp Ser Ser Gln Cys Leu Gln Asp Trp Gly Pro Phe Phe 245 250 255

Ser Leu Ala Val Pro Ser Met Leu Met Ile Cys Val Glu Trp Trp Ala 260 265 270

Tyr Glu Ile Gly Ser Phe Leu Met Gly Leu Leu Ser Val Val Asp Leu 275 280 285

Ser Ala Gln Ala Val Ile Tyr Glu Val Ala Thr Val Thr Tyr Met Ile 290 295 300

Pro Leu Gly Leu Ser 11e Gly Val Cys Val Arg Val Gly Met Ala Leu 305 310 315 320

Gly Ala Ala Asp Thr Val Gln Ala Lys Arg Ser Ala Val Ser Gly Val 325 330 335

Leu Ser Ile Val Gly Ile Ser Leu Val Leu Gly Thr Leu Ile Ser Ile 340 345 350

Leu Lys Asn Gln Leu Gly His Ile Phe Thr Asn Asp Glu Asp Val Ile 355 360 365

Ala Leu Val Ser Gln Val Leu Pro Val Tyr Ser Val Phe His Val Phe 370 375 380

Glu Ala Ile Cys Cys Val Tyr Gly Gly Val Leu Arg Gly Thr Gly Lys 385 390 395 400

Gln Ala Phe Gly Ala Ala Val Asn Ala Ile Thr Tyr Tyr Ile Ile Gly
405 410 415

Gly Leu Trp Leu Gly Met Leu Ala Cys Val Phe Leu Ala Thr Ala Ala 435 440 445

Phe Val Ala Tyr Thr Ala Arg Leu Asp Trp Lys Leu Ala Ala Glu Glu 450 455 460

Ala Lys Lys His Ser Gly Arg Gln Gln Gln Gln Arg Ala Glu Ser Thr 465 470 475 480

Ala Thr Arg Pro Gly Pro Glu Lys Ala Val Leu Ser Ser Val Ala Thr 485 490 495

Gly Ser Ser Pro Gly 11e Thr Leu Thr Thr Tyr Ser Arg Ser Glu Cys 500 505 510

His Val Asp Phe Phe Arg Thr Pro Glu Glu Ala His Ala Leu Ser Ala 515 520 525

Pro Thr Ser Arg Leu Ser Val Lys Gln Leu Val Ile Arg Arg Gly Ala 530 535 540

Ala Leu Gly Ala Ala Ser Ala Thr Leu Met Val Gly Leu Thr Val Arg 545 550 555 . 560

Ile Leu Ala Thr Arg His 565

<210> 90

<211> 3067

<212> DNA

<213> Homo sapiens

<220>

<2	21>	C	s							16	U 20	0 PC1	r FI	NAL.	ST25	
<2	22> 23>			. (29)	84)											
	00> act	90 gtac		jttci	gaga	ttc	tg t gc	aa g	geete	atg Met 1	gaa Glu	atg Met	aag Lys	cto Leo 5	cca Pro	53
99 G1	c ca y Gi	agg In G	In 6	199 t 31y F 0	tt g he G	aa go lu Al	cc tc la Se	r Se	r Al	t cc a Pr	t aga	a aat g Asn	ati 110 20	t co e Pr	t tca o Ser	101
99 G1	g ga y Gl	ag c lu L 2	eu A	ac a sp S	gc a er A	ac co sn Pr	t ga o As 30	p Pr	t gg o Gl	c acc	c ggo	CCC Pro 35	e ago	c cc r Pr	t gat o Asp	149
996 G1	9 Pr 40	0 5	cag er A	ac a sp T	ca ga hr Gl	ag ag lu Se 45	r Ly:	g ga s Gl	a ct u Le	g gga v Gly	gta Val 50	ccc Pro	Lys	ga S As	c cct p Pro	197
55	ı re	u Pi	ie 1	16 G	in Le	eu As)	n Glu	ı Le	u Le	ս Gly 65	Trp	Pro	Gln	Al.	g ctg a Leu 70	245
010	11	риг	g G	7!	or GI	y Se	r Sei	Se	80	a Ser	Leu	Leu	Leu	As _l 85		293
019	GI	u ne	90)	ir 11	e Th	r Leu	95	r Thi	His	Leu	His	His 100	Arq	g tgg g Trp	341
vaj	rec	10	5	u GI	u Ly	s Lei	3 Glu 110	Val	Ala	gca Ala	Gl y	Arg 115	Тгр	Sei	Ala	389
PIO	120	va.	ı Pr	o Th	r Le	125	Leu	Pro	Ser	ctc Leu	Gl n 130	Lys	Leu	Arg	Ser	437
135	Det	, MI	3 61	ս Այ	y Lei 140) o vai	Leu	Leu	Asp	tgc Cys 145	Pro	Ala	Gln	Ser	Leu 150	485
Leu	610	rei	, va	15:	5 G17	ı Val	Thr	Arg	Val 160	gag Glu	Ser	Leu	Ser	Pro 165	Glu	533
rea	Arg	613	17	D Lei	o GIr	Ala	Leu	Leu 175	Leu	cag Gln	Arg	Pro	Gln 180	His	Tyr	581
non	6111	185	ını	r 61)	/ Thr	Arg	Pro 190	Cys	Trp	ggc Gly	Ser	Thr 1 195	His	Pro	Arg	629
bys -	200	261	ASI) AST	610	205	Ala	Pro	Leu		Glu (210	Gln (Cys (Gln	Asn	677
215	₽C U-	ni G	· GFF	r Eys	220	Pro	PTO.	GIY	Ala	gag (G T u / 225	Aľa (GÍy 1	hr V	Val	Leu 230	725
nia (огу	GIU	ren	235	'nпе	Leu	Ala	Gln	Pro 240	ctg (Leu (Sly #	Ala P	he v	/a l ?45	Arg	773
, Dua	9	non	250	vai	val	ren	GIY	Ser . 255	Leu	act g Thr G	Slu V	/al S 2	er I 60	eu ,	Pro	821
JC1 7	.r.y	265	rne	Cys	ren	Len	Leu (270	Sly	Pro (tgt a Cys M	let L 2	eu G 75	ly L	ys (Gly	869
ac c Tyr H	lis	gag Glu	atg Met	gga Gly	cgg Arg	gca Ala	gca g Ala A	oct o	gtc (Val 1	ctc c Leu L	tc a eu S	gt g er A	ac c sp P	cg (caa Gln	917

	280)				285	i			160	200 290	PCT	FIN	AL.S	т25	
tto Phe 295	Gli	j tgg Trp	tca Sei	gtt Val	cgt Arg 300	Arc	gco Ala	: ago	aac Asn	ctt Leu 305	His	gac Asp	ctt Leu	ctg Lev	gca Ala 310	965
gcc Ala	ctç Lev	gat Asp	gca Ala	tto Phe 315	Leu	gaç Glu	gag Glu	gtg Val	aca Thr 320	Val	Leu	ccc Pro	cca Pro	ggt Gly 325	cgg Arg	1013
				Ala					Pro					Ser	cag Gln	1061
			Lev					Arg				ggt Gly 355	Pro		gtc	1109
		Leu					Asp					Gly			gca Ala	1157
	Ser										Phe				atc Ile 390	1205
					Lys							gat Asp			gac Asp	1253
gcc Ala	ctg Leu	cat His	ctc Leu 410	Gln	tgc Cys	ttc Phe	tcg Ser	gcc Ala 415	gta Val	ctc Leu	tac Tyr	att Ile	tac Tyr 420	ctg Leu	gcc Ala	1301
												gga Gly 435				1349
gat Asp	ggt Gly 440	gcc Ala	Cag Gln	gga Glý	gtg Val	ctg Leu 445	gaa Glu	agt Ser	ttc Phe	ctg Leu	ggc Gly 450	aca Thr	gca Ala	gtg Val	gct Ala	1397
gga Gly 455	gct Ala	gcc Ala	ttc Phe	tgc Cys	ctg Leu 460	atg Met	gca Ala	ggc Gly	cag Gln	ccc Pro 465	ctc Leu	acc Thr	att Ile	ctg Leu	agc Ser 470	1445
agc Ser	acg Thr	61 y	cca Pro	gtg Val 475	ctg Leu	gtc Val	ttt Phe	gag Glu	cgc Arg 480	ctg Leu	ctc Leu	ttc Phe	tct Ser	ttc Phe 485	agc Ser	1493
												tgg Trp				1541
tgg Trp	gtg Val	gct Ala 505	acc Thr	ttt Phe	tgc Cys	ctg Leu	gtg Val 510	ctg Leu	gtg Val	gcc Ala	aca Thr	gag Glu 515	gcc Ala	agt Ser	gtg Val	1589
ctg Leu -	gtg Val 520	cgc Arg	tac Tyr	ttc Phe	acc Thr	cgc Arg 525	ttc Phe	act Thr	gag Glu	gaa Glu	ggt Gly 530	ttc Phe	tgt Cys	gcc Ala	ctc Leu	1637
11e 535	Ser	Leu	Ile	Phe	11e 540	Tyr	Asp	Ala	Val	Gly 545	Lys	atg Met	Leu	Asn	Leu 550	1685
Thr	His	Thr	Tyr	Pro 555	Ile	Gln	Lys	Pro	Gly 560	Ser	Ser	gcc Ala	Tyr	Gly 565	Cys	1733
ctc Leu	tgc Cys	caa Gln	tac Tyr 570	cca Pro	ggc Gly	cca Pro	gga Gly	gga Gly 575	aat Asn	gag Glu	tct Ser	caa Gln	tgg Trp 580	ata Ile	agg 'Arg	1781
	Arg	Pro 585	Lys	Asp	Arg	Asp	Asp 590	Ile	Val	Ser	Met	Asp 595	Leu	Gly	Leu	1829
atc	aat	gca	tcc	ttg	ctg	ccg	cca	cct	gag	tgc		cgg		gga	ggc	1877

11	e A:	n A	la:	Ser	Le	u Le	u ⁻ Pr 60		o Pr	o G1	16 Lu Cy	U 20 's Th		T FI g Gl	NAL. n Gl	ST25 y Gly	y
ca Hi 61	s Pi	t c	gt (rg (ggc 31 y	Pro	t gg o G1 62	у Су	t ca s Hi	t ac s Th	a gt r Va	C CC 1 Pr 62	o As	c at p Il	t gc e Al	c tt a Ph	c tto e Phe 630	5.
tc Se	c ct	t c	tc (ctc Leu	Phe 635	e Le	t ac u Th	t to r Se	t tt r Ph	c tt e Ph 64	e Ph	t go e Al	t at a Me	g gc t Al	c ct a Le 64	c aaq u Lys 5	3 1973 5
tg Cy	t gt s Va	a aa l Ly	ys 1	occ Thr 550	Sei	cge Are	c tt g Ph	c tt e Ph	c cc e Pr 65	o Se	t gt r Va	g gt 1 Va	g cg l Ar	c aa g Ly 66	s Gl	g cto y Leu	2021
ag Se	c ga r As	c ti p Pi 66	ne S	cc	tca Ser	gto Val	cte Lei	g gc n Al 67	a Il	c ct e Le	g ct u Le	c gg u Gl	c tg y Cy: 67!	s Gl	c ct y Le	t gat u Asp	2069
Al.	a Ph 68	e Le O	eu G	:1 y	Leu	Ala	685	r Pr	o Ly:	s Le	u Me	t Va. 69	1 Pre	o Ar	g G1	g ttc u Phe	·
69:	s Pr	o Th	r L	eu	Pro	700	Arg	g Gl	y Tr	o Lei	u Va:	l Se	r Pro	o Phe	e G1	a gcc y Ala 710	
Ası) Pr	o Tr	рТ	rp	Trp 715	Ser	· Val	Ala	a Ala	720	a Leu D	ı Pro	o Ala	a Lei	725		
Sei	116	e Le	u I 7	1 e 30	Phe	Met	Asp	Glr	735	ille	? Thi	Ala	e Val	740	e Lei	aac Asn	
Arç	y Met	74	บ T 5	уr	Arg	Leu	Gln	750	Gly	Ala	9 G1 y	Phe	755	Leu	Asp	ctc Leu	2309
Phe	760	: Va	1 A.	la	Val	Leu	Met 765	Leu	Leu	Thi	Ser	770	Leu)	Gly	Leu	cct Pro	2357
775	Tyr	Va	l Si	er.	Ala	780	Val	Ile	Ser	Leu	785	His		Asp	Ser	Leu 790	2405
Arg	Arg	GI	u Se	er .	Arg 795	Ala	Cys	Ala	Pro	800 Gly	Glu	Arg	Pro	Asn	Phe 805		2453
GIY	He	Arg	9 G1 81	0	Gln	Arg	Leu	Thr	G1 y 815	Leu	Val	Val	ttc Phe	11e 820	Leu	Thr	2501
G1 y	Ala	Ser 825	11	e i	Phe	Leu	Ala	Pro 830	Val	Leu	Lys	Phe	att Ile 835	Pro	Met	Pro	2549
vaı	840	туг	. 61	уу	11e	Phe	845	Tyr	Met	GIy	Val	Ala 850	gcg	Leu	Ser	Ser	2597
855	Gln	Phe	Th	r A	Isn	Arg 860	Val	Lys	Leu	Leu	Leu 865	Met	cca Pro	Ala	Lys	His 870	2645
GIn	Pro	Asp	Le	ս L 8	eu 175	Leu	Leu	Arg	His	Val 880	Pro	Lev	acc Thr	Arg	Val 885	His	2693
ren	Pne	Thr	89	a 1 0	le (Gln	Leu	Ala	Cys 895	Leu	Gly	Leu	ctt Leu	7rp 900	lle	lle	2741
Lys	Ser	Thr 905	Pre	o A	la i	Ala	lle	lle 910	Phe	Pro	Leu	atg Met	ttg Leu 915	ctg Leu	ggc Gly	ctt Leu	2789

16U 200 PCT FINAL.ST25 gtg ggg gtc cga aag gcc ctg gag agg gtc ttc tca cca cag gaa ctc Val Gly Val Arg Lys Ala Leu Glu Arg Val Phe Ser Pro Gln Glu Leu 920 925 930	2837
ctc tgg ctg gat gag ctg atg cca gag gag gag aga agc atc cct gag Leu Trp Leu Asp Glu Leu Met Pro Glu Glu Glu Arg Ser Ile Pro Glu 935 940 945 950	2885
aag ggg ctg gag cca gaa cac tca ttc agt gga agt gac agt gaa gat Lys Gly Leu Glu Pro Glu His Ser Phe Ser Gly Ser Asp Ser Glu Asp 955 960 965	2933
tca gag ctg atg tat cag cca aag gct cca gaa atc aac att tct gtg Ser Glu Leu Met Tyr Gln Pro Lys Ala Pro Glu Ile Asn Ile Ser Val 970 975 980	2981
aat tagctggagt aggagtctgg gagtggagac cccaggaaac agcatgaggt Asn	3034
gagggtgtga gggaagtgct cctgatgttg agg	3067
<210> 91 <211> 983 <212> PRT <213> Homo sapiens	
<400> 91	
Met Glu Met Lys Leu Pro Gly Gln Glu Gly Phe Glu Ala Ser Ser Ala 1 10 15	
Pro Arg Asn Ile Pro Ser Gly Glu Leu Asp Ser Asn Pro Asp Pro Gly 20 25 30	
Thr Gly Pro Ser Pro Asp Gly Pro Ser Asp Thr Glu Ser Lys Glu Leu 35 40 45	
Gly Val Pro Lys Asp Pro Leu Leu Phe Ile Gln Leu Asn Glu Leu Leu 50 55 60	
Gly Trp Pro Gln Ala Leu Glu Trp Arg Glu Thr Gly Ser Ser Ala 65 70 75 80	
Ser Leu Leu Asp Met Gly Glu Met Pro Ser Ile Thr Leu Ser Thr 85 90 95	
His Leu His His Arg Trp Val Leu Phe Glu Glu Lys Leu Glu Val Ala 100 105 110	
Ala Gly Arg Trp Ser Ala Pro His Val Pro Thr Leu Ala Leu Pro Ser 115 120 125	
Leu Gln Lys Leu Arg Ser Leu Leu Ala Glu Gly Leu Val Leu Leu Asp 130 135 140	
Cys Pro Ala Gln Ser Leu Leu Glu Leu Val Glu Gln Val Thr Arg Val 145 150 155 160	
Glu Ser Leu Ser Pro Glu Leu Arg Gly Gln Leu Gln Ala Leu Leu Leu 165 170 175	
Gln Arg Pro Gln His Tyr Asn Gln Thr Thr Gly Thr Arg Pro Cys Trp 180 185 190	
Gly Ser Thr His Pro Arg Lys Ala Ser Asp Asn Glu Glu Ala Pro Leu	

)OCID: <WO____03089583A2_I_>

195

16U 200 PCT FINAL.ST25 205

Arg Glu Gln Cys Gln Asn Pro Leu Arg Gln Lys Leu Pro Pro Gly Ala 210 215 220

200

Glu Ala Gly Thr Val Leu Ala Gly Glu Leu Gly Phe Leu Ala Gln Pro 225 230 235 240

Leu Gly Ala Phe Val Arg Leu Arg Asn Pro Val Val Leu Gly Ser Leu 245 250 255

Thr Glu Val Ser Leu Pro Ser Arg Phe Phe Cys Leu Leu Leu Gly Pro 260 265 270

Cys Met Leu Gly Lys Gly Tyr His Glu Met Gly Arg Ala Ala Val 275 280 285

Leu Leu Ser Asp Pro Gln Phe Gln Trp Ser Val Arg Arg Ala Ser Asn 290 295 300

Leu His Asp Leu Leu Ala Ala Leu Asp Ala Phe Leu Glu Glu Val Thr 305 310 315 320

Val Leu Pro Pro Gly Arg Trp Asp Pro Thr Ala Arg Ile Pro Pro Pro 325 330 335

Lys Cys Leu Pro Ser Gln His Lys Arg Leu Pro Ser Gln Gln Arg Glu 340 345 350

Arg His Gly Pro His Ala His Ser Pro Glu Leu Gln Arg Thr Gly Arg 370 375 380

Leu Phe Gly Gly Leu Ile Gln Asp Val Arg Arg Lys Val Pro Trp Tyr 385 390 395 400

Pro Ser Asp Phe Leu Asp Ala Leu His Leu Gln Cys Phe Ser Ala Val 405 405

Leu Tyr Ile Tyr Leu Ala Thr Val Thr Asn Ala Ile Thr Phe Gly Gly
420 425 430

Leu Leu Gly Asp Ala Thr Asp Gly Ala Gln Gly Val Leu Glu Ser Phe 435 440 445

Leu Gly Thr Ala Val Ala Gly Ala Ala Phe Cys Leu Met Ala Gly Gln 450 460

Pro Leu Thr Ile Leu Ser Ser Thr Gly Pro Val Leu Val Phe Glu Arg 465 470 475 480

Leu Leu Phe Ser Phe Ser Arg Asp Tyr Ser Leu Asp Tyr Leu Pro Phe 485 490 495

Arg Leu Trp Val Gly Ile Trp Val Ala Thr Phe Cys Leu Val Leu Val 500 510

- Ala Thr Glu Ala Ser Val Leu Val Arg Tyr Phe Thr Arg Phe Thr Glu 515 520 525
- Glu Gly Phe Cys Ala Leu Ile Ser Leu Ile Phe Ile Tyr Asp Ala Val530 . 535 540
- Gly Lys Met Leu Asn Leu Thr His Thr Tyr Pro Ile Gln Lys Pro Gly 545 550 555 560
- Ser Ser Ala Tyr Gly Cys Leu Cys Gln Tyr Pro Gly Pro Gly Gly Asn 565 570 575
- Glu Ser Gln Trp Ile Arg Thr Arg Pro Lys Asp Arg Asp Asp Ile Val 580 585 590
- Ser Met Asp Leu Gly Leu Ile Asn Ala Ser Leu Leu Pro Pro Pro Glu 595 600 605
- Cys Thr Arg Gln Gly Gly His Pro Arg Gly Pro Gly Cys His Thr Val 610 615 620
- Pro Asp Ile Ala Phe Phe Ser Leu Leu Leu Phe Leu Thr Ser Phe Phe 625 630 635 640
- Phe Ala Met Ala Leu Lys Cys Val Lys Thr Ser Arg Phe Phe Pro Ser 645 650 655
- Val Val Arg Lys Gly Leu Ser Asp Phe Ser Ser Val Leu Ala Ile Leu 660 665 670
- Leu Gly Cys Gly Leu Asp Ala Phe Leu Gly Leu Ala Thr Pro Lys Leu 675 680 685
- Met Val Pro Arg Glu Phe Lys Pro Thr Leu Pro Gly Arg Gly Trp Leu 690 695 700
- Val Ser Pro Phe Gly Ala Asn Pro Trp Trp Trp Ser Val Ala Ala Ala 705 710 715 720
- Leu Pro Ala Leu Leu Leu Ser Ile Leu Ile Phe Met Asp Gln Gln Ile 725 730 735
- Thr Ala Val 11e Leu Asn Arg Met Glu Tyr Arg Leu Gln Lys Gly Ala 740 745 750
- _Gly Phe His Leu Asp Leu Phe Cys Val Ala Val Leu Met Leu Leu Thr 755 760 765
- Ser Ala Leu Gly Leu Pro Trp Tyr Val Ser Ala Thr Val Ile Ser Leu 770 775 780
- Ala His Met Asp Ser Leu Arg Arg Glu Ser Arg Ala Cys Ala Pro Gly 785 790 795 800
- Glu Arg Pro Asn Phe Leu Gly Ile Arg Glu Gln Arg Leu Thr Gly Leu 805 810 815
- Val Val Phe Ile Leu Thr Gly Ala Ser Ile Phe Leu Ala Pro Val Leu 820 825 830

Lys Phe Ile	Pro Met	Pro Val	Leu Tyr	Gly Ile	Phe Leu	Tyr Met Gly
835			840		845	•

Val Ala Ala Leu Ser Ser Ile Gln Phe Thr Asn Arg Val Lys Leu Leu 850 855 860

Leu Met Pro Ala Lys His Gln Pro Asp Leu Leu Leu Arg His Val 865 870 875 880

Pro Leu Thr Arg Val His Leu Phe Thr Ala Ile Gln Leu Ala Cys Leu 885 890 895

Gly Leu Leu Trp Ile Ile Lys Ser Thr Pro Ala Ala Ile Ile Phe Pro 900 905 910

Leu Met Leu Leu Gly Leu Val Gly Val Arg Lys Ala Leu Glu Arg Val 915 920 925

Phe Ser Pro Gln Glu Leu Leu Trp Leu Asp Glu Leu Met Pro Glu Glu 930 935 940

Glu Arg Ser Ile Pro Glu Lys Gly Leu Glu Pro Glu His Ser Phe Ser 945 950 955 960

Gly Ser Asp Ser Glu Asp Ser Glu Leu Met Tyr Gln Pro Lys Ala Pro 965 970 975

Glu Ile Asn Ile Ser Val Asn 980

<210> 92 <211> 700

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (60)..(497)

<223>

<400> 92

gaaagaagga aataaacaca ggcaccaaac cactateeta agttgaetgt eetttaaat 59

atg tca aga tcc aga ctt ttc agt gtc acc tca gcg atc tca acg ata
Met Ser Arg Ser Arg Leu Phe Ser Val Thr Ser Ala Ile Ser Thr Ile
1 5 10 15

ggg atc ttg tgt ttg ccg cta ttc cag ttg gtg ctc tcg gac cta cca
Gly Ile Leu Cys Leu Pro Leu Phe Gln Leu Val Leu Ser Asp Leu Pro
20 25 30

tgc gaa gaa gat gaa atg tgt gta aat tat aat gac caa cac cct aat 203 Cys Glu Glu Asp Glu Met Cys Val Asn Tyr Asn Asp Gln His Pro Asn

ggc tgg tat atc tgg atc ctc ctg ctg ctg gtt ttg gtg gca gct ctt
Gly Trp Tyr Ile Trp Ile Leu Leu Leu Leu Val Leu Val Ala Ala Leu
50 55 60

ctc tgt gga gct gtg gtc ctc tgc ctc cag tgc tgg ctg agg aga ccc Leu Cys Gly Ala Val Val Leu Cys Leu Gln Cys Trp Leu Arg Arg Pro 65 70 75 80

cga att gat tot cac agg cgc acc atg gca gtt ttt gct gtt gga gac 347 Arg Ile Asp Ser His Arg Arg Thr Met Ala Val Phe Ala Val Gly Asp 85 90 95

ttg gac tct att tat ggg aca gaa gca gct gtg agt cca act gtt gga 395

Page 64

107

16U 200 PCT FINAL.ST25 Leu Asp Ser Ile Tyr Gly Thr Glu Ala Ala Val Ser Pro Thr Val Gly 100 105 110	
att cac ctt caa act caa acc cct gac cta tat cct gtt cct gct cca Ile His Leu Gln Thr Gln Thr Pro Asp Leu Tyr Pro Val Pro Ala Pro 115 120 125	443
tgt ttt ggc cct tta ggc tcc cca cct cca tat gaa gaa att gta aaa Cys Phe Gly Pro Leu Gly Ser Pro Pro Pro Tyr Glu Glu Ile Val Lys 130 135 140	491
aca acc tgattttagg tgtggattat caatttaaàg tattaacgac atctgtaatt Thr Thr 145	547
ccaaaacatc aaatttagga atagttattt cagttgttgg aaatgtecag agatctatte	607
atatagtctg aggaaggaca attcgacaaa agaatggatg ttggaaaaaa ttttggtcat	667
ggagatgttt aaatagtaaa gtagcaggct ttt	700
<210> 93 <211> 146 <212> PRT <213> Homo sapiens	
<400> 93	
Met Ser Arg Ser Arg Leu Phe Ser Val Thr Ser Ala Ile Ser Thr Ile 1 5 10 15	
Gly 1le Leu Cys Leu Pro Leu Phe Gln Leu Val Leu Ser Asp Leu Pro 20 25 30	
Cys Glu Glu Asp Glu Met Cys Val Asn Tyr Asn Asp Gln His Pro Asn 35 40 45	
Gly Trp Tyr lle Trp lle Leu Leu Leu Leu Val Leu Val Ala Ala Leu 50 55 60	
Leu Cys Gly Ala Val Leu Cys Leu Gln Cys Trp Leu Arg Arg Pro 65 70 75 80	
Arg lle Asp Ser His Arg Arg Thr Met Ala Val Phe Ala Val Gly Asp 85 90 95	
Leu Asp Ser 11e Tyr Gly Thr Glu Ala Ala Val Ser Pro Thr Val Gly 100 105 110	
Ile His Leu Gln Thr Gln Thr Pro Asp Leu Tyr Pro Val Pro Ala Pro 115 120 125	
Eys Phe 61y Pro Lew Gly Ser Pro Pro Pro Tyr Glu Glu Ile Val Lys 130 135 140	
Thr Thr 145	
<210> 94 <211> 1324 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (44)(772) <223>	

. A1	202	94								160	20	0 PC1	FIN	IAL.S	T25	
	00> ttgc		gato	gccci	ttg (gcag	ggtg	ag c	ccac	aagg	a gc				ggc Gly	. 55
ago Ser 5	gge Gly	c cgc y Arc	c ttg g Lev	g gaq i Gli	gad Asp 10	tto Phe	e cc	t gto Val	c aat l Asi	t gte n Val	g tt	c tco e Ser	gto Val	act Thi	cct Pro 20	103
tac Tyr	aca Thi	e cco	c ago Ser	7hr 25	gct Ala	gac Asp	ato	e Gli	g gtg n Val 30	g tco l Sei	c gat	t gat p Asp	gac Asp	aag Lys 35	gcg Ala	151
999 G1y	gco Ala	aco Thr	ttg Leu 40	Leu	tto Phe	tca Ser	61 y	11e 45	ttt Phe	t cto E Lev	9 99a 9 Gly	actg y Leu	gtg Val 50	ggg Gly	atc Ile	199
aca Thr	t t c Phe	act Thr 55	gtc Val	atg Met	ggc Gly	tgg Trp	ato 11e 60	aaa Lys	tac Tyr	caa Gln	ggt Gly	t gtc / Val 65	tcc Ser	cac His	ttt Phe	247
gaa Glu	tgg Trp 70	acc Thr	cag Gln	CtC Leu	ct t Leu	999 Gly 75	Pro	gtc Val	ctg Leu	ctg Leu	tca Ser 80	gtt Val	999 G1 y	gtg Val	aca Thr	295
ttc Phe 85	atc	ctg Leu	att Ile	gct Ala	gtg Val 90	tgc Cys	aag Lys	ttc Phe	aaa Lys	atg Met 95	Leu	tcc Ser	tgc Cys	cag Gln	ttg Leu 100	343
Cys	Lys	610	ser	105	GIu	Arg	Val	Prọ	110	Ser	Glu	cag Gln	Thr	Pro 115	Gly	391
61 y	Pro	Ser	120	Val	Phe	Thr	Gly	11e 125	Asn	Gln	Pro	atc	Thr 130	Phe	His	439
Gly	Ala	Thr 135	Val	Val	Gln	Туr	11e 140	Pro	Pro	Pro	Tyr	ggt Gly 145	Ser	Pro	Glu	487
Pro	150	GIY	11e	Asn	Thr	Ser 155	Tyr	Leu	Gln	Ser	Val 160	gtg Val	Ser	Pro	Cys	535
165	ren	116	Thr	Ser	61y 170	Gly	Ala	Ala	Ala	Ala 175	Met	tca Ser	Ser	Pro	Pro 180	583
GIN	Tyr	Tyr	Thr	11e 185	Tyr	Pro	Gln	Asp	Asn 190	Ser	Ala	ttt Phe	Val	Val 195	Asp	631
GIU	GIY	cys	200	Ser	Phe	Thr .	Asp	G1 y 205	Gly	Asn	His		Pro - 210	Asn	Pro	679
ASP	val	Asp 215	GIn 1	Leu	Glu (Glu '	Thr 220	Gln	Leu	Glu	Glu	225	Ala	Cys .	gcc Ala	727
	230	Ser	Pro I	Pro 1	Pro :	Tyr (235	Slu	Glu	lle	Tyr	Ser 240	Leu	Pro 1	Arg		772
													•		gtcat	832
															cccag	892
gcago																952
t tggt ggtaa																1012
tcccc																1072 1132
aatca																1192

1252 1312 1324

	16U 200 PCT FINAL.ST25															
cagggaagag aaagcaggcc cagctggaga tttcctggtg gctgtccttg gccccaaagc																
agactcacta atcccaaaca actcagctgc catctggcct ctctgaggac tctgggtacc																
ttaaagacta ta																
<21 <21	<210> 95 <211> 243 <212> PRT <213> Homo sapiens															
< 40	0>	95														
Met 1	Glu	Gln	Gly	5 Ser	Gly	Arg	Leu	Glu	Asp 10	Phe	Pro	Val	Asn	Val 15	Phe	
Ser	Val	Thr	Pro 20	Туг	Thr	Pro	Ser	Thr 25	Ala	Asp	Ile	Gln	Val 30	Ser	Asp	
Asp	Asp	Lys 35	Ala	Gly	Ala	Thr	Leu 40	Leu	Phe	Ser	Gly	Ile 45	Phe	Leu	Gly	
Leu	Val 50	Gly	Ile	Thr	Phe	Thr 55	Val	Met	Gly	Trp	11e 60	Lys	Tyr	Gln	GI y	
Val 65	Ser	His	Phe	Glu	Trp 70	Thr	Gln	ren	Leu	Gl y 75	Pro	Val	Leu	Leu	Ser 80	
Val	G1 y	Val	Thr	Phe 85	Ile	Leu	Ile	Ala	Val 90	Cys	Lys	Phe	Lys	Met 95	Leu	
Ser	Cys	Gln	Leu 100		Lys	Glu	Ser	Glu 105	Glu	Arg	Val	Pro	Asp 110		Glu	
Gln	Thr	Pro 115	G] A	G1 y	Pro	Ser	Phe 120	Val	Phe	Thr	Gly	11e 125	Asn	Gln	Pro	
Ile	Thr 130	Phe	His	Gly	Ala	Thr 135	Val	Val	Gln	Tyr	Ile 140	Pro	Pro	Pro	Tyr	
Gly 145	Ser	Pro	Glu	Pro	Met 150	Gly	Ile	Asn	Thr	Ser 155	Туr	Leu	Gln	Ser	Val 160	
Val	Ser	Pro	Cys	Gly 165	Leu	Ile	Thr	Ser	Gly 170	Gly	Ala	Ala	Ala	Ala 175	Met	
Ser	Ser	Pro	Pro 180	Gln	Туr	Tyr	Thr	Ile 185	Tyr	Pro	Gln	Asp	Asn 190	Ser	Ala	
Phe	Val	Val 195	Asp	Glu	Gly	Суѕ	Leu 200	Ser	Phe	Thr	Asp	Gly 205	Gly	Asn	His	
Arg	Pro 210	Asn	Pro	Asp	Val	Asp 215	Gln	Leu	Glu	Gl u	Thr 220	Gln	Leu	Glu	G1 u	
Glu 225	Ala	Cys	Ala	Cys	Phe 230	Ser	Pro	Pro	Pro	Tyr 235	Glu	Glu	lle	, .	240	
Leu	Pro	Arg														

<210> 96

<211> 5350 <212> DNA <213> Homo sapiens <220> CDS <221> (2275)..(3213) <222> <223> <400> 96 gtccaggcgt accatgactc tcacattttg cagttgtttt atttgacggg acagacattg 60 actgacagtg gctggagcag ggctgatagt gaatttctga aacggtttac ctgattctct 120 gctttctgag ttcttggata tctgagagac agggcctcta tgctgtttca ctgctggata 180 tatgetteat tettggacea taattiitti ticaaattii tetagatgat gitgetteat 240 tgtcttttgg aatctactaa ataattccac tgaatttttg aagtttatty ggaattattt 300 attttgcctt tatacttaga aaattacttt ctgctccagg aaaatatagt ttattagtct 360 agtaatttat taattgacta aaatctacca tttgttatgg ccaatgacat gtttatttac 420 tgaaaataca ttaagtcccc tttggtttta agtctcttaa cataagaaag caatttgtta 480 aaaactggca ttactttact cttatgcttt ctgtgtcctt tgctaagtat ttctaaaaca 540 aaatgaaaac ccacgagttt agtcttggcc agggcaagat atttgaaata aaaaaggaaa 600 taatatgacc aattgcaata attcttattt ataaatttta agttaatgat aaaaaatata 660 aagtgtacat tacaatgtaa aaggttacat aagaaaagct gcaatataaa aaggatgaat 720 atgtgtctga tttaaataaa catttgacac gttattaata tattgaacat taatgatatc 780 taaaactatt cattttataa aggatatgca ttttctttaa gtagagaata ataataatga 840 gcatccatat gtaaatcaca gaattctgaa caagagaaag atagtgctat caacgggaaa 900 gggctgacca gcaccactga ccccccaaaa tagccaggta gaagaagagt cctacagcct 960 attacaaggt gattaattga ctagatgctc tgagaagaaa ttggaacttg gatgatctga 1020 agatagttat ctcaattgat tgttcacagc cagttacaga tagaattcct tgttctacat 1080 tttcctccct tctcactagt gcacttgagt agtctttaaa aaaaattgca acttcagaga 1140 cccccatgct tgaaccactg ggagaagaaa ccttaggatg acctacctgc atacaataaa 1200 tatgttggat gtcacgataa gataagtata aattgaggca aactttctct caccaaaatt 1260 ctacaggcaa aatggggaga ttggaagaaa agatgtgggc ttgtaaaatc caattacatt 1320 ttactttaat tttataaaga aggttcacat caagaaattc caagtgaggt tcagaccaat 1380 cacctcagaa taaactgatt ggatgataat gctgattcct aaagcatcat tgatctgaga 1440 tagccatàat titititiga taictigaaa gatiggcaga aacacaacgg attagaacai 1500 ~cttgatggaa attatgaaaa tatgaataaa taactcacaa gattaatgtc tttgtaatag 1560 gttaagtgga agtataaaaa tacattttat aaatcacata tgtgtaaaag taaatcattt 1620 tagagaaatt tacaagttgt actagtgtct ttaatacatt taaagaaatt tgactaaatt 1680 tgtaacgtta tataagggtt tggaatttta tgtttaaaat gtttacaatt actggtggct 1740 taatatattg cttttaagta ttgaaaaatt gtatgttcgt agatttgtaa cgagatttaa 1800 gaaacacaag tattactaat ccttttttgc agacatgact cttgagggtc aaatatatag 1860 aaatatotat attggttatt agototgtaa aatoocatgg gaatgggatt tgggcaatac 1920 aggaacatgc aactataaga tactaacaca cacaaaatgt gaacatatat aagtaaaaat 1980 aactattagt gactatataa totataggaa ataatttaat ttoagttgta tggacotott 2040 cattgagaat ataaatattt cattcccatt ctagatgggg aatcagattc acaatctaat 2100

gtgctgtctc tttttagtgc aaattcacag ttcatgttgg aaatacactc tgattttcac	2160
attgattitt aaaaggtaaa gtgaagcaaa catactitta cgtggtacac acatgattat	2220
aaataaagtt tacttttgtc ctccaggtaa agccacttca gccgatcata cagc atg Met l	2277
cgg ctg gcc aac cag acc ctg ggt ggt gac ttt ttc ctg ttg gga atc Arg Leu Ala Asn Gln Thr Leu Gly Gly Asp Phe Phe Leu Leu Gly Ile 5 10 15	2325
ttc agc cag atc tca cac cct ggc cgc ctc tgc ttg ctt atc ttc agt Phe Ser Gln Ile Ser His Pro Gly Arg Leu Cys Leu Leu Ile Phe Ser 20 25 30	2373
ata ttt ttg atg gct gtg tct tgg aat att aca ttg ata ctt ctg atc Ile Phe Leu Met Ala Val Ser Trp Asn Ile Thr Leu Ile Leu Leu Ile 35 40 45	2421
cac att gac tcc tct ctg cat act ccc atg tac ttc ttt ata aac cag His Ile Asp Ser Ser Leu His Thr Pro Met Tyr Phe Phe Ile Asn Gln 50 55 60 65	2469
ctc tca ctc ata gac ttg aca tat att tct gtc act gtc ccc aaa atg Leu Ser Leu Ile Asp Leu Thr Tyr Ile Ser Val Thr Val Pro Lys Met 70 75 80	2517
ctg gtg aac cag ctg gcc aaa gac aag acc atc tcg gtc ctt ggg tgt Leu Val Asn Gln Leu Ala Lys Asp Lys Thr Ile Ser Val Leu Gly Cys 85 90 95	2565
ggc acc cag atg tac ttc tac ctg cag ttg gga ggt gca gag tgc tgc Gly Thr Gln Met Tyr Phe Tyr Leu Gln Leu Gly Gly Ala Glu Cys Cys 100 105 110	2613
ctt cta gcc gcc atg gcc tat gac cgc tat gtg gct atc tgc cat cct Leu Leu Ala Ala Met Ala Tyr Asp Arg Tyr Val Ala Ile Cys His Pro 115 120 125	2661
ctc cgt tac tct gtg ctc atg agc cat agg gta tgt ctc ctc ctg gca Leu Arg Tyr Ser Val Leu Met Ser His Arg Val Cys Leu Leu Leu Ala 130 135 140 145	2709
tca ggc tgc tgg ttt gtg ggc tca gtg gat ggc ttc atg ctc act ccc Ser Gly Cys Trp Phe Val Gly Ser Val Asp Gly Phe Met Leu Thr Pro 150 155 160	2757
atc gcc atg agc ttc ccc ttc tgc aga tcc cat gag att cag cac ttc Ile Ala Met Ser Phe Pro Phe Cys Arg Ser His Glu Ile Gln His Phe 165 170 175	2805
ttc tgt gag gtc cct gct gtt ttg aag ctc tct tgc tca gac acc tca Phe Cys Glu Val Pro Ala Val Leu Lys Leu Ser Cys Ser Asp Thr Ser 180 185 190	2853
ctt tac aag att ttc atg tac ttg tgc tgt gtc atc atg ctc ctg ata Leu Tyr Lys Ile Phe Met Tyr Leu Cys Cys Val Ile Met Leu Leu Ile 195 200 205	2901
ect gtg acg gtc att tca gtg tet tae tae tat atc atc etc acc ate Pro Val Thr Val Ile Ser Val Ser Tyr Tyr Tyr Ile Ile Leu Thr Ile 210 215 220 225	2949
Cat aag atg aac tca gtt gag ggt cgg aaa aag gcc ttc acc acc tgc His Lys Met Asn Ser Val Glu Gly Arg Lys Lys Ala Phe Thr Thr Cys 230 235 240	2997
ser Ser His Ile Thr Val Val Ser Leu Phe Tyr Gly Ala Ala Ile Tyr 245 250 255	3045
260 Ser Ser Tyr Gln Thr Pro Glu Lys Asp Met Met 260 265 270	3093
tca tcc ttt ttc tac act atc ctt aca cct gtc ttg aat cct atc att Ser Ser Phe Phe Tyr Thr Ile Leu Thr Pro Val Leu Asn Pro Ile Ile	3141

275	280	16U 200 PCT 285	FINAL.ST25	
tac agt ttc agg aat Tyr Ser Phe Arg Asn 290	aag gat gtc aca Lys Asp Val Tho 295	a agg gct ttg aaa Arg Ala Leu Lys 300	aaa atg ctg Lys Met Leu 305	3189
agc gtg cag aaa cct of Ser Val Gln Lys Pro 1 310	cca tat taa agi Pro Tyr	gtgaaag aacttaag	tt ggtcctctct	3243
tottagagto totottoaci	: ttaggtgtcc tt	ccaccaaa caatcan	cat attotootao	3303
tgtctgactc cctgagttg				3363
tcacacttga gatgatgttd				3423
agteettegg ggeeaatggt				3483
tgtttatgac ccttgagcac				3543
attgatgagt atgaaataac				3603
acgcttttcg ttcaccacct				3663
cacatttcac aaatgacaaa				3723
atcctcaggg acaagggggt				3783
cctcagagat gctaaatgta	cagttgagat tt	ttcttcca tcagaatt	tc tagaatgtgt	3843
tctcaatcaa attcttattt	tctgtgagca ta	taagaagt caaaccto	cc aaaattagag	3903
cagagacatg ggctatccag	tagacatggg ct	acaacatg tttggagt	at aattggttta	3963
ttcatagact taaccagaga	aatatggaag tt	cgcacac ttctccct	gt tcaagccaat	4023
ggtgacacat acttagaata	taatttcaaa tca	cagtttt acgtatgt	gc atggttgtat	4083
ttgtatttaa caaataacat	aataattata ac	stettgtg tgattatt	at gatctggcac	4143
catttttagt gcgtgacatg	tatggaacac tt	tattttc acagccta	tt attagcctta	4203
ttctacagtt gatttaactg	aaacccatgg gtt	tgagtaa catgaaca	aa agggtgtgca	4263
gcttataaag tgctcaacag	ggatttaagc cca	ggcaggc aggccgga	gt ccctgcccct	4323
gaccactgca tgtgccacgt	cttgtggagt ctg	tggcctt ttccacac	tg cattgcctct	4383
ccctctggga gggccatact	ccaaccttgg aaa	cactata gttctttc	ca tacccaatgt	4443
tttcacgtgg ctttccctct	cttcggaatg ttt	ttttatc tgtaagta	ca aggatacgaa	4503
gataactttc catgactaca	taatcttcct tta	ggcccca agtcattc	at tcattcaaca	4563
aataactact gagcccctat	agtttgccag gcc	ccgttct acaaactg	ag gatacatcag	4623
tgagcaaaac aaataaaaat	cttcatcttt ttt	agcactt aaagggtg	ta tacagaaaat	4683
aaatttggta attgagaaga	agacatggag tat	tatcaga agaaaagto	gt tggaaaatct	4743
tgagcaggag aggggtcttg	gagtgtgtag ggg	tcacgtt ttatgtag	gg atttaggcta	4803
atccteacty gttatagttg	agcaaagatg tgg	agritac aagritaat	fā gccacattga	4863
tattgggaga aatgctttca	agacagagca tag	ggacatc taccagect	g tcaatcaaga	4923
gtccagtagg accatgtctc	agtaataggg atg	aactaga tgtagatto	ja [*] gtctaactcc	4983
aattataaaa aatgatagta	aaataaattt tto	caacaaa caaaagtgg	a taaaattott	5043
cagccataga aaaattatct	caaaagtaaa ctc	sgaaata taagcaaaa	a tgacaaacat	5103
caaccccaaa gagtaatatg				5163
itgtaatata cagtttagat i		•		5223
tatcaatat tgatgtagta (5283
atgctgtaa tgtttatagt a	aacgccaaa acca	gtttat aaaatgaaa	a aatgatagat	5343

5350

ttttata <210> 97 <211> 312 <212> PRT Homo sapiens <213> Met Arg Leu Ala Asn Gln Thr Leu Gly Gly Asp Phe Phe Leu Leu Gly $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$ Ser Ile Phe Leu Met Ala Val Ser Trp Asn Ile Thr Leu Ile Leu Leu 35 40 45 lle His Ile Asp Ser Ser Leu His Thr Pro Met Tyr Phe Phe Ile Asn Gln Leu Ser Leu Ile Asp Leu Thr Tyr Ile Ser Val Thr Val Pro Lys 65 70 75 80Met Leu Val Asn Gln Leu Ala Lys Asp Lys Thr Ile Ser Val Leu Gly $85 \hspace{1cm} 90 \hspace{1cm} 95$ Cys Gly Thr Gln Met Tyr Phe Tyr Leu Gln Leu Gly Gly Ala Glu Cys Cys Leu Leu Ala Ala Met Ala Tyr Asp Arg Tyr Val Ala Ile Cys His 115 120 125 Pro Leu Arg Tyr Ser Val Leu Met Ser His Arg Val Cys Leu Leu Leu Ala Ser Gly Cys Trp Phe Val Gly Ser Val Asp Gly Phe Met Leu Thr 145 150 155 160 Pro Ile Ala Met Ser Phe Pro Phe Cys Arg Ser His Glu Ile Gln His 165 170 175Phe Phe Cys Glu Val Pro Ala Val Leu Lys Leu Ser Cys Ser Asp Thr 180 \$180\$

Ser Leu Tyr Lys Ile Phe Met Tyr Leu Cys Cys Val Ile Met Leu Leu 195 200 205

lle Pro Val Thr Val Ile Ser Val Ser Tyr Tyr Tyr Ile Ile Leu Thr 210 225 220

Ile His Lys Met Asn Ser Val Glu Gly Arg Lys Lys Ala Phe Thr Thr 225 230 235 240

Cys Ser Ser His Ile Thr Val Val Ser Leu Phe Tyr Gly Ala Ala Ile 245 250 255:

Tyr Asn Tyr Met Leu Pro Ser Ser Tyr Gln Thr Pro Glu Lys Asp Met 260 270

Met Ser S	Ser Phe Ph ?75	e Tyr _. Th	r Ile Le 200	16 eu Thr Pr	U 200 PCT O Val Let 285	Asn Pro	ST25 o Ile
Ile Tyr S 290	er Phe Ar	g Asn Ly: 29:	s Asp Va 5	l Thr Ar	g Ala Lev 300	Lys Lys	s Met
Leu Ser V 305	al Gln Ly	s Pro Pro 310	э Туг				
<210> 98 <211> 34 <212> DN <213> Ho	86	s					
<220> <221> CD <222> (1 <223>	S)(3483)						
<400> 98 atg ggg co Met Gly Pi l	ca cct gaa ro Pro Glu S	a ttc atg phe Met	tat gaa Tyr Gli	e cag cae i Gln Gli 10	g gac aat n Asp Asn	tca acg Ser Thr 15	cac 48
ctg cag co Leu Gln Pr	ca ctt aag co Leu Lys 20	aca tgc Thr Cys	ccc gtg Pro Val 25	gca ago Ala Aro	g cag cta g Gln Leu	atc cga Ile Arg 30	ggg 96 Gly
gtg ctg cg Val Leu Ar 35	g Ala Pro	gat gga Asp Gly	gcc aag Ala Lys 40	cca gga Pro Gly	gag gac Glu Asp 45	agg ggc Arg Gly	cag 144 Gln
gcc cgc tg Ala Arg Cy 50	ic aat gga 's Asn Gly	cgt gta Arg Val 55	tgt gga Cys Gly	gag aaa Glu Lys	tca aaa Ser Lys 60	caa cct Gln Pro	att 192 Ile
gag gct tt Glu Ala Ph 65	t aag ccc e Lys Pro	gtc tgc Val Cys 70	tac aaa Tyr Lys	ccc caa Pro Gln 75	ttt atg Phe Met	tcc cac Ser His	att 240 Ile 80
att ccc ct lle Pro Le	t tac tcc u Tyr Ser 85	atc cat Ile His	gca tcc Ala Ser	cag agt Gln Ser 90	tcc agc Ser Ser	caa tcc Gln Ser 95	aag 288 Lys
ctg cct gc Leu Pro Al	a cat ctc a His Leu 100	cat ttg His Leu	gac ccc Asp Pro 105	tta ggc Leu Gly	Cys Ala	agt ctc Ser Leu 110	agc 336 Ser
ttc tcc tcc Phe Ser Ser 11	r Thr Gln	Pro Ser	cca cct Pro Pro 120	tat tac Tyr Tyr	cca ggg Pro Gly 125	ttg gta Leu Val	cta 384 Leu
gga tgc agg Gly Cys Sei 130	c aag cag r Lys Gln	aat act Asn Thr 135	gga ggt Gly Gly	gca aaa Ala Lys	tgt cag Cys Gln : 140	aag cca Lys Pro	ctc 432 Leu
act cgc agg Thr Arg Arg 145	g ttt gag g Phe Glu	cac ttg His Leu 150	gga aca Gly Thr	gca aag Ala Lys 155	lys Pro	Lys Lys	tca 480 Ser 160
gtc tgg cca Val Trp Pro	ctg cag Leu Gln 165	agc ctg Ser Leu	cct caa Pro Gln	aga gat Arg Asp 170	ttg aag d Leu Lys I	ctg gtc a Leu Val a 175	aat 528 Asn
gca agg agc Ala Arg Ser	cag gcc Gln Ala 180	tgć tgg Cys Trp	aat cca Asn Pro 105	agg acc Arg Thr	Trp Gly F	gca gca a Na Ala 1 190	ecc 576 Thr
cca gat aca Pro Asp Thr 195	Asp Pro	Glu Glu /	gcc aac Ala Asn 200	agc ggt Ser Gly	cag cag a Gln Gln A 205	ac ata'a sn lle I	eag 624 .ys
gag caa cag Glu Gln Gln 210	tac cgt o	gtc tct (Val Ser I 215	ctg ggg Leu Gly	Asn Asn	act ggt t Thr Gly S 220	ct ccc t er Pro I	etg 672 eu

										cag	cag	PCT ggc Gly	aag	ctg	aat	720
												tgg Trp				768
												gtc Val				816
												cag Gln 285				864
		-	-	-	•							tgg Trp				912
												tgg Trp				960
												gat Asp				1008
												ctg Leu				1056
												cag Gln 365				1104
												ggc Gly				1152
												agg Arg				1200
												G1 y				1248
												gcc Ala				1296
												cgg Arg 445				1344
												agc Ser				1392
												ttc Phe				1440
												gca Ala				1488
												gac Asp				1536
cgt Arg	gag Glu	cat His 515	cca Pro	gga Gly	ctg Leu	61 y	caa Gln 520	cta Leu	gaa Glu	cct Pro	ccc Pro	cac His 525	tgt Cys	cac His"	tac Tyr	1584
												agc Ser				1632

Page 73

ac Ti 54	ır A	gt rg	gtg Val	ata 11e	99 G1	g gt y Va 55	C a	gc a er A	ga rg	gaa Glu	ga g G1	U	gct Ala 555	G1	g gc y Al	t c a L	t c eu	ga Gl	g gc a Al 56	a	80
gc Al	c t a S	cc er	gat Asp	gtt Val	gae As _j 56!	p Le	g ac u Ti	cc c or L	t g eu	cat His	ca 6 Gl 57	n (cag Gln	ga G1	g gg u G1	y A	cc la	ecc Pro 575	As	c 17: n	28
t c Se	r S	cc er	tat Fyr	acc Thr 580	Phe	tc Se	a to r Se	c a	ta le	gcc Ala 585	Ar	g V	gtc /al	cg.	aat g Me	t G	ag l u 90	gaç Glu	д са В Ні	t 17 [.] s	76
t t Ph	c a: e 1:	le (ag Sln 595	aag Lys	gcg Ala	g ga Gl	g gg u Gl	y V	t t a 1 00	gag Glu	cc Pr	c c	gg Arg	ct d Let	aa u Ly 60	s G	gc ly	aag Lys	gte Va	g 182 1	24
ta Ty	r As	sc t sp 1	ac Tyr	tat Tyr	gtg Val	ga. Gl	a to u Se 61	r Tl	oc nr	tct Ser	Gl	9 9 n. A	cc la	at o 11e 620	Ph:	c ca e Gl	n In	ggc Gly	ago	g 187 9	12
ct Le 62	υAJ	t c	cc ro	agg Arg	aca Thr	gc. Al. 630	agc aAl	c ci a Le	g eu	act Thr	ga Gl	y V	al 35	cca Pro	tco Sei	c cc r Pr	t i	agg Arg	Pro 640		: 0
Pro	g cc	a g	99 1 y	tcc Ser	ctg Leu 645	99 <i>8</i> G1	a ac / Th	agg rG]	ј 9 У	gct Ala	gcc Ala 650	a S	cg er	gga G1 y	gg(c ca / Gl	ת מ	gcc Ala 655	ggt Gly	196	8
gac Asj	c ac	a a	ys (ggt Gly 660	gca Ala	gcc Ala	ga Gl	a ag u Ar	g 1	gcc Ala 665	gcc Ala	t S	cc er	ccg Pro	Cac Glr	ac Th 67	r (999 51 y	Pro	201	6
t g	g cc Pr	o S	cc a er 1 75	hr	cga Arg	ggc Gly	tte Phe	ag Se 68	r /	agg Arg	aag Lys	g g.	ag lu	agc Ser	ctt Leu 685	Le	g c	ag Sln	ata Ile	206	4
Ala	69 69	u A: D	sn I	Pro	Glu	Leu	Glr 695	le i	น (Sln	Pro	A:	sp	G1 y 700	Phe	Ar	9 L	eu	Pro	211:	2
705	Pr	9 P	ro (ys	Pro	710		61	уА	la	Leu	P1 7]	15	G1 y	ren	Gl	γA	rg	Ser 720	2160	3
ser	Are	g G	lu F	ro	725	Val	Gln	Pr	οV	al	Ala 730	GI	у	lhr	Asn	Phe	? P	he 35	His	2208	3
116	Pro) Le	20 T 7	hr 1	Pro	Ala	tca Ser	Ala	3 P 7	ro 45	Gln	٧a	1 /	arg	Leu	75())	eu	G1 y	2256	;
ASN	Cys	75	r G 5	י טנ	/al	Leu	acc Thr	Le: 76(1 A.	la :	Lys	Ar	g G	gļņ	Asn 765	Leu	G.	lυ	Ala	2304	;
reu	770	GI	uА	la P	11a	Tyr	775	Va]	. Me	et :	Ser	G1	ս A 7	80	Tyr	Leu	· G]	ln '	Val	2352	
ctg Leu 785	Arg	Se	r Pi	ro A	sp	11e 790	Tyr	Gly	. c)	/S 1	čeu	5e 79	r G	Ty .	Aľa	Glu	Aı	rg (51 u 800	2400	
ctg Leu	116	re	u G	ln A 8	05	Arg	Leu	Arg	G1	ly A	irg	G1:	n T	yr :	Leu	Val	Va 81	.5	Ala	2448	
gac Asp	val	Cy:	8 Pr 82	0 L	ys (51 u	Asp	Ser	61 82	y G 25	31 y	Lei	ı C	ys (Cys	Tyr 830	As	p,z	Asp	2496	
gag Glu	GIN	835	o Va	1 T	rp A	irg	Pro	Leu 840	Al	аÀ	rg	Met	: P	ro I	Pro 345	Glu	Al	c g a V	itg Val	2544	
tcc Ser	cgg Arg	990 G1	tg / Cy	t go	cc a la 1	tc le	tgc Cys	agt Ser	ct Le	c t u P	tc he	aat Asn	ta Ty	et o	ctc Jeu	ttc Phe	gt Va	9 9 1 V	tg al	2592	

	850					855				16U	200 860	PCT	FIN	NAL.	ST	25	
	ggc Gly														e (2640
t ac Tyr	aac Asn	ccg Pro	ctc Leu	acg Thr 885	ggg Gly	atc Ile	tgg Trp	agc Ser	gag Glu 890	gtg Val	tgc Cys	ccg Pro	ct o	g aa u As 89	n (cag Gln	2688
gcc Ala	cgg Arg	ccg Pro	cac His 900	tgc Cys	cgg Arg	ctg Leu	gtg Val	gcc Ala 905	ctg Leu	gac Asp	ggg Gly	cac His	cto Lev 910	Ту	t (gcc Ala	2736
ato Ile	ggc Gly	gga Gly 915	gag Glu	tgt Cys	ctg Leu	aac Asn	tcg Ser 920	gtg Val	gag Glu	cgt Arg	tac Tyr	gac Asp 925	Pro	c cg	g I	ctg Leu	2784
gac Asp	cgc Arg 930	tgg Trp	gac Asp	ttt Phe	gcc Ala	ccg Pro 935	ccg Pro	ctc Leu	ccc Pro	agt Ser	gac Asp 940	acg Thr	tto Phe	gc Al	c d a l	ctg Leu	2832
gcg Ala 945	cac His	acg Thr	gcc [.] Ala	acg Thr	gtg Val 950	cgt Arg	gcc Ala	aag Lys	gaa Glu	atc Ile 955	ttc Phe	gtc Val	acc Thr	gg G1	уĊ	ggc 51 y 960	2880
t c g Se r	ctg Leu	cgc Arg	ttc Phe	ctg Leu 965	ctg Leu	ttc Phe	cgc Arg	ttc Phe	tct Ser 970	gcg Ala	cag Gln	gag Glu	cag Gln	97	g 1	rgg Trp	2928
	gcc Ala						Ser							Me			2976
	gtc Val					Tyr		Ph€					j S	-	-	g ggc n Gly	3024
	gcc Ala 1010	Val	tac Tyr				Al			c cg r Ar	g Le			tac Tyr	_	-	3069
	gcc Ala 1025	Thr	Tyr				Тy			t gc p Al	a Ph			tgc Cys	-		3114
	gtg Val 1040	Asp	aac Asn				Cy:			a cg y Ar	g Ar		-	acc Thr			3159
Cys	ttc Phe 1055	Leu	gca Ala	Asp	Ser	Val 106	Se: 0	r Pr	o Ar	a tc g Se	r Va 10	1 A 65	la	gtc Val	Ph	е	3204
Leu	tct Ser 1070	Gly	Ser	Trp	Gly	Asn 107	His 5	s Hi	s Gl	n Se	r Al	a 1 80	eu	Gln	G1	У	3249
gac Asp -	agc Ser 1085	ata Ile	att Ile	tgc Cys	cct Pro	cct Pro 109	Cys	t gc s Al	c ag a Ar	g tg g Tr	g to p Se. 10:	r G	ag (cta Leu	ga As	t P	3294
cct Pro	gtg Val 1100	tcc Ser	acg Thr	gaa Glu	gct Ala	gct Ala 110	Gly	gc / Al	c ca a Gl	g gc n Ala	t gte a Val	1 G		ctt Leu			3339
Gly	aga Arg 1115	Ser	Arg	Thr	Gly	Thr 1120	Lys)	As	p Gl	u Ly:	3 Gl	u ₹ 25	al (Gly	Me	t	3384
АЅР	ata Ile 1130	aga Arg	gga Gly	gag Glu	ctt Leu	gca Ala 1135	Lev	ga As	с са р Ні	c cga s Arg	a aga g Arg 114	g P	ca d	cca Pro	tc Se	c r	3429
ctg Leu	gtc Val 1145	tgg Trp	gct Ala	ctg Leu	gca Ala	cca Pro 1150	Gly	tc: Se:	t gce r Ala	e agt a Sei	ggc Gly 115	y S	gc t er S	tca Ser	ga Gl	g u	3474
gcc	aca	ggg	tga														3486

Ala Thr Gly 1160

<210> 99 <211> 1161

<212> PRT <213> Homo sapiens

<400> 99

Met Gly Pro Pro Glu Phe Met Tyr Glu Gln Gln Asp Asn Ser Thr His 1 $$ 5 $$ 10 $$ 15

Leu Gln Pro Leu Lys Thr Cys Pro Val Ala Arg Gln Leu Ile Arg Gly 20 25 30

Val Leu Arg Ala Pro Asp Gly Ala Lys Pro Gly Glu Asp Arg Gly Gln 35 40 45

Ala Arg Cys Asn Gly Arg Val Cys Gly Glu Lys Ser Lys Gln Pro Ile 50 55 60

Glu Ala Phe Lys Pro Val Cys Tyr Lys Pro Gln Phe Met Ser His Ile 65 70 75 80

Ile Pro Leu Tyr Ser Ile His Ala Ser Gln Ser Ser Gln Ser Lys 85 90 95

Leu Pro Ala His Leu His Leu Asp Pro Leu Gly Cys Ala Ser Leu Ser 100 105 110

Phe Ser Ser Thr Gln Pro Ser Pro Pro Tyr Tyr Pro Gly Leu Val Leu 115 120 125

Gly Cys Ser Lys Gln Asn Thr Gly Gly Ala Lys Cys Gln Lys Pro Leu 130 135 140

Thr Arg Arg Phe Glu His Leu Gly Thr Ala Lys Lys Pro Lys Lys Ser 145 150 155 160

Val Trp Pro Leu Gln Ser Leu Pro Gln Arg Asp Leu Lys Leu Val Asn 165 170 175

Ala Arg Ser Gln Ala Cys Trp Asn Pro Arg Thr Trp Gly Ala Ala Thr 180 185 190

Pro Asp Thr Asp Pro Glu Glu Ala Asn Ser Gly Gln Gln Asn Ile Lys 195 200 205

Glu Gln Gln Tyr Arg Val Ser Leu Gly Asn Asn Thr Gly Ser Pro Leu 210 220

Cys Ser Thr Glu Val Asn Phe Gly Ser Arg Gln Gln Gly Lys Leu Asn 225 235 240

Arg Thr Thr Arg Glu Ala Trp Lys Glu Ala Ser Arg Trp Asp Leu Pro 245 250 255 :

Ala Leu Gly Pro Ser Gly His Pro Leu Gln Leu Lys Val Thr Phe Ala 260 265 270

- Pro Leu Leu Ser Ser Ala Gly Gln Pro Glu Pro Ala Gln Asn Ser Leu 275 280 285
- Pro Ser Ala Gln Gln Asp Pro Gly Thr Gly Pro Tyr Trp Ala Ile Ile 290 295 300
- Asn Gln Ile Leu Asp Ile Pro Gln Pro Gln Val Gly Trp Arg Ser Met 305 310 315 320
- Phe Pro Arg Gly Ala Glu Ala Gln Asp Trp His Leu Asp Met Gln Leu 325 330 335
- Thr Gly Lys Val Val Leu Ser Ala Ala Ala Leu Leu Leu Val Thr Val 340 345 350
- Ala Tyr Arg Leu Tyr Lys Ser Arg Pro Ala Pro Ala Gln Arg Trp Gly 355 360 365
- Gly Asn Gly Gln Ala Glu Ala Lys Glu Glu Ala Glu Gly Ser Gly Gln 370 375 380
- Pro Ala Val Gln Glu Ala Ser Pro Gly Val Leu Leu Arg Gly Pro Arg 385 390 395 400
- Arg Arg Arg Ser Ser Lys Arg Ala Glu Ala Pro Gln Gly Cys Ser Cys 405 410 415
- Glu Asn Pro Arg Gly Pro Tyr Val Leu Val Thr Gly Ala Thr Ser Thr 420 425 430
- Asp Arg Lys Pro Gln Arg Lys Gly Ser Gly Glu Glu Arg Gly Gln 435 440 . 445
- Gly Ser Asp Ser Glu Gln Val Pro Pro Cys Cys Pro Ser Gln Glu Thr 450 455 460
- Arg Thr Ala Val Gly Ser Asn Pro Asp Pro Pro His Phe Pro Arg Leu 465 470 475 480
- Gly Ser Glu Pro Lys Ser Ser Pro Ala Gly Leu Ile Ala Ala Ala Asp 485 490 495
- Gly Ser Cys Ala Gly Gly Glu Pro Ser Pro Trp Gln Asp Ser Lys Pro 500 505 510
- _Arg Glu His Pro Gly Leu Gly Gln Leu Glu Pro Pro His Cys His Tyr 515 520 525
- Val Ala Pro Leu Gln Gly Ser Ser Asp Met Asn Gln Ser Trp Val Phe 530 535 540
- Thr Arg Val Ile Gly Val Ser Arg Glu Glu Ala Gly Ala Leu Glu Ala 545 550 555 560
- Ala Ser Asp Val Asp Leu Thr Leu His Gln Gln Glu Gly Ala Pro Asn 565 570 575"
- Ser Ser Tyr Thr Phe Ser Ser Ile Ala Arg Val Arg Met Glu Glu His 580 585 590

16U-200 PCT FINAL ST25

Phe Ile Gln Lys Ala Glu Gly Val Glu Pro Arg Leu Lys Gly Lys Val 595 600 605

Tyr Asp Tyr Tyr Val Glu Ser Thr Ser Gln Ala Ile Phe Gln Gly Arg 610 615 620

Leu Ala Pro Arg Thr Ala Ala Leu Thr Glu Val Pro Ser Pro Arg Pro 625 630 635 640

Pro Pro Gly Ser Leu Gly Thr Gly Ala Ala Ser Gly Gly Gln Ala Gly 645 650 655

Asp Thr Lys Gly Ala Ala Glu Arg Ala Ala Ser Pro Gln Thr Gly Pro 660 665 670

Trp Pro Ser Thr Arg Gly Phe Ser Arg Lys Glu Ser Leu Leu Gln Ile 675 680 685

Ala Glu Asn Pro Glu Leu Gln Leu Gln Pro Asp Gly Phe Arg Leu Pro 690 695 700

Ala Pro Pro Cys Pro Asp Pro Gly Ala Leu Pro Gly Leu Gly Arg Ser 705 710 715 720

Ser Arg Glu Pro His Val Gln Pro Val Ala Gly Thr Asn Phe Phe His 725 730 735

Ile Pro Leu Thr Pro Ala Ser Ala Pro Gln Val Arg Leu Asp Leu Gly 740 745 750

Asn Cys Tyr Glu Val Leu Thr Leu Ala Lys Arg Gln Asn Leu Glu Ala 755 760 765

Leu Lys Glu Ala Ala Tyr Lys Val Met Ser Glu Asn Tyr Leu Gln Val 770 780

Leu Arg Ser Pro Asp Ile Tyr Gly Cys Leu Ser Gly Ala Glu Arg Glu 785 790 795 800

Leu Ile Leu Gln Arg Arg Leu Arg Gly Arg Gln Tyr Leu Val Val Ala 805 810 815

Asp Val Cys Pro Lys Glu Asp Ser Gly Gly Leu Cys Cys Tyr Asp Asp 820 825 830

Glu Gln Asp Val Trp Arg Pro Leu Ala Arg Met Pro Pro Glu Ala Val 835 840 845

Ser Arg Gly Cys Ala 11e Cys Ser Leu Phe Asn Tyr Leu Phe Val Val 850 860

Ser Gly Cys Gln Gly Pro Gly His Gln Pro Ser Ser Arg Val Phe Cys 875 875 880

Tyr Asn Pro Leu Thr Gly Ile Trp Ser Glu Val Cys Pro Leu Asn Gln 885 890 895

Ala Arg Pro His Cys Arg Leu Val Ala Leu Asp Gly His Leu Tyr Ala 900 905 910

11e Gly Glu Cys Leu Asn Ser Val Glu Arg Tyr Asp Pro Arg Leu 915 920 925

Asp Arg Trp Asp Phe Ala Pro Pro Leu Pro Ser Asp Thr Phe Ala Leu 930 935 940

Ala His Thr Ala Thr Val Arg Ala Lys Glu Ile Phe Val Thr Gly Gly 945 950 955 960

Ser Leu Arg Phe Leu Leu Phe Arg Phe Ser Ala Gln Glu Gln Arg Trp 965 970 975

Trp Ala Gly Pro Thr Gly Gly Ser Lys Asp Arg Thr Ala Glu Met Val980 985 990

Ala Val Asn Gly Phe Leu Tyr Arg Phe Asp Leu Asn Arg Ser Leu Gly . 995 1000 1005

lle Ala Val Tyr Arg Cys Ser Ala Ser Thr Arg Leu Trp Tyr Glu 1010 1015 1020

Cys Ala Thr Tyr Arg Thr Pro Tyr Pro Asp Ala Phe Gln Cys Ala 1025 1030 1035

Val Val Asp Asn Leu Ile Tyr Cys Val Gly Arg Arg Ser Thr Leu 1040 1045 1050

Cys Phe Leu Ala Asp Ser Val Ser Pro Arg Ser Val Ala Val Phe 1055 1060 1065

Leu Ser Gly Ser Trp Gly Asn His His Gln Ser Ala Leu Gln Gly 1070 1075 1080

Asp Ser Ile Ile Cys Pro Pro Cys Ala Arg Trp Ser Gln Leu Asp 1005 1095

Pro Val Ser Thr Glu Ala Ala Gly Ala Gln Ala Val Gly Leu Val

Gly Arg Ser Arg Thr Gly Thr Lys Asp Glu Lys Glu Val Gly Met 1115 1120 1125

Asp Ile Arg Gly Glu Lev Ala Leu Asp His Arg Arg Pro Pro Ser 1130 1135 1140

Leu Val Trp Ala Leu Ala Pro Gly Ser Ala Ser Gly Ser Ser Glu 1145 1150 1155

Ala Thr Gly 1160

<210> 100

<211> 2953

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (350)..(2536)

<223>

Page 79

< 0	00>	100	1													
				agaç	ctc	ctcc	ccct	сс а	ggaa	aagc	a ct	tctc	ccca	ggc	agggc	gg 60
to	agto	ccct	caç	cgca	cct	gcat	gcac	ac a	cacc	acct	c ac	aacc	acac	act	gcatg	ca 120
ca	caca	taca	cca	cago	cac	acac	tgtg	ca t	acac	gcac	a co	ccac	aacc	cac	atact	gc 180
at	gcac	acac	aca	cacc	tac	aagc	tgca	tg c	tgca	taca	c aa	gtca	taca	gga	gataa	ac 240
tc	agag	tccc	ago	ссса	aat	agac	ccca	tc t	cttg	ctca	g tt	gctg	tcat	cct	agacc	tg 300
tt	tctt	tcgc	cac	attt	cta	taat	ctgc	ca g	tgtc	tgca	a gg	agaa			ggg g Gly G	
t t Ph	t ct e Le 5	a cc u Pr	t aa o Ly	g gc s Al	aga aG1	a ggg u Gl 10	g cco	c gg o G1	g ag y Se	c ca r Gl	a ct n Le 15	c ca u Gl	g aa n Ly	a ct s Le	t ctg u Leu	406
Pro 20	c tc o Se	c tt r Ph	t ct e Le	g gt u Va	c ag l Ar 25	a gaa g Glu	a caa u Glr	a gad n Asj	c tgo p Trj	g gad p Asj 30	c ca p Gl	g ca n Hi	c cti s Lei	g gao u As _l	c aag p Lys 35	454
c t i	t ca u Hi:	t ate	g ct t Le	g cad u Glu 40	g ca n Gl	g aag n Lys	g ago s Aro	g ati	t cta e Lei 45	a gaq a Glu	g to u Se:	t cc	a cte	cti Lei 50	t cga u Arg	502
gca Ala	e tco	c aaq r Ly:	g gaa s Gli 55	a aat u Asi	t ga	c ctg p Leu	g tot Ser	gt1 Val	t ctt Lei	t agg	g caa	a cti	t cta u Lei 65	e cto Lei	g gac 1 Asp	550
t go Cys	ace Thi	c tgi c Cy: 70	t gad s Asj	gtt Val	. cg	a caa g Glm	aga Arg 75	gga Gly	gco Ala	cto Lev	999 Gly	g gaq / Glv 80	g aco	gcg Ala	ctg Leu	598
cac His	ata 116 85	a gca e Ala	gco Ala	cto Leu	tai Tyi	gac Asp 90	aac Asn	ttg Let	g gag n Glu	g gcg Ala	gco Ala 95	tto Lei	g gtg ı Val	ctg Lev	atg Met	646
gag Glu 100	Ala	gco Ala	Pro	gag Glu	tet Let 105	ı Val	Phe	gag Glu	ccc Pro	acc Thr	Thr	tgt Cys	gag Glu	gct Ala	ttt Phe 115	694
gca Ala	ggt Gly	cag Gln	act	gca Ala 120	Let	cac His	atc Ile	gct Ala	gtt Val 125	Val	aac Asn	cag Gln	aat Asn	gtg Val 130	Asn	742
ctg Leu	gtg Val	cgt Arg	9cc Ala 135	Leu	cto Leu	acc Thr	cgc Arg	agg Arg 140	Ala	agt Ser	gtc Val	tct Ser	gcc Ala 145	Arg	gcc Ala	790
aca Thr	ggc Gly	act Thr 150	Ala	ttc Phe	cgc Arg	cgt Arg	agt Ser 155	ccc Pro	cgc	aac Asn	ctc Leu	atc Ile 160	Tyr	ttt Phe	GJ y ggg	838
gag Glu	cac His 165	cct Pro	ttg Leu	tcc Ser	ttt Phe	gct Ala 170	gcc Ala	tgt Cys	gtg Val	aac Asn	agc Ser 175	gag Glu	gag Glu	atc Ile	gtg Val	886
_cgg Arg 180	Leu	ctc Leu	att Ile	gag Glu	cat His 185	gga Gly	gct Ala	gac Asp	atc Ile	agg Arg 190	gcc Ala	cag Gln	gac Asp	tcc Ser	ctg Leu 195	934
gga Gly	aac Asn	aca Thr	gta Val	tta Leu 200	cac His	atc Ile	ctc Leu	atc Ile	ctc Leu 205	cag Gln	ccc Pro	aac Asn	aaa Lys	acc Thr 210	ttt Phe	982
gcc Ala	tgc Cys	cag Gln	atg Met 215	tac Tyr	aac Asn	ctg Leu	ctg Leu	ctg Leu 220	tcc Ser	tac Tyr	gat Asp	gga Gly	cat His 225	999 Gly	gac Asp	1030
ніѕ	ren	G1n 230	Pro	Leu	Asp		Val 235	Pro	Asn	His	Gln	Gly 240	Leu	Thr	Pro	1.078
Pne	aag Lys 245	ctg Leu	gct Ala	gga Gly	gtg Val	gag Glu 250	ggt Gly	aac Asn	act Thr	Val	atg Met 255	ttc Phe	cag Gln	cac His	ctg Leu	1126

	Gln				cac His 265											1174
					aca Thr											1222
					gtc Val											1270
					gtg Val											1318
					ttc Phe											1366
					acg Thr 345											1414
			-		cat His		-	•					-			1462
					tat Tyr											1510
					atc Ile											1558
					agg Arg											1606
					ttc Phe 425											1654
					gtg Val											1702
					gcc Ala											1750
					cag Gln											1798
					gac Asp											1846
					gcc Ala 505											1894
			Ser		999 Gly											1942
acc Thr	acc Thr	ttt Phe	gag Glu 535	ctt Leu	ttt Phe	ctc Leu	Thr	gtt Val 540	att Ile	gat Asp	gca Ala	cct Pro	gcc Ala 545	aac Asn	tac Tyr	1990
gac Asp	Val	gac Asp 550	ttg Leu	CCC Pro	ttc Phe	Met	ttc Phe 555	agc Ser	att Ile	gtc Val	aac Asn	ttc Phe 560	gcc Ala	ttc Phe	gcc Ala	2038
atc Ile	att Ile	gcc Ala	aca Thr	ctg Leu	ctc Leu	atg Met	ctc Leu	aac Asn	ttg Leu	ttc Phe	atc Ile	gcc Ala	atg Met	atg Met	ggc Gly	2086

	565					570				160		PCT	FIN	AL.S	T25	
			taa	200							575					
Asp 580	Thr	His	Тгр	Arg	Val 585	Ala	G1n	gag Glu	agg Arg	gat Asp 590	gag Glu	Leu	Trp	agg Arg	gcc Ala 595	2134
cag Gln	gt <i>c</i> Val	gtg Val	gcc Ala	acc Thr 600	aca Thr	gtg Val	atg Met	ctg Leu	gag Glu 605	cgg Arg	aag Lys	ctg Leu	cct Pro	cgc Arg 610	tgc Cys	2182
ctg Leu	tgg Trp	cct Pro	cgc Arg 615	tcc Ser	61 A 63 d	atc Ile	tgt Cys	999 Gly 620	tgc Cys	gaa Glu	ttc Phe	61 y 999	ctg Leu 625	G1 y	gac Asp	2230
cgc Arg	tgg Trp	ttc Phe 630	ctg Leu	cgg Arg	gtt Val	gag Glu	aac Asn 635	cac His	aat Asn	gat Asp	Cag Gln	aat Asn 640	cct Pro	ctg Leu	cga Arg	2278
gtg Val	ctt Leu 645	cgc Arg	tat Tyr	gtg Val	gaa Glu	gtg Val 650	ttc Phe	aag Lys	aac Asn	tca Ser	gac Asp 655	aag Lys	gag Glu	gat Asp	gac Asp	2326
cag Gln 660	gag Glu	cat His	cca Pro	tct Ser	gag Glu 665	aaa Lys	cag Gln	ccc Pro	tct Ser	999 Gly 670	gct Ala	gag Glu	agt Ser	G] A 333	act Thr 675	. 2374
cta Leu	gcc Ala	aga Arg	gcc Ala	tct Ser 680	ttg Leu	gct Ala	ctt Leu	cca Pro	act Thr 685	tcc Ser	t <i>cc</i> Ser	ctg Leu	tcc Ser	cgg Arg 690	acc Thr	2422
gcg Ala	tcc Ser	cag Gln	agc Ser 695	agc Ser	agt Ser	cac His	cga Arg	ggc Gly 700	tgg Trp	gag Glu	atc Ile	ctt Leu	cgt Arg 705	caa Gln	aac Asn	2470
acc Thr	Leu	999 Gly 710	cac His	ttg Leu	aat Asn	Leu	gga Gly 715	ctg Leu	aac Asn	ctt Leu	agt Ser	gag Glu 720	999 Gly _. .	gat Asp	gga Gly	2518
gag Glu	gag Glu 725	gtc Val	tac Tyr	cat His	ttt Phe	tgat	taac	at c	gcta	tcac	t ct	tgac	ctta			2566
ctcc	cggt	tg g	cctg	gggg	c gg	ggac.	agag	acg	gaga	cct	ctgc	ctat	gc a	agtg	tctaa	2626
cttc	tgtg	cc t	gtta	atca	t gg	gagg	gtga	gac	agaa	caa	tccc	taaa	99 g	tcat	gcctc	2686
acacı	ttca	ca t	cagaa	attt	c tg	gcaa	tggg	caa	tggt	cat (cgat	tgtc	c a	gta	ttttc	2746
tgggd	ctct	tg c	aagto	cacco	c at	ctca	ggaa	aaa	ggag	gtt (ggca	acta	aa ga	cat	gaggc	2806
aggga	etgci	ta ga	ettaa	etgto	age	acco	att	tct	cttc	igc (cca	cgca	ge ed	cta	gaaag	2866
tagta	agct	tg to	gaggo	tati	cto	gete	ccc	agg	gctta	ecg t	ggga	aagaq	jc ca	ggca	atggc	2926
ataga	ggtt	tg to	gccc	cttct	ttt	tttc	:									2953
<210>																
<212>	PF	T	apie	ns												
<400>)1"														
Met G			he L	eu P			la G	ilu G	ilv P	ro G	ilv S	er G	ln t	en e	iln.	
	-	-	_			- '					-, -		N	0		

Met Gly Gly Phe Leu Pro Lys Ala Glu Gly Pro Gly Ser Gln Leu Gln 1 5 10 . 15

Lys Leu Leu Pro Ser Phe Leu Val Arg Glu Gln Asp Trp Asp Gln His 20 25 30

Leu Asp Lys Leu His Met Leu Gln Gln Lys Arg Ile Leu Glu Ser Pro 35 40 45

Leu Leu Arg Ala Ser Lys Glu Asn Asp Leu Ser Val Leu Arg Gln Leu 50 60

Leu Leu Asp Cys Thr Cys Asp Val Arg Gln Arg Gly Ala Leu Glỳ Glu 65 70 75 80

Thr Ala Leu His Ile Ala Ala Leu Tyr Asp Asn Leu Glu Ala Ala Leu $\theta 5$ 90 95

Val Leu Met Glu Ala Ala Pro Glu Leu Val Phe Glu Pro Thr Thr Cys 100 105 110

Glu Ala Phe Ala Gly Gln Thr Ala Leu His Ile Ala Val Val Asn Gln
115 120 125

Asn Val Asn Leu Val Arg Ala Leu Leu Thr Arg Arg Ala Ser Val Ser 130 135 140

Ala Arg Ala Thr Gly Thr Ala Phe Arg Arg Ser Pro Arg Asn Leu Ile 145 150 155 160

Tyr Phe Gly Glu His Pro Leu Ser Phe Ala Ala Cys Val Asn Ser Glu 165 170 175

Glu Ile Val Arg Leu Leu Ile Glu His Gly Ala Asp Ile Arg Ala Gln 180 185 190

Asp Ser Leu Gly Asn Thr Val Leu His Ile Leu Ile Leu Gln Pro Asn 195 200 205

Lys Thr Phe Ala Cys Gln Met Tyr Asn Leu Leu Leu Ser Tyr Asp Gly 210 215 220

His Gly Asp His Leu Gln Pro Leu Asp Leu Val Pro Asn His Gln Gly 225 230 235 240

Leu Thr Pro Phe Lys Leu Ala Gly Val Glu Gly Asn Thr Val Met Phe 245 250 255

Gln His Leu Met Gln Lys Arg Arg His Ile Gln Trp Thr Tyr Gly Pro $260 \hspace{1cm} 265 \hspace{1cm} 270 \hspace{1cm}$

Leu Thr Ser Ile Leu Tyr Asp Leu Thr Glu Ile Asp Ser Trp Gly Glu 275 280

Glu Leu Ser Phe Leu Glu Leu Val Val Ser Ser Asp Lys Arg Glu Ala 290 295 300

Arg Gln Ile Leu Glu Glu Thr Pro Val Lys Glu Leu Val Ser Phe Lys 305 310 315 320

Trp Asn Lys Tyr Gly Arg Pro Tyr Phe Cys Ile Leu Ala Ala Leu Tyr 325 330 - 335

Leu Leu Tyr Met Ile Cys Phe Thr Thr Cys Cys Val Tyr Arg Pro Leu 340 345 350

Lys Phe Arg Gly Gly Asn Arg Thr His Ser Arg Asp Ile Thr Ile "Leu 355 360 365

Gln Gln Lys Leu Gln Glu Ala Tyr Glu Thr Arg Glu Asp Ile Ile 370 375 380

- Arg Leu Val Gly Glu Leu Val Ser Ile Val Gly Ala Val Ile Ile Leu 385 390 395 400
- Leu Leu Glu Ile Pro Asp Ile Phe Arg Val Gly Ala Ser Arg Tyr Phe 405 410 415
- Gly Lys Thr Ile Leu Gly Gly Pro Phe His Val Ile Ile Ile Thr Tyr 420 425 430
- Ala Ser Leu Val Leu Val Thr Met Val Met Arg Leu Thr Asn Thr Asn 435 440440445
- Gly Glu Val Val Pro Met Ser Phe Ala Leu Val Leu Gly Trp Cys Ser 450 455 460
- Val Met Tyr Phe Thr Arg Gly Phe Gln Met Leu Gly Pro Phe Thr Ile 465 470 475 480
- Met 11e Gln Lys Met 11e Phe Gly Asp Leu Met Arg Phe Cys Trp Leu 485 490 495
- Met Ala Val Val Ile Leu Gly Phe Ala Ser Ala Phe Tyr Ile Ile Phe 500 505 510
- Gln Thr Glu Asp Pro Thr Ser Leu Gly Gln Phe Tyr Asp Tyr Pro Met 515 520 525
- Ala Leu Phe Thr Thr Phe Glu Leu Phe Leu Thr Val Ile Asp Ala Pro 530 535 540
- Ala Asn Tyr Asp Val Asp Leu Pro Phe Met Phe Ser Ile Val Asn Phe 545 550 555 560
- Ala Phe Ala Ile Ile Ala Thr Leu Leu Met Leu Asn Leu Phe Ile Ala 565 570 575
- Met Met Gly Asp Thr His Trp Arg Val Ala Gln Glu Arg Asp Glu Leu 580 585 590
- Trp Arg Ala Gln Val Val Ala Thr Thr Val Met Leu Glu Arg Lys Leu 595 600 605
- Pro Arg Cys Leu Trp Pro Arg Ser Gly Ile Cys Gly Cys Glu Phe Gly 610 615 620
- Leu Gly Asp Arg Trp Phe Leu Arg Val Glu Asn His Asn Asp Gln Asn 625 636 636
- Pro Leu Arg Val Leu Arg Tyr Val Glu Val Phe Lys Asn Ser Asp Lys 645 650 655
- Glu Asp Asp Gln Glu His Pro Ser Glu Lys Gln Pro Ser Gly Ala Glu 660 665 670
- Ser Gly Thr Leu Ala Arg Ala Ser Leu Ala Leu Pro Thr Ser Ser Leu 675 680 685
- Ser Arg Thr Ala Ser Gln Ser Ser Ser His Arg Gly Trp Glu Ile Leu

690

Arq Gln Asn Thr Leu Gly His Leu Asn Leu Gly Leu Asn Leu Ser Glu 710

695

Gly Asp Gly Glu Glu Val Tyr His Phe

<210> 102 <211> 1545 DNA <212> Homo sapiens <213> <220> CDS <221>

<222> (130)..(438)

<223> <400> 102 atttgtgatg ggcactggct cctggctgag gaccgcctct tcgggctctg gcacttctgc 60 accaccacca accagacgat ctgcttcaga gacctgggcc aggcccatgt gcccgggctg 120 gccgtgggc atg ggc ctg gta cgc agc gtg ggc gcc ttg gcc gtg gtg gcc Met Gly Leu Val Arg Ser Val Gly Ala Leu Ala Val Val Ala 171 gcc att ttt ggc ctg gag ttc ctc atg gtg tcc cag ttg tgc gag gac Ala Ile Phe Gly Leu Glu Phe Leu Met Val Ser Gln Leu Cys Glu Asp 219 20 aaa cac tca cag tgc aag tgg gtc atg ggt tcc atc ctc ctc ctg gtg Lys His Ser Gln Cys Lys Trp Val Met Gly Ser Ile Leu Leu Leu Val 267

tct ttc gtc ctc tcc tcc ggc ggg ctc ctg ggt ttt gtg atc ctc ctc Ser Phe Val Leu Ser Ser Gly Gly Leu Leu Gly Phe Val Ile Leu Leu 315

agg aac caa gtc aca ctc atc ggc ttc acc cta atg ttt tgg tgc gaa Arg Asn Gln Val Thr Leu Ile Gly Phe Thr Leu Met Phe Trp Cys Glu 65 70 75 363

ttc act gcc tcc ttc ctc ttc ctg aac gcc atc agc ggc ctt cac Phe Thr Ala Ser Phe Leu Leu Phe Leu Asn Ala Ile Ser Gly Leu His 411

458 atc aac agc atc acc cat ccc tgg gaa tgaccgtgga aattttaggc Ile Asn Ser Ile Thr His Pro Trp Glu 100

cccctccagg gacatcagat tccacaagaa aatatggtca aaatgggact tttccagcat 518 gtggcctctg gtggggctgg gttggacaag ggccttgaaa cggctgcctg tttgccgata 578

638 acttgtgggt ggtcagccag aaatggcccg ggggcctctg cacctggtct gcagggccag

_aggccaggag ggtgcctcag tgccaccaac tgcacaggct tagccagatg ttgattttag 698

aggaagaaaa aaacatttta aaactccttc ttgaattttc ttccctggac tggaatacag 818 ttggaagcac aggggtaact ggtacctgag ctagctgcac agccaaggat agttcatgcc

878 tgtttcattg acacgtgctg ggataggggc tgcagaatcc ctggggctcc cagggttgtt

938 aagaatggat cattetteea getaagggte caateagtge etaggaettt etteeaceag

ctcaaagggc cttcgtatgt atgtccctgg cttcagcttt ggtcatgcca aagaggcaga . 998

gttcaggatt ccctcagaat gccctgcaca cagtaggttt ccaaaccatt tgactcggtt 1058

tgcctccctg cccgttgttt aaaccttaca aaccctggat aaccccatct tctagcagct 1118

ggctgtgcct ctgggagctc tgcctatcag aaccctacct taaggtgggt ttccttccga 1178 gaagagttot tgagcaagot otoccaggag ggoccacotg actgotaata cacagocoto

16U 200 PCT FINAL.ST25	
cccaaggccc gtgtgtgcat gtgtctgtct tttgtgaggg ttagacagcc tcagggcacc	1298
attittaato ocagaacaca titoaaagag cacgiatota gaccigoigg actoigcagg	1358
gggtgagggg gaacagcgag agcttgggta atgattaaca cccatgctgg ggatgcatgg	1418
aggtgaaggg ggccaggaac cagtggagat ttccatcctt gccagcacgt ctgtacttct	1478
gttcattaaa gtgctccctt tctagtcgat gtgtcactgc tgtatcatac ttttatgcta	1538
Cacaacc	1545
<210> 103	
<211> 103 <212> PRT	
<213> Homo sapiens	
<400> 103	
Met Gly Leu Val Arg Ser Val Gly Ala Leu Ala Val Val Ala Ala 11e 1 5 10 15	
Phe Gly Leu Glu Phe Leu Met Val Ser Gln Leu Cys Glu Asp Lys His	
Ser Gln Cys Lys Trp Val Met Gly Ser Ile Leu Leu Leu Val Ser Phe 35 40 45	
Val Leu Ser Ser Gly Gly Leu Leu Gly Phe Val Ile Leu Leu Arg Asn 50 55 60	
Gln Val Thr Leu Ile Gly Phe Thr Leu Met Phe Trp Cys Glu Phe Thr 65 70 75 80	
Ala Ser Phe Leu Leu Phe Leu Asn Ala Ile Ser Gly Leu His Ile Asn 85 90 95	
Ser Ile Thr His Pro Trp Glu 100	
<210> 104	
<211> 24 <212> DNA	
<213> Homo sapiens	
<400> 104 gcgcttccgg acctgtatct ccac	24
<210> 105	
<211> 24 <212> DNA <213> Homo sapiens	
<213> Homo sapiens <400> 105	
caagetetgg gtetegggea gaag	24
<210> 106 <211> 50	
<212> DNA <213> Homo sapiens	
<400> 106	•
aaagagcctc taaagaaggg ttccagacta ccaggagctc actggaaata	50
<210> 107	
<211> 24 <212> DNA	

	16U 200 PCT FINAL.ST25	
<213	Homo sapiens	
4400	107	
	> 107 cctgc aaacttggat gggc	
accat	cerge abactrygat ggge	24
<210>	108	
<211>		
<212>		
<213>	Homo sapiens	
<400>	. 108	
	gccgg aagacaggga gagg	2.4
20990	gergg addenggga gagg	24
<210>		
<211>		
<212>		
<213>	Homo sapiens	
<400>	109	
	atgta tatgaaaacc ctgtttatct gagcctagaa ctgtctttgc	50
,	· · · · · · · · · · · · · · · · · · ·	30
<210>		
<211>		
<212>		
<213>	Homo sapiens	
<400>	110	
	tagtt ttaaatggga gggaataaag tctgcaaaat ttccccatat	50
, ,	- yer real-typy yyyaaraaay caayaaaaa cccacacac	30
<210>		
<211>		
<212> <213>		
1213/	Homo sapiens	
<400>	111	
gagtc	tccct gtgcgtttgg gctg	24
	•	
40105	110	
<210> <211>		
<212>		
	Homo sapiens	
<400>	112	
aagtgi	taaag catgccccgc ctga	24
<210>	113	
<211>	50	
<212>	DNA	
<213>	Homo sapiens	
- 400		
<400>	113	
aytece	agct taaaaaagag acagacagac agagagagag agagacagag	50
	•	
<210>	114	
<211>	50	
<212>	AND	
<213>	Homo sapiens	
<400>	114	
	114	
ccageg	attt aaaaaaatgt gaagaagaga gagtcaaggc agtaaaagga	50
<210>	115	
<211>	24	
<212>	DNA	
<213>	Homo sapiens	
<400>	115	•
	tatg ctgccacggt catc	2.4
,	ungecouge care	24
<210>	116	

Page 87

```
16U 200 PCT FINAL.ST25
  <211> 24
  <212> DNA
  <213> Homo sapiens
  <400> 116
  agtectggca gtectggcat tgtg
                                                                       24
  <210> 117
  <211> 50
  <212> DNA
  <213> Homo sapiens
 <400> 117
 gatacaaata attaaaagcc caggttaagg taaatatatt aaagaccaag
                                                                       50
 <210> 118
 <211> 50
 <212> DNA
 <213> Homo sapiens
 <400> 118
 atctcacgaa ttaaaaaatgc tgaggtggta aattgttatc aattctatgt
                                                                     50
 <210> 119
 <211> 24
 <212>
       DNA
 <213> Homo sapiens
 <400> 119
 caggattacg cacaaacggc atgg
                                                                       24
 <210> 120
 <211> 24
 <212> DNA
 <213> Homo sapiens
 <400> 120
 tgggaggcag agatagcaga gccc
                                                                      24
 <210> 121
<211> 50
<212> DNA
 <213> Homo sapiens
<400> 121
ctagactatt taaaaaaacc cctggcttgc acagtggctc aagcctgtaa
                                                                      50
<210> 122
<211> 24
<212> DNA
<213> Homo sapiens
<400> 122
ctggtcctgg gcaccctgat aagc
                                                                      24
<210> 123
<211> 24
<212> DNA
<213> Homo sapiens
<400> 123.
cccaggtetg gttgcagtgc tctc
                                                                     24
<210> 124
<211>
      50
<212>
      DNA
<213> Homo sapiens
<400> 124
agctgtcctc attaaaagtg acctggagtg agatggattc ttctgcctat
                                                                     50
```

Page 88

<210>	125		
<211>	50		
<212>			
<213>	Homo sapiens		
<400>	125		
ccaat	totto tgaaaaacgg gagtoactgt gggcaccatc acgcccgggt		50
<210>	126		
<211>			
<212>	DNA		
<213>	Homo sapiens		
<400>	126		
ctgagg	gtgtc cctcccaagc aggt		24
<210>	127		
<211>	24		
<212>	DNA		
<213>	Homo sapiens		
	•	•	
<400>	127		
tacggo	cgag aagcactgga gatg		24
<210>	128		
<211>	50 .		
<212>	DNA		
<213>	Homo sapiens		
<400>	128		
taaaca	aata cataaatgag gcagttacta gtagtggtaa ctgctaggaa		50
.010.			
<210>	129		
<211>	50		
<212>	DNA		
<213>	Homo sapiens		
<400>			
	129		
actada	aata taaaaatcag ccaggcctgg tggcacatgt ctgtaatctc		50
<210>	130		
<211>	50		
<212>	DNA		
<213>	Homo sapiens		
	nomo Saprens		
<400>	130		
	catt ataaatgcaa ccagccagag ggcccctggc ttcagaacct		50
3333			30
<210>	131		
<211>	27		
<212>	DNA		
<213>	Homo sapiens		
	·		
≤400>	131		
	tcag cgatctcaac gataggg		27
<210>	132		
<211>	28		
<212>	DNA		
<213>	Homo sapiens		
<400>	132		
tggagca	agga acaggatata ggtcaggg		28
		,	
(210>	133		
(211>	50		
212>	DNA		
(213>	Homo sapiens		
400>	177		

atatac	cttg tttaaaagag	gggtattatc		aaggaaagct		50
<210> <211>	134 50					
<212>	DNA					
<213>	Homo sapiens					
<400>	134				_	
acccct	actt ttaaaggcct	tgacaaacag	tgctaaagtt	ctcaccttaa	•	50
<210>	135					
<211>	24					
<212>	DNA					
<213>	Homo sapiens					
<400>	135				,	
gggtgg	gaag gaagcaggga	agag			2	24
(210)	126					
<210> <211>	136 24					
<212>	DNA				•	
<213>	Homo sapiens					
<400>	136					
	agtt catgettgge	gcag			2	2 4
-,						
<210>	137					
<211>	50					
<212>	DNA					
<213>	Homo sapiens					
<400>	137				_	
ttattg	ggca taaaaatatg	aagagaggtc	ccagagagtc	cctaggttct	5	0
<210>	138					
<211> <212>	30 DNA					
<213>	Homo sapiens					
<400>	138					
	ggaa tcttcagcca	gatctcacac			3	30
<210>	139					
<211>	24					
<212> <213>	DNA Homo sapiens					
<400>	139 ottt ctgcacgctc	agca			2	24
23 21	,,	•				
<210>	140					
<211>	50					
<212> <213>	DNA Homo sapiens					
	nomo suprens					
<400>	140 :ttg ttaaaaactg	ncattact**	actettates	tttctatata	5	0
anycan	ity trasassity	gcattactt	acticitatge	eccegegee		
<210>	141			•		
<211>	50					
<212>	DNA					
<213>	Homo sapiens					
<400>	141					_
actttaa	ettt tataaagaag	gttcacatca	agaaattcca	agtgaggttc	5	0
2210 5	142					
<210> <211>	142 24					
<212>	DNA					
/2125	Mama anada.					

<400> 142 gggccacttc cacagacagg aagc	24
<210> 143 <211> 33 <212> DNA <213> Homo sapiens	
<400> 143	
tggcctgaga ggtagattcc acatagtagt cgt	33
<210> 144	
<211> 50 <212> DNA	
<213> Homo sapiens	
<400> 144	
aaggettett caaaaaaage gggettgtte tgggecagaa aatcagagtg	50
<210> 145	
<211> 31 <212> DNA	
<213> Homo sapiens	
<400> 145	
ctcctttctg gtcagagaac aagactggga c	31
<210> 146	
<211> 27 <212> DNA	
<213> Homo sapiens	
<400> 146	
gtgatgtctc gagaatgagt gcggttg	27
<210> 147 <211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 147	
cagegaggea gaaaaatgte eeacaagttg ageeeteeee acteeeagtg	50
.210.	
<210> 148 <211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 148	
taatataaaa tatataaaat agtgcaacat tacttattcc tcctggtgtt	50
<210> 149	
<211> 27	
<212> DNA <213> Homo sapiens	
<400> 149 gcagatgacc cgacctgact gttcttc	22
	27
<210> 150	
<211> 27 <212> DNA	
<212> DNA <213> Homo sapiens	•
4400	
<400> 150 Historian de la composición del composición de la composición de la composición del composición de la composic	27
•	-,
<210> 151	
<211> 50	

										160	200	PCT	FIN	AL.S	T25	
	12> 13>	DNA	o say	pien	5											
	00> agag	151 gagt	tta	aatga	aag d	ccta	ctti	g g	gcag	gago	: 999	agga	aac			50
<21	0>	152														
<21 <21		945 DNA														
<21			sap	oiens	3											
<22																
<22 <22	_	(1)	(94	15)											•	
<22	3>															
< 40		152														40
															gga Gly	48
1				5					10					15		
															tta Leu	- 96
200		020	20	. 7110	. 010	, DCO	01,,	25	, , 10	рси		cys	30		Бей	
									aac							144
G1 y	He	Tyr 35	Thr	Val	Thr	Val	Val 40	Gly	Asn	Leu	Ser	Met 45	Ile	Ser	lle	
att	200	cto	, sat	cat	C 2 2	ctt	cat	200	ccc	240	tac	+ > +	tto	cto	201	192
	Arg	-		-		Leu			Pro	-	Tyr			-		132
	50					55					60					
									tct Ser							240
65					70		-,-	-,-	•	75					80	
									aga							288
Met	Leu	Ser	GIÀ	Phe 85	ren	Cys	Arg	Asp	Arg 90	Ser	116	Ser	Tyr	Ser 95	Gly	
tgc	atg	att	cag	ctq	ttt	ttt	ttc	tqt	gtt	tqt	qtt	att	tct	qaa	tgc	336
				Leu					Val							
																20.4
		Leu	Ala						cgc Arg							384
		115					120					125				
									cct Pro							432
	130	Dec	- , .	9		135	1100	Jer	,,,	nrg	140	Cys	561	Deu	DCU	
gtg	gct	gct	gtc	ttc	tca	gta	ggt	ttc	act	gat	gct	gtg	atc	cat	gga	480
Val 145	Ala	Ala	Val	Phe	Ser 150	Val	Gl y	Phe	Thr	Asp 155	Ala	Val	lle	His	Gly 160	
aat	tat	ata	ctc	200	***	tet	ttc	tat	gga	tca	220	atc	211	222	cat	528
Gly				Arg					Gly					Lys		320
				165					170					175		
									aaa Lys							576
-		-	180					185	•				190			
									att							624.
Tyr	116	195	GIU	ren	Leu	116	200	Val	11e	GIÀ	G1 A	205	Asn	Met	Val	
gcc	aca	agc	cta	aca	atc	att	att	tca	tat	act	ttt	atc	ctc	acc'	adc	672
Ala	Thr 210	Ser	Leu	Thr	lle	11e 215	lle	Ser	Tyr	Ala	Phe	Ile	Leu	Thr	Ser	
A b		_							•		220					
Пe	Leu	cgc Arg	lle	cac His	tct Ser	aaa Lys	aag Lys	ggc Gly	agg Arg	tgc Cys	aaa Lys	gcg Ala	ttt Phe	agc Ser	acc Thr	720
225					230					235					240	
tgt	agc	tcc	cac	ctg	aca	gct	gtt	ctt	atg	ttt	tat	ggg	tct	ctg	atg	768

15

Cys	Ser	Ser	His	Leu 245	Thr	Ala	Val	Leu	Met 250	16U Phe	200 Tyr	PCT Gly	FINA Ser	L.51 Leu 255	25 Met	
tcc Ser	atg Met	tat Tyr	ctc Leu 260	aaa Lys	cct Pro	gct Ala	tct Ser	agc Ser 265	agt Ser	tca Ser	ctc Leu	acc Thr	cag Gln 270	gag Glu	aaa Lys	816
gta Val	tcc Ser	tca Ser 275	gta Val	ttt Phe	tat Tyr	acc Thr	act Thr 280	gtg Val	att Ile	ctc Leu	atg Met	ttg Leu 285	aat Asn	ccc Pro	ttg Leu	864
ata Ile	tat Tyr 290	agt Ser	ctg Leu	agg Arg	aac Asn	aat Asn 295	gaa Glu	gta Val	aga Arg	aat Asn	gct Ala 300	ctg Leu	atg Met	aaa Lys	ctt Leu	917
							tct Ser			taa						94!
<210 <210 <210 <210	!> 2>	153 314 PRT Homo	sap	iens												-
<40)>	153														
Met 1	G1 y	Val	Lys	Asn 5	His	Ser	Thr	Val	Thr 10	Glu	Phe	Leu	Leu	Ser 15	Gly	
Leu	Thr	Glu	Gln 20	Ala	Glu	Leu	Gln	Leu 25	Pro	Leu	Phe	Cys	Leu 30	Phe	Leu	
Gl y	Ile	Туг 35	Thr	Val	Thr	Val	Val 40	Gly	Asn	Leu	Ser	Met 45	Ile	Ser	lle	
Ile	Arg 50	Leu	Asn	Arg	Gln	Leu 55	His	Thr	Pro	Met	Туг 60	Tyr	Phe	Leu	Ser	
Ser 65	Leu	Ser	Phe	Leu	Asp 70	Phe	Cys	Туr	Ser	Ser 75	Val	Ile	Thr	Pro	Lys 80	
Met	Leu	Ser	Gly	Phe 85	Leu	Cys	Arg	Asp	Arg 90	Ser	Ile	Ser	Tyr	Ser 95	Gly	
Cys	Met	Ile	Gln 100		Phe	Phe	Phe	Cys 105	Val	Cys	Val	lle	Ser 110	Glu	Cys	
Tyr	Met	Leu 115		Ala	Met	Ala	Cys 120		Arg	Туr	Val	Ala 125	lle	: Cys	Ser	
Pro	Leu 130		Tyr	Arg	Val	11e 135		Ser	Pro	Arg	Val 140	Cys	Ser	Leu	Leu	. · · ·
Val 145	Ala	Ala	Val	Phe	Ser 150		G1 y	Phe	Thr	Asp 155	Ala	Val	. 116	His	61y 160	
Gly	Cys	Ile	Leu	Arg 165		Ser	Phe	Cys	Gly 170		Asn	Ile	: Ile	Lys 175	His	
Tyr	Phe	Cys	Asp 180		Val	Pro	Leu	11e 185		Leu	Ser	Cys	5 Ser 190	Ser	Thr	•
Tyr	Ile	Asp 195		Leu	Leu	Ile	Phe 200		Ile	G1 y	Gly	205	e Asr	Met	. Val	

```
16U 200 PCT FINAL.ST25
  Ala Thr Ser Leu Thr Ile Ile Ile Ser Tyr Ala Phe Ile Leu Thr Ser
                           215
                                                  220

        Ile Leu Arg Ile His Ser Lys Lys Gly Arg Cys Lys Ala Phe Ser Thr

        225
        230

        225
        235

  Cys Ser Ser His Leu Thr Ala Val Leu Met Phe Tyr Gly Ser Leu Met
  Ser Met Tyr Leu Lys Pro Ala Ser Ser Ser Ser Leu Thr Gln Glu Lys
                                    265
  Val Ser Ser Val Phe Tyr Thr Thr Val Ile Leu Met Leu Asn Pro Leu
 lle Tyr Ser Leu Arg Asn Asn Glu Val Arg Asn Ala Leu Met Lys Leu
 Leu Arg Arg Lys Ile Ser Leu Ser Pro Gly 305 310
 <210> 154
<211> 34
 <212> DNA
 <213> Homo sapiens
 <400> 154
 ctgtgatcca tggaggttgt atactcaggt tgtc
                                                                              34
 <210> 155
 <211> 36
 <212> DNA
 <213> Homo sapiens
 <400> 155
 tcatcagage atttcttact tcattgttcc tcagac
                                                                              36
 <210> 156
 <211> 50
 <212> DNA
 <213> Homo sapiens
 <400> 156
caggagaatt aaatataaga gtggtcagtg tgtttgtaac actcaggaca
                                                                              50
<210> 157
<211>
        50
<212> DNA
<213> Homo sapiens
≺400> 157
aaaacatgct ttaaaaaacc catgatatta aagacaaaaa actgagcata
                                                                             50
<210> 158
<211> 50
<212> DNA
<213> Homo sapiens
<400> 158
atgaacaget tattaaatag ceaggtaget gggeagaatg agaaaatgea
                                                                           - 50
<210> 159
<211> 50
<212>
       DNA
<213> Homo sapiens
<400> 159
```

gcc	caa	act	aaat	aaag	gg t	cago	ttt	et ca	igaga					AL.S	т25	50
<21 <21 <21 <21	1> 2>	160 50 DNA Homo	sar	oiens	;											
<40 tgc		160 aaa	tgtt	ttta	iaa a	agtg	ıtgaa	ıg tt	ggcc	tato	acc	aagt	aag			50
<21 <21 <21 <21	1> 2>	161 50 DNA Homo	sap	oiens	;											
<40 taa		161 tgt	attt	atat	ag t	cctt	cagg	ıa gg	actg	aggc	ato	ctcc	agt			50
<21 <21 <21 <21	1> 2> 3>	162 957 DNA Homo	sap	iens												
<22 <22 <22 <22	1> 2>	CDS (1).	. (95	7)												
	aat								gca Ala 10							48
									gtt Val							96
									aac Asn							144
gtg Val	acc Thr 50	tcc Ser	gac Asp	cca Pro	cac His	ctg Leu 55	cac His	aca Thr	acc Thr	atg Met	tat Tyr 60	ttt Phe	ctc Leu	ttg Leu	ggc Gly	192
aat Asn 65	ctt Leu	tct Ser	ttc Phe	ctg Leu	gac Asp 70	ttt Phe	tgc Cys	tac Tyr	tct Ser	tcc Ser 75	atc Ile	aca Thr	gca Ala	cct Pro	agg Arg 80	240
atg Met	ctg Leu	gtt Val	gac Asp	ttg Leu 85	ctc Leu	tca Ser	ggc Gly	aac Asn	cct Pro 90	acc Thr	att Ile	tcc Ser	ttt Phe	ggt Gly 95	gga G1 y	288
tgc Cys	ctg Leu	act Thr	caa Gln 100	ctc Leu	ttc Phe	ttc Phe	ttc Phe	cac His 105	ttc Phe	att Ile	gga Gly	ggc Gly	atc Ile 110	aag Lys	atc Ile	336
_ttc Phe	ctg Leu	ctg Eeu 115	act Thr	gtc VaI	atg Met	gcg Aľa	tat Tyr 120	gac Asp	cgc Arg	tac Tyr	att IÎe	gcc Afa 125	att IÎe	tcc Ser	cag Gľn	384
ccc Pro	ctg Leu 130	cac His	tac Tyr	acg Thr	ctc Leu	att Ile 135	atg Met	aat Asn	cag Gln	act Thr	gtc Val 140	tgt Cys	gca Ala	ctc Leu	ctt Leu	432
atg Met 145	gca Ala	gcc Ala	tcc Ser	tgg Trp	gtg Val 150	999 Gly	ggc Gly	ttc Phe	atc Ile	cac His 155	tcc Ser	ata Ile	gta Val	cag Gln	att Ile 160	480
gca Ala	ttg Leu	act Thr	atc Ile	cag Gln 165	ctg Leu	cca Pro	ttc Phe	tgt Cys	999 Gly 170	cct Pro	gac Asp	aag Lys	ctg Leu	gac Asp 175	aac Asn	528
ttt Phe	tat Tyr	tgt Cys	gat Asp 180	gtg Val	cct Pro	cag Gln	ctg Leu	atc Ile 185	aaa Lys	ttg Leu	gcc Ala	tgc Cys	aca Thr 190	gat Asp	acc Thr	576

									•	1 6U	200	PC T	FIN	AL.S	T25	
ttt Phe	gtc Val	tta Leu 195	GIU	ctt Leu	tta Leu	atg Met	gtg Val 200	. Sei	aac Asn	aat Asn	ggc Gly	ctg Leu 205	Val	acc Thr	ctg Leu	624
atg Met	tgt Cys 210	Pne	ctg Leu	gtg Val	ctt Lev	ctg Leu 215	gga Gly	tco Ser	tac Tyr	aca Thr	gca Ala 220	Leu	cta Leu	gtc Val	atg Met	672
ctc Leu 225	cga Arg	agc Ser	cac His	tca Ser	cgg Arg 230	gag Glu	ggc Gly	cgc	agc Ser	aag Lys 235	Ala	ctg Leu	tct Ser	acc Thr	tgt Cys 240	720
gcc Ala	tct Ser	cac His	att lle	gct Ala 245	gtg Val	gtg Val	acc Thr	tta Leu	atc 11e 250	ttt Phe	gtg Val	cct Pro	tgc Cys	atc Ile 255	tac Tyr	768
gtc Val	tat Tyr	aca Thr	agg Arg 260	cct Pro	ttt Phe	cgg Arg	aca Thr	ttc Phe 265	ccc Pro	atg Met	gac Asp	aag Lys	gcc Ala 270	gtc Val	tct Ser	816
gtg Val	cta Leu	tac Tyr 275	aca Thr	att Ile	gtc Val	Thr	ccc Pro 280	atg Met	ctg Leu	aat Asn	cct Pro	gcc Ala 285	átc Ile	tat Tyr	acc Thr	864
ren	aga Arg 290	aac Asn	aag Lys	gaa Glu	VaI	atc 11e 295	atg Met	gcc Ala	atg Met	aag Lys	aag Lys 300	ctg Leu	tgg Trp	agg Arg	agg Arg	912
aaa Lys 305	aag Lys	gac Asp	cct Pro	He	ggt Gly 310	ccc Pro	ctg Leu	gag Glu	cac His	aga Arg 315	ccc Pro	tta Leu	cat His	tag		957
<210 <211 <212 <213 <400 Met J	> 3 > P: > Ho > 1	Gln V	lla A	Asn H			irg :		10			Chr \		15		
Ala V	/al 1	fyr P 35	he M	et T	hr V	al V 4	'al (Gly .	Asn 1	Leu l				7al 1	le	
Val T	hr S O	er A	sp P	ro H	is L 5	eu H 5	is 7	Thr :	Thr N		Tyr P	he L	eu I	eu G	Iy	
Asn L 65	eu S	er Pi	he L	eu A: 7(sp Pi	he C	ys 1	Cyr S	Ser S	er 1 '5	le T	hr A	la P		rg 0	
Met L	eu V	al A:	sp Le	eu Le S	eu Se	er G	ly A	sn P	ro T	hr I	le S	er P		lу G 5	ly	
Cys Le	eu Ti	hr G1	n Le	eu Ph	e Pi	ne Pl	ne н 1	is P 05	he I	le G	ly G		le L 10	ys I.	le	
Phe Le	eu Le 11	ev Th 15	ır Va	ıl Me	t Al	a Ty 12	/r A	sp A	rg T	yr I	le Al		le S	er G	ln	·
Pro Le	eu Hi BO	s Ty	r Th	r Le	u Il 13	е Ме 5	t A:	sn G	ln T		al Cy 40	/s Al	ia Le	u Le	eu	
Met Al 145	a Al	a Se	r Tr	p Va 15	1 G1 0	y Gl	y Pi	he I		is Se 55	er Il	e Va	1 G1	in II		

Ala Leu Thr Ile Gln Leu Pro Phe Cys Gly Pro Asp Lys Leu Asp Asn 165 170 175Phe Tyr Cys Asp Val Pro Gln Leu Ile Lys Leu Ala Cys Thr Asp Thr 180 185 190 Phe Val Leu Glu Leu Leu Met Val Ser Asn Asn Gly Leu Val Thr Leu 200 Met Cys Phe Leu Val Leu Leu Gly Ser Tyr Thr Ala Leu Leu Val Met 210 215 220 Leu Arg Ser His Ser Arg Glu Gly Arg Ser Lys Ala Leu Ser Thr Cys 225 235 240 Ala Ser His Ile Ala Val Val Thr Leu Ile Phe Val Pro Cys Ile Tyr Val Tyr Thr Arg Pro Phe Arg Thr Phe Pro Met Asp Lys Ala Val Ser Val Leu Tyr Thr Ile Val Thr Pro Met Leu Asn Pro Ala Ile Tyr Thr 275 280 285 Leu Arg Asn Lys Glu Val Ile Met Ala Met Lys Lys Leu Trp Arg Arg 295 Lys Lys Asp Pro Ile Gly Pro Leu Glu His Arg Pro Leu His <210> 164 <211> 26 <212> DNA <213> Homo sapiens <400> 164 gaatccagca aatcattccc aggtgg 26 <210> 165 <211> 29 <212> DNA <213> Homo sapiens <400> 165 ctaatgtaag ggtctgtgct ccaggggac 29 <210> <211> 50 <212> DNA <213> Homo sapiens <400> 166 cactaccctt ttaaagtgca gggggcagtg atttcttttc ttttcttttt 50 <210> 167 <211> 972 <212> DNA <213> Homo sapiens <220> <221> CDS

Page 97

<222>

<223>

(1)..(972)

			***	<i>y</i> 05.	. 000	05											
											161	1 201	0 PC1	r FI	NAI.	ST25	
a	let	aad	167 c cc n Pr	t ga	aa aa Iu As 5	ac to sn Ti	gg ac rp Th	t ca r Gl	g gt n Va	a ac 1 Th 10	a age r Se:	c tt	t at	c ct	t ct	g ggt u Gly	48
t P	tc he	Pro	ag Se	t ag r Se 20	er Hi	c ct is Le	c at	a ca e Gl	g tt n Ph 25	c ct e Le	g gte u Val	g tte i Ph	c cto	9 99 1 G1 30	g tta y Lea	a atg u Met	96
g V	tg al	acc Thi	ta Ty 35	r I)	t gt .e Va	a ac	a gc r Al	c ac a Th 40	r Gl	c aa y Ly:	g cto s Lei	cta Le	a att u Ile 45	t at	t gte e Va	g ctc l Leu	144
a Si	gc er	tgg Trp 50	at Il	aga eAs	ic ca	a cg n Ar	c ct g Le 55	g ca u Hi	c ata	a cae e Gli	g ato n Met	tac Tyr 60	c tto r Phe	tto Phe	cto E Lei	g cgg u Arg	192
a: A: 6!	sn	t t c Phe	tc Se	c tt r Ph	c ct e Le	g ga u G1 70	u Le	g tte	g cto	g gta u Val	a act I Thr 75	gtt Val	t gtg l Val	g gti Val	cco Pro	aag Lys 80	240
at Me	t g e t	ctt Leu	gt: Va	c gt l Va	c at 1 11 85	e Le	c ace u Th	g gge r Gly	g gat y Asp	Cac His 90	acc Thr	ato Ile	tca Ser	ttt Phe	gto Val 95	agc Ser	288
t <u>C</u>	gc ys	atc 11e	at o	c ca e G1 10	n Se	c ta r Ty	c cto r Lei	tac Ty	tto Phe 105	Phe	cta Leu	ggc Gly	acc Thr	Thr 110	Asp	ttc Phe	336
t t Ph	ic ne	ctc Leu	Let 115	ı Al	c gt a Va	c ato 1 Me	g tci t Sei	cto Let 120	ı Asp	cgt Arg	tac Tyr	ctg Leu	gca Ala 125	lle	tgc Cys	cga Arg	384
ec Pr	0	ctc Leu 130	ege Arg	ta j Ty	t ga r Gl	g aco u Thi	c ctg Lev 135	Met	aat Asn	ggc Gly	cat His	gtc Val 140	Cys	t cc Ser	caa Gln	cta Leu	432
gt Va 14	11	ctg Leu	gcc Al a	tc Se:	c tg	g cta p Lei 150	ı Ala	gga Gly	ttc Phe	ctc Leu	tgg Trp 155	gtc Val	ctt Leu	t gc Cys	ccc Pro	act Thr 160	480
gt Va	1 1	ctc Leu	atg Met	Ala	a Ser 169	Let	cct Pro	tto Phe	tgt Cys	ggc Gly 170	Pro	aat Asn	ggt Gly	att Ile	gac Asp 175	cac His	528
t t Ph	c i	tt Phe	cgt Arg	gad Asp 180	Se ₁	tgg Trp	ccc Pro	t t g Leu	ctc Leu 185	agg Arg	ctt Leu	tct Ser	tgt Cys	999 Gly 190	gac Asp	acc Thr	576
Ca Hi	c c	etg Leu	ctg Leu 195	Lys	cto Leu	g gtg val	gct Ala	ttc Phe 200	Met	ctc Leu	tct Ser	acg Thr	ttg Leu 205	gtg Val	tta Leu	ctg Leu	624
99 G1	y S	ca Ser 210	ctg Leu	gct Ala	Lev	acc Thr	tca Ser 215	gtt Val	tcc Ser	tat Tyr	gcc Ala	tgc Cys 220	att lle	ctt Leu	gcc Ala	act Thr	672
gt: Va. 225	I I	tc eu	agg Arg	gcc	Pro	aca Thr 230	Ala	gct Ala	gag Glu	cga Arg	agg Arg 235	aaa Lys	gcg Ala	ttt Phe	tcc Ser	act Thr 240	720
-tgc €ys	c g	cc la	tcg Ser	cat His	ctt Eeu 245	Thr	gtg Váľ	gtg Val	gtc Vàľ	atc Tre 250	atc Ife	tat Tyr	ggc Gľy	agt Ser	tcc Ser 255	atc Ile	768
t t t Phe	c e L	tc eu	tac Tyr	att Ile 260	cgt Arg	atg Met	tca Ser	gag Glu	gct Ala 265	cag Gln	tcc Ser	aaa Lys	ctg Leu	ctc Leu 270	aac Asn	aaa Lys	816
ggt Gly	; g / A	la :	tcc Ser 275	gtc Val	ctg Leu	agc Ser	tgc Cys	atc Ile 280	atc Ile	aca Thr	ccc Pro	ctc Leu	ttg Leu 285	aac Asn	cca Pro	ttc Phe	864
ato	. P.	tc , he ! 90	ect Thr	ctc Leu	cgc Arg	aat Asn	gac Asp 295	aag Lys	gtg Val	cag Gln	Gln .	gca Ala 300	ctg Leu	aga Arg	gaa Glu	gcc Ala	912

960

ttg ggg tgg ccc agg ctc act gct gtg atg aaa ctg agg gtc aca agt Leu Gly Trp Pro Arg Leu Thr Ala Val Met Lys Leu Arg Val Thr Ser 310

16U 200 PCT FINAL.ST25 315 320

caa agg aaa tga

305

Gln Arg Lys

972

- <210> 168
- <211> 323
- <212> PRT
- <213> Homo sapiens

<400> 168

Met Asn Pro Glu Asn Trp Thr Gln Val Thr Ser Phe Val Leu Gly 1 5 10 15

Phe Pro Ser Ser His Leu Ile Gln Phe Leu Val Phe Leu Gly Leu Met 20 25 30

Val Thr Tyr 11e Val Thr Ala Thr Gly Lys Leu Leu Ile Ile Val Leu $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Ser Trp lle Asp Gln Arg Leu His Ile Gln Met Tyr Phe Phe Leu Arg 50 55 60

Asn Phe Ser Phe Leu Glu Leu Leu Leu Val Thr Val Val Val Pro Lys 65 70 75 80

Met Leu Val Val Ile Leu Thr Gly Asp His Thr Ile Ser Phe Val Ser 85 90 95

Cys Ile Ile Gln Ser Tyr Leu Tyr Phe Phe Leu Gly Thr Thr Asp Phe 100 105 110

Phe Leu Leu Ala Val Met Ser Leu Asp Arg Tyr Leu Ala Ile Cys Arg 115 120 125

Pro Leu Arg Tyr Glu Thr Leu Met Asn Gly His Val Cys Ser Gln Leu 130 135 140

Val Leu Ala Ser Trp Leu Ala Gly Phe Leu Trp Val Leu Cys Pro Thr 145 150 155 160

Val Leu Met Ala Ser Leu Pro Phe Cys Gly Pro Asn Gly 11e Asp His 165 170 175

Phe Phe Arg Asp Ser Trp Pro Leu Leu Arg Leu Ser Cys Gly Asp Thr 180 185 190

His Leu Leu Lys Leu Val Ala Phe Met Leu Ser Thr Leu Val Leu Leu 195 200 205

Gly Ser Leu Ala Leu Thr Ser Val Ser Tyr Ala Cys Ile Leu Ala Thr 210 215 220

Val Leu Arg Ala Pro Thr Ala Ala Glu Arg Arg Lys Ala Phe Ser Thr 225 230 235 240

Cys Ala Ser His Leu Thr Val Val Val Ile Ile Tyr Gly Ser Ser Ile 245 250 255

Phe Leu Tyr Ile Arg Met Ser Glu Ala Gln Ser Lys Leu Leu Asn Lys Page 99

265 270 Gly Ala Ser Val Leu Ser Cys Ile Ile Thr Pro Leu Leu Asn Pro Phe 280 Ile Phe Thr Leu Arg Asn Asp Lys Val Gln Gln Ala Leu Arg Glu Ala Leu Gly Trp Pro Arg Leu Thr Ala Val Met Lys Leu Arg Val Thr Ser 305 310 315 320 Gln Arg Lys <210> 169 <211> 25 <212> DNA <213> Homo sapiens <400> 169 tgtgctcagc tggatagacc aacgc 25 <210> <211> 30 <212> DNA <213> Homo sapiens <400> 170 ctgagaacag tggcaagaat gcaggcatag 30 <210> 171 <211> 450 <212> DNA <213> Homo sapiens <220> <221> CDS (1) . . (450) <222> <223> <400> 171 atg gac ctt ccc cat gtc cca gct ctg gac gcc cca ctc ttt gga gtc Met Asp Leu Pro His Val Pro Ala Leu Asp Ala Pro Leu Phe Gly Val ttc ctg gtg gtt tat gtg ctt act gtg ctg ggg aac ctc ctc atc ctg Phe Leu Val Val Tyr Val Leu Thr Val Leu Gly Asn Leu Leu Ile Leu 96 ctg gtg atc agg gtg tac tct cac ctc cac acc ccc aag tac tac ttc Leu Val Ile Arg Val Tyr Ser His Leu His Thr Pro Lys Tyr Tyr Phe 144 40 etc acc aat ctg tcc ttc att gac ttg tgg ttc ttc act gtc atg gtg Leu Thr Asn Leu Ser Phe Ile Asp Leu Trp Phe Phe Thr Val Met Val 192 ccc aaa atg ccg agg acc ttg ttg tcc ctg tgt ggc aag gct gtg tcc Pro Lys Met Pro Arg Thr Leu Leu Ser Leu Cys Gly Lys Ala Val Ser 65 70 75. 240 ttc cac agt tgt atg acc caa ctc tat ttc ttc tac ttc ctg ggg agc Phe His Ser Cys Met Thr Gln Leu Tyr Phe Phe Tyr Phe Leu Gly Ser 288 90 acc gag tgt ttg ctc tac acg gtc atg tcc tat gat cgc tat aga.gga
Thr Glu Cys Leu Leu Tyr Thr Val Met Ser Tyr Asp Arg Tyr Arg Gly
100 105 110 336 aat act cag cac ttc cca ggt agt gaa aac act ccc cac gaa gtg agc 384 Asn Thr Gln His Phe Pro Gly Ser Glu Asn Thr Pro His Glu Val Ser

16U 200 PCT FINAL.ST25

caa atg cta gtg gcc cgg ggg gca cac ggg ctc cca ctc atc atc ctg Gln Met Leu Val Ala Arg Gly Ala His Gly Leu Pro Leu Ile Ile Leu 130 135 140 432 gca gat ctg agt ggg taa Ala Asp Leu Ser Gly 450 <210> 172 <211> 149 <212> PRT <213> Homo sapiens <400> 172 Met Asp Leu Pro His Val Pro Ala Leu Asp Ala Pro Leu Phe Gly Val 1 5 10 15 Phe Leu Val Val Tyr Val Leu Thr Val Leu Gly Asn Leu Leu Ile Leu 20 25 30 Leu Val Ile Arg Val Tyr Ser His Leu His Thr Pro Lys Tyr Tyr Phe Leu Thr Asn Leu Ser Phe Ile Asp Leu Trp Phe Phe Thr Val Met Val 50 60Pro Lys Met Pro Arg Thr Leu Leu Ser Leu Cys Gly Lys Ala Val Ser 65 70 75 80 Phe His Ser Cys Met Thr Gln Leu Tyr Phe Phe Tyr Phe Leu Gly Ser 85 90 95 Thr Glu Cys Leu Leu Tyr Thr Val Met Ser Tyr Asp Arg Tyr Arg Gly 105 Asn Thr Gln His Phe Pro Gly Ser Glu Asn Thr Pro His Glu Val Ser 115 120 125 Gln Met Leu Val Ala Arg Gly Ala His Gly Leu Pro Leu Ile Ile Leu Ala Asp Leu Ser Gly <210> 173 <211> 23 <212> DNA _<213> Homo sapiens <400> 173 agetetggae geceeactet ttg 23 <210> 174 <211> 27 <212> DNA <213> Homo sapiens <400> 174 acccactcag atctgccagg atgatga 27 <210> <211> 936 <212> DNA

Page 101

<213> Homo sapiens

	<2 <2	20> 21> 22> 23>	()).	. (9:	36)																
	at	00> g to t So	17 cc a er A	ac	gco Ala	ag Se 5	c ct r Le	ic g eu V	tg a al T	ca g hr A	ca la	tte Phe 10	c at e Il	:с с .е L	tc a	aca Thr	gg Gl	с с у L	eu	ccc Pro		48
	ca Hi	t go	cc c la P	ca ro	999 G1 y 20	ct: Le	gga uAs	ic go	cc c la L	tc c eu L 2	eu	tt! Phe	t gg e Gl	aa y I.	tc I le I	ttc Phe	ct Le 30	g gi u Va	tg al	gtt Val		96
	ta: Ty:	cgt rVa	g c il L 3	eu	act Thr	gte Val	g ct l Le	g gg u Gl	ggaa ly As 40	ac c sn L	tc eu	cto	at Il	c ct	eu I	etg Jeu 15	gt: Va	g at	e	agg Arg		144
	gt g Val	g ga l As 50	p S	ct er	cac His	Lei	ca Hi	c ac s Th 55	r Pi	cc at	t g e t	tac Tyr	ta Ty	c ti r Pi 60	ne L	t c eu	Thi	c aa r As	c n	ctg Leu		192
	tco Ser 65	t t	cat eI:	tt le i	gac Asp	atç Met	70	p Ph	c to e Se	c ac	et	gtc Val	Th: 75	ggt rVa	g c	ro	aaa Lys	a at s Me	ţ	ctg Leu 80		240
	met	. In	r Le	י ט	/al	Ser 85	Pr	o Se	r Gl	y Ar	g	Ala 90	116	e Se	r P	he	His	95	r	Cys		288
	val	A1	a 61	.n. 1	.eu 100	Tyr	Phe	e Ph	е Ні	c tt s Ph 10	15	Leu	G1 y	/ Se	r T	hr	Glu 110	Cy.	S	Phe		336
	rea	1 у:	11	5 ·	a1	Met	Sei	Ту	r As 12		g	Tyr	Leu	a Al	a I;	1 e 25	Ser	Ty:	r	Pro		384
	ren	130))	rī	nr	Ser	Met	135	t Se.	t gg r Gl	У	Ser	Arg	14	s A] 0	la	Leu	Lei	3 <i>7</i>	Ala		432
	145	GIS	, in	r i	гp	Leu	150	GIS	r Sei	t ct	u I	His	Ser 155	Ala	a Va	11 (Gln	Thi	1	11e 160		480
	rea	101	Ph	ен	15	165	Pro	Туг	Cys	gg Gl	y 1	Pro 170	Asn	G] 1	11	е (51n	His 175	. 1	yr		528
	riie	Cys	AS) A.	30	Pro	Pro	116	Leu) aaa Lys 185	5 I	eu	Ala	Cys	s Al	a /	Asp 190	Thr	S	er		576
•	120	731,	199	5	: C '	Val	116	rne	200		> 1	16	G1 y	Ile	20	1 A 5	lla	Ser	G	1 y		624
٠,	.ys	210	val	. ∟€	eu j	ııe	ısv	215	Ser	tat Tyr	· V	al	Ser	11e 220	Va.	1 0	ys	Ser	1	le		672
2	25	ALY	116	Ar	g 1	nr	Ser 230	Asp	Gly	agg Arg	A	rg i	Arg 235	Ala	Pho	e G	1n	Thr	2 ·	ys 40		720
м	10	361	ніѕ	Су	S 1 2	1e \	/aı	Val	Leu	tgc Cys	P 2	he 1 50	Phe	Val	Pro	o C	ys	Val 255	V	a 1		769
•	16	ıyı	Leu	26	g P 0	ro (ну	Ser	Met	gat Asp 265	A.	la N	let .	Asp	G17	7 V.	al ' 70	Val	[A]	la	1	316
I.	le I	Phe	tac Tyr 275	Th	r V	tg d al I	eu	acg Thr	ccc Pro 280	ctt Leu	Le	tc a ≥u A	iac Isn	cct Pro	gtt Val 285	V	tg i	tac Tyr	ac Th	r	E	364

912

936

cto	g aga Arg 290	y Ası	c aaq n Lys	g gaç s Glı	g gtg ı Val	l aag Lys 295	Lys	gct Ala	gtg Val	ttg	200 aaa Lys 300	Ctt Leu	aga	qaq	T25 aaa Lys
	l Ala				3 agg 3 Arg 310	Lys		a							
<21 <21 <21 <21	1> 12>	176 311 PRT Homo	o sap	oiens	.										
< 40	00>	176													
Met 1	Ser	Asr	Ala	Ser 5	Leu	Val	Thr	: Ala	Phe 10	lle	Leu	Thr	Gly	Leu 15	Pro
His	Ala	Pro	61 y 20	Leu	Asp	Ala	Leu	Leu 25	Phe	G1 y	Ile	Phe	Leu 30	Val	Val
Тyr	Va]	Leu 35	Thr	Val	Leu	Gly	Аsл 40	Leu	Leu	Ile	Leu	Leu 45	Val	Ile	Arg
Val	Asp 50	Ser	His	Leu	His	7 hr 55	Pro	Met	Туr	Tyr	Phe 60	Leu	Thr	Asn	Leu
Ser 65	Phe	Ile	Asp	Met	Trp 70	Phe	Ser	Thr	Val	Thr 75	Val	Pro	Lys	Met	Leu 80
Met	Thr	Leu	Val	Ser 85	Pro	Ser	Gly	Arg	Ala 90	Ile	Ser	Phe	His	Ser 95	Cys
Val	Ala	Gln	Leu 100		Phe	Phe	His	Phe 105	Leu	Gly	Ser	Thr	Glu 110	Cys	Phe
Leu	Тyr	Thr 115		Met	Ser	Tyr	Asp 120		туr	Leu	Ala	Ile 125	Ser	Туr	Pro
Leu	Arg 130	Туг	Thr	Ser	Met	Met 135	Ser	Gly	Ser	Arg	Cys 140	Ala	Leu	Leu	Ala
Thr 145	G1 y	Thr	Trp	Leu	Ser 150	Gl y	Ser	Leu	His	Ser 155	Ala	Val	Gln	Thr	11e 160
Leu	Thr	Phe	His	Leu 165	Pro	Tyr	Cys	Gly	Pro 170	Asn	Gln	lle	Gln	His 175	Tyr
_Phe	Cys	Asp	Ala 180	Pro	Pro	lle	Leu	Lys 185	Leu	Ala	Cys	Ala	Asp 190	Thr	Ser
Ala	Asn	Val 195	Met	Val	lle	Phe	Val 200	Asp	Ile	Gly	Ile	Val 205	Ala	Ser	Gly
Cys	Phe 210	Val	Leu	lle	Val	Leu 215	Ser	туг	Val	Ser	Ile 220	Val	Cys	Ser	
Leu 225	Arg	lle	Arg	Thr	Ser 230	Asp	Gly	Arg	Arg	Arg 235	Ala	Phe	Gln		

Ala Ser His Cys Ile Val Val Leu Cys Phe Phe Val Pro Cys Val Val 245 250

lle Tyr Leu Arg Pro Gly Ser Met Asp Ala Met Asp Gly Val Val Ala 260 265 270

Ile Phe Tyr Thr Val Leu Thr Pro Leu Leu Asn Pro Val Val Tyr Thr 275 280 285

Leu Arg Asn Lys Glu Val Lys Lys Ala Val Leu Lys Leu Arg Asp Lys 290 295 300

Val Ala His Pro Gln Arg Lys

<210> 177

<211> 29

<212> DNA

<213> Homo sapiens

<400> 177

caaccagate cagcactact tetgtgacg

29

<210> 178

<211> 33

<212> DNA <213> Homo sapiens

<400> 178

ttatttcctc tgaggatgtg ctactttgtc tct

33

<210> 179

<211> 50

<212> DNA

<213> Homo sapiens

<400> 179

taggagaagc cctttaaaag caggcaatag taaggacatc agtaacaata 50

<210> 180

<211> 50 <212> DNA

<213> Homo sapiens

<400> 180

gctgggtgct ctttatatcc ccagagggag agagaccaag ggtgagaaga 50

<210> 181

<211> 921 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

-<222> (1)..(921)

<223>

<400> 181

atg gtg act gag ttt ctt ctt ctc ggc ttc tcc cac ctg gcc gac ctc

Met Val Thr Glu Phe Leu Leu Gly Phe Ser His Leu Ala Asp Leu

1 5 10 15

cag ggc ttg ctc ttc tct gtc ttt ctc act atc tac ctg ctg acc gtg
Gln Gly Leu Leu Phe Ser Val Phe Leu Thr Ile Tyr Leu Leu Thr Val

gca ggc aat ttc ctc att gtg gtg ctg gtc tcc act gat gcc ctc
Ala Gly Asn Phe Leu Ile Val Val Leu Val Ser Thr Asp Ala Ala Leu
35 40 45

Cag tcc cct atg tac ttc ttc ctg cgc acc ctc tcg gcc ttg gag att
Gln Ser Pro Met Tyr Phe Phe Leu Arg Thr Leu Ser Ala Leu Glu Ile
50 55 60

990 Gly 65	tat Tyr	acg Thr	tct Ser	gtc Val	acg Thr 70	gtc Val	Pro	ctg Lev	cta Leu	ctt Lei 75	cac His	cad His	cto Lev	ctt Lei	act Thr 80	240
ggc Gly	cgg Arg	cgc	cac His	atc Ile 85	tct Ser	cgc	tct Sex	gga Gly	tgt Cys 90	gct Ala	ctc Leu	caç Glr	ato Met	tto Phe	ttc Phe	288
ttc Phe	ctc Leu	ttc Phe	ttt Phe 100	ggc Gly	gcc Ala	acg Thr	gag Glu	tgc Cys 105	Cys	Lev	ctg Leu	gca Ala	900 Ala 110	Met	gcc Ala	336
tat Tyr	gac Asp	cgc Arg 115	tat Tyr	gca Ala	gcc Ala	atc Ile	tgt Cys 120	Glu	ccc Pro	Leu	cgc Arg	tac Tyr 125	Pro	ctg Leu	ctg Leu	384
ctg Leu	agc Ser 130	cac His	cgg Arg	gtg Val	tgt Cys	cta Leu 135	cag Gln	cta Leu	gct Ala	999 Gly	tcg Ser 140	Ala	tgg Trp	gcc Ala	tgt Cys	432
999 Gly 145	gtg Val	ctg Leu	gtg Val	G1 y	ctg Leu 150	ggc Gly	cac His	acc Thr	cct Pro	ttc Phe 155	lle	t t c Phe	tct Ser	ttg Leu	ccc Pro 160	480
ttc Phe	tgc Cys	ggc Gly	ccc Pro	aat Asn 165	acc Thr	atc Ile	ccg Pro	cag Gln	ttc Phe 170	ttc Phe	tgt Cys	gag Glu	atc Ile	Cag Gln 175	cct Pro	528
gtc Val	ctg Leu	cag Gln	ctg Leu 180	gta Val	tgt Cys	gga Gly	gac Asp	acc Thr 185	t cg Ser	ctt Leu	aat Asn	gaa Glu	ctg Leu 190	Gln	att Ile	576
atc Ile	ctg Leu	gca Ala 195	aca Thr	gcc Ala	ctc Leu	ctc Leu	atc Ile 200	ctc Leu	tgc Cys	ccc Pro	ttt Phe	99c Gly 205	ctc Leu	atc Ile	ctg Leu	624
ggc Gly	tcc Ser 210	tac Tyr	61 A 838	cgt Arg	atc Ile	ctc Leu 215	gtt Val	acc Thr	atc Ile	ttc Phe	cgg Arg 220	atc Ile	cca Pro	tct Ser	gtt Val	672
gcg Ala 225	ggc Gly	cgc Arg	cgc Arg	aag Lys	gcc Ala 230	ttc Phe	tcc Ser	acc Thr	tgc Cys	tcc Ser 235	tcc Ser	cac His	ctg Leu	atc Ile	gtg Val 240	720
gtc Val	tcc Ser	ctc Leu	ttc Phe	tat Tyr 245	ggc Gly	acc Thr	gca Ala	ctc Leu	ttt Phe 250	atc Ile	tat Tyr	att Ile	cgc Arg	cct Pro 255	aag Lys	768
gcc Ala	agc Ser	Tyr	gat Asp 260	ccg Pro	gcc Ala	act Thr	gac Asp	cct Pro 265	ctg Leu	gtg Val	tcc Ser	ctc Leu	ttc Phe 270	tat Tyr	gct Ala	816
gtg Val	gtc Val	acc Thr 275	ccc Pro	atc Ile	ctc Leu	aac Asn	ccc Pro 280	atc Ile	atc Ile	tac Tyr	agc Ser	ctg Leu 285	cgg Arg	aac Asn	aca Thr	864
gag Glu	gtc Val 290	aaa Lys	gct Ala	gcc Ala	Leu	aag Lys 295	aga Arg	acc Thr	atc Ile	cag Gln	aaa Lys 300	acg Thr	gtg Val	cct Pro	atg Met	912
gag Glu 305	att Ile	t ga														921
<210 <211	> 3	92 06											•			
<212 <213	> н		sapi	ens												
<400			Slu I	Phe 1	Len '	Len	Leu	G) v	Phe	Ser	Hic	ĩ.eu	e (A	Δεν	I.e.v	
1	•			,			_ 		10			u	44	15	∠ ∉u	
Gln (Gly I	eu l 2	eu E 20	Phe S	Ser '	Val		Leu ' 25	Thr	Ile	Tyr		Leu 30	Thr	Val	

- Ala Gly Asn Phe Leu Ile Val Val Leu Val Ser Thr Asp Ala Ala Leu $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$
- Gln Ser Pro Met Tyr Phe Phe Leu Arg Thr Leu Ser Ala Leu Glu Ile 50 55 60
- Gly Tyr Thr Ser Val Thr Val Pro Leu Leu Leu His His Leu Leu Thr 65 70 75 80
- Gly Arg Arg His 11e Ser Arg Ser Gly Cys Ala Leu Gln Met Phe Phe 85 90 95
- Phe Leu Phe Gly Ala Thr Glu Cys Cys Leu Leu Ala Ala Met Ala 100 105 110
- Tyr Asp Arg Tyr Ala Ala Ile Cys Glu Pro Leu Arg Tyr Pro Leu Leu 115 120 125
- Leu Ser His Arg Val Cys Leu Gln Leu Ala Gly Ser Ala Trp Ala Cys 130 135 140
- Gly Val Leu Val Gly Leu Gly His Thr Pro Phe Ile Phe Ser Leu Pro 145 150 155 160
- Phe Cys Gly Pro Asn Thr Ile Pro Gln Phe Phe Cys Glu Ile Gln Pro 165 170 175
- Val Leu Gln Leu Val Cys Gly Asp Thr Ser Leu Asn Glu Leu Gln Ile 180 185 190
- Ile Leu Ala Thr Ala Leu Leu Ile Leu Cys Pro Phe Gly Leu Ile Leu 195 200 205
- Gly Ser Tyr Gly Arg Ile Leu Val Thr Ile Phe Arg Ile Pro Ser Val 210 215 220
- Ala Gly Arg Arg Lys Ala Phe Ser Thr Cys Ser Ser His Leu Ile Val 225 230 235 240
- Val Ser Leu Phe Tyr Gly Thr Ala Leu Phe Ile Tyr Ile Arg Pro Lys 245 250 . 255
- Ala Ser Tyr Asp Pro Ala Thr Asp Pro Leu Val Ser Leu Phe Tyr Ala 260 265 270
- Val Val Thr Pro Ile Leu Asn Pro Ile Ile Tyr Ser Leu Arg Asn Thr 275 280 285
- Glu Val Lys Ala Ala Leu Lys Arg Thr Ile Gln Lys Thr Val Pro Met 290 295 . 300
- Glu Ile
- <210> 183
- <213> 20
- <212> DNA
- <213> Homo sapiens

	ogge	183 ttct		acct	ggc					160	J 200	O PC	r fi	NAL.	ST25	20
<2 <2	10> 11> 12> 13>	184 23 DNA Hom		pien	s											
	00> cgcc	184 aaag		agga	aga	aga										23
<2 <2	10> 11> 12> 13>	185 897 DNA Hom		pien	s											
<2: <2:	20> 21> 22> 23>	CDS (1)	(8:	97)												
ate	00> g ggt t G1 ₃	185 t cga y Arg	a gga g Gly	a aad y Asi 5	e ago n Sei	act Thi	gaa Glu	gtç Val	g act l Thr 10	gaa Glu	tto Phe	cat His	t ctt s Let	cto Lei 15	gga Gly	48
tt1 Phe	t ggt ≥ Gly	gto Val	C caa l Glr 20	e cad	gaa Glu	ttt Phe	cag Glm	Cat His 25	gto Val	ctt Leu	tto Phe	att Elle	gta Val 30	ctt Let	ctt Leu	96
ct t Lei	ato Ile	tat Ty: 35	t gtg r Val	aco Thi	tco Ser	ctg Leu	ata Ile 40	gga Gly	aat Asn	att Ile	gga Gly	atç Met 45	ato : Ile	tta Leu	ctc Leu	144
ato	aag Lys 50	acc Thr	gat Asp	tco Ser	aga Arg	ctt Leu 55	caa Gln	aca Thr	ccc	atg Met	tac Tyr 60	ttt Phe	ttt Phe	cca Pro	caa Gln	192
cat His 65	ttg Leu	gct Ala	ttt Phe	gtt Val	gat Asp 70	atc Ile	tgt Cys	tat Tyr	act Thr	tct Ser 75	gct Ala	ato	act Thr	ccc Pro	aag Lys 80	240
atg Met	ctc Leu	Gln	ago Ser	tto Phe 85	aca Thr	gaa Glu	gaa Glu	aat Asn	aat Asn 90	ttg Leu	ata Ile	aca Thr	ttt Phe	cgg Arg 95	G) y	288
tgt Cys	gtg Val	ata Ile	caa Gln 100	Phe	tta Leu	gtt Val	tat Tyr	gca Ala 105	aca Thr	ttt Phe	gca Ala	acc Thr	agt Ser 110	gac Asp	tgt Cys	336
tac Tyr	ctc Leu	cta Leu 115	Ala	att Ile	atg Met	Ala	atg Met 120	gat Asp	tgt Cys	tat Tyr	gtt Val	gcc Ala 125	atc	tgt Cys	aag Lys	384
ccc Pro	ctt Leu 130	cgc Arg	tat Tyr	ccc Pro	atg Met	atc Ile 135	atg Met	tcc Ser	caa Gln	aca Thr	gtc Val 140	tac Tyr	atc Ile	caa Gln	ctc Leu	432
gta Val 145	gct Ala	ggc Gly	tca Ser	tat Tyr	att Fre 150	ata TTe	ggc GIy	tca Ser	ata Ile	aat Asn 155	gcc Ala	tct Ser	gta Val	cat His	aca Thr 160	480
ggt Gly	ttt Phe	aca Thr	ttt Phe	tca Ser 165	ctg Leu	tcc Ser	ttc Phe	tgc Cys	aag Lys 170	tct Ser	aat Asn	aaa Lys	atc Ile	aat Asn 175	cac His	528
ttt Phe	ttc Phe	tgt Cys	gat Asp 180	ggt Gly	ctc Leu	cca Pro	att Ile	ctt Leu 185	gcc Ala	ctt Leu	tca Ser	tgc Cys	tcc Ser 190	aac Asn	att Ile	576
gac Asp	atc Ile	aac Asn 195	atc Ile	att Ile	cta Leu	gat Asp	gtt Val 200	gtc Val	ttt Phe	gtg Val	gga Gly	ttt Phe 205	gac Asp	t t g Leu	atg Met	624
ttc Phe	act Thr 210	gag Glu	ttg Leu	gtc Val	atc Ile	atc Ile 215	ttt Phe	tcc Ser	tac Tyr	atc Ile	tac Tyr 220	att Ile	atg Met	gtc Val	acc Thr	672

16U 200 PCT FINAL.S	51725
---------------------	-------

atc 11e 225	ctg Leu	aag Lys	atg Met	tct Ser	tct Ser 230	act Thr	gct Ala	999 Gl y	agg Arg	aaa Lys 235	aaa Lys	tcc Ser	ttc Phe	tcc Ser	aca Thr 240	720
tgt Cys	gcc Ala	tcc Ser	cac His	ctg Leu 245	aca Thr	gca Ala	gta Val	acc Thr	att Ile 250	ttc Phe	tat Tyr	99 9 Gly	aca Thr	ctc Leu 255	tct · Ser	768
tac Tyr	atg Met	tac Tyr	tta Leu 260	cag Gln	cct Pro	cag Gln	tct Ser	aat Asn 265	aat Asn	tct Ser	cag Gln	gag Glu	aat Asn 270	atg Met	aaa Lys	816
gta Val	gcc Ala	tct Ser 275	ata Ile	ttt Phe	tat Tyr	ggc Gly	act Thr 280	gtt Val	att Ile	ccc Pro	atg Met	ttg Leu 285	aat Asn	cct Pro	tta Leu	864
lle	tat Tyr 290	agc Ser	ttg Leu	aga Arg	aat Asn	aag Lys 295	gaa Glu	gga Gly	aaa Lys	taa						897

<210> 186

<211> 298

<212> PRT

<213> Homo sapiens

<400> 186

Met Gly Arg Gly Asn Ser Thr Glu Val Thr Glu Phe His Leu Leu Gly $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Phe Gly Val Gln His Glu Phe Gln His Val Leu Phe Ile Val Leu Leu 20 25 30

Leu Ile Tyr Val Thr Ser Leu Ile Gly Asn Ile Gly Met Ile Leu Leu $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45 \hspace{1.5cm}$

Ile Lys Thr Asp Ser Arg Leu Gln Thr Pro Met Tyr Phe Phe Pro Gln 50 60

His Leu Ala Phe Val Asp lle Cys Tyr Thr Ser Ala Ile Thr Pro Lys 65 70 75 80

Met Leu Gln Ser Phe Thr Glu Glu Asn Asn Leu Ile Thr Phe Arg Gly 85 90 95

Cys Val Ile Gln Phe Leu Val Tyr Ala Thr Phe Ala Thr Ser Asp Cys 100 105 110

Tyr Leu Leu Ala Ile Met Ala Met Asp Cys Tyr Val Ala Ile Cys Lys
115 120 125

Pro Leu Arg Tyr Pro Met Ile Met Ser Gln Thr Val Tyr Ile Gln Leu 130 135 140

Val Ala Gly Ser Tyr Ile Ile Gly Ser Ile Asn Ala Ser Val His Thr 145 150 155 160

Gly Phe Thr Phe Ser Leu Ser Phe Cys Lys Ser Asn Lys Ile Asn His 165 170 175...

Phe Phe Cys Asp Gly Leu Pro Ile Leu Ala Leu Ser Cys Ser Asn Ile 180 185 190

Asp Ile Asn Ile Ile Leu Asp Val Val Phe Val Gly Phe Asp Leu Met 195 200 205

Ph∈	21	r Gl O	u Le	υ Va	1 11	e Ile 21	Pho 5	e Se:	r Ty	r Ile	22	r Il	e Mei	t Va.	l Thr	
11e 225	e Le	u Ly	s Me	t Se	r Se 23	r Thi	r Ala	a Gly	y Ar	23!		s Se	r Phe	e Se	r Thr 240	
Cys	Al.	a Se	r Hi	s Le	u Th	r Ala	ı Val	1 Th	r 11e 250		е Ту	r Gly	y Thi	r Lei 25!	ı Ser	
Tyr	Me	t Ty	r Lei 26	u Gli O	n Pro	o Glr	Sei	265		Sei	Gli	n Gle	3 Asr 270		Lys	
Val	Ala	a Se: 27:	r 116 5	e Phe	≘ Ту	r Gly	7 Thi 280	r Val	llle	Pro	Met	Let 285		Pro) Leu	
He	Ту: 290	r Sei	r Lei	ı Arç) Ası	Lys 295		1 Gly	/ Lys	;						
<21 <21 <21 <21	1 > 2 >	187 930 DNA Homo	o sap	oiens	i											
<22 <22 <22 <22	1> 2>	CDS (1).	. (93	10)												
<400 atg Met 1	aca	187 cta Leu	gga Gly	aac Asn 5	ago Ser	act Thr	gaa Glu	gtc Val	act Thr 10	gaa Glu	t t c	tat Tyr	ctt Leu	ctg Leu 15	gga Gly	48
ttt Phe	ggt Gly	gcc	cag Gln 20	cat His	gag Glu	ttt Phe	tgg Trp	tgt Cys 25	atc Ile	ctc Leu	ttc Phe	att	gta Val 30	ttc Phe	ctt Leu	96
ctc Leu	atc Ile	tat Tyr 35	gtg Val	acc Thr	tcc Ser	ata Ile	atg Met 40	ggt Gly	aat Asn	agt Ser	gga Gly	ata Ile 45	atc Ile	tta Leu	ctc Leu	144
atc Ile	aac Asn 50	aca Thr	gat Asp	tcc Ser	aga Arg	ttt Phe 55	caa Gln	aca Thr	ctc Leu	acg Thr	tac Tyr 60	ttt Phe	ttt Phe	cta Leu	caa Gln	192
cat His 65	ttg Leu	gct Ala	ttt Phe	gtt Val	gat Asp 70	atc Ile	tgt Cys	tac Tyr	act Thr	tct Ser 75	gct Ala	atc Ile	act Thr	ccc Pro	aag Lys 80	240
atg Met	ctc Leu	caa Gln	agc Ser	ttc Phe 85	aca Thr	gaa Glu	gaa Glu	aag Lys	aat Asn 90	ttg Leu	atg Met	tta Leu	ttt Phe	cag Gln 95	ggc Gly	288
tgt Cys	gtg Val	ata Ile	caa Gln 100	ttc Phe	tta Leu	gtt Val	tat Tyr	gca Ala 105	aca Thr	ttt Phe	gca Ala	acc Thr	agt Ser 110	gac Asp	tgt Cys	336
tat Tyr	ctc Leu	ctg Leu 115	gct Ala	atg Met	atg Met	gca Ala	gtg Val 120	gat Asp	cct Pro	tat Tyr	gtt Val	gcc Ala 125	atc Ile	tgt Cys	aag Lys	384
rio	130	HIS	Tyr	Thr	Val	11e 135	Met	Ser	Arg	Thr	Val 140	Cys	atc Ile	Arg _,	Leu	432
145	міа	GIA	Ser	Tyr	11e 150	Met	Gly	Ser	lle	Asn 155	Ala	Ser	gta Val	Gln	Thr 160	480
ggt 1 Gly 1	ttt Phe	aca Thr	tgt Cys	tca Ser	ctg Leu	tcc Ser	ttc Phe	tgc Cys	aag Lys	tcc Ser	Asn	agc Ser age	atc Ile 109	aat Asn	cac His	528

	165	17	16U 200 PCT	FINAL.ST25 175	
ttt ttc tgt Phe Phe Cys	gat gtt ccc c Asp Val Pro P 180	ct att ctt gc ro Ile Leu Al 185	t ctt tca tgc a Leu Ser Cys	tcc aat gtt Ser Asn Val 190	576
gac atc aac Asp lle Asn 195	atc atg cta c Ile Met Leu L	tt gtt gtc tt eu Val Val Ph 200	t gtg gga tct e Val Gly Ser 205	aac ttg ata Asn Leu Ile	624
ttc act ggg Phe Thr Gly 210	Leu Val Val I	tc ttt tcc ta le Phe Ser Ty 15	c atc tac atc r Ile Tyr Ile 220	atg gcc acc . Met Ala Thr	672
atc ctg aaa Ile Leu Lys 225	atg tct tct a Met Ser Ser S 230	gt gca gga ag er Ala Gly Ar	g aaa aaa tcc g Lys Lys Ser 235	ttc tca aca Phe Ser Thr 240	720
tgt gct tcc Cys Ala Ser	cac ctg acc g His Leu Thr A 245	ca gtc acc at la Val Thr Il 25	t ttc tat ggg e Phe Tyr Gly O	aca ctc tct Thr Leu Ser 255	768
tac atg tat Tyr Met Tyr	ttg cag tct ca Leu Gln Ser Hi 260	at tot aat aa is Ser Asn Asi 265	t tcc cag gaa n Ser Gln Glu	aat atg aaa Asn Met Lys 270	816
gtg gcc ttt Val Ala Phe 275	ata ttt tat go Ile Phe Tyr G	c aca gtt at y Thr Val Ile 280	t ccc atg tta e Pro Met Leu 285	aat cct tta Asn Pro Leu	864
atc tat agc Ile Tyr Ser 290	ttg aga aat aa Leu Arg Asn Ly 29	s Glu Val Lys	a gaa gct tta s Glu Ala Leu 300	aaa gtg ata Lys Val Ile	912
ggg aaa aag Gly Lys Lys 305				·	930
<210> 188 <211> 309 <212> PRT <213> Homo:	sapiens				
<400> 188					
Met Thr Leu (1	Gly Asn Ser Th 5	r Glu Val Thr 10	Glu Phe Tyr	Leu Leu Gly 15	
	Gln His Glu Ph 20	e Trp Cys Ile 25	Leu Phe Ile	Val Phe Leu 30	
Leu lle Tyr V 35	/al Thr Ser Il	e Met Gly Asn 40	Ser Gly Ile 1 45	ile Leu Leu	
Ile Asn Thr A 50	Asp Ser Arg Pho 55	e Gln Thr Leu	Thr Tyr Phe I	he Leu Gln	
His Leu Ala P 65	Phe Val Asp Ile 70	e Cys Tyr Thr	Ser Ala Ile 1 75	Chr Pro Lys 80	
Met Leu Gln S	er Phe Thr Glu 85	Glu Lys Asn 90	Leu Met Leu F	Phe Gln Gly 95	
Cys Val Ile G	ln Phe Leu Val 00	Tyr Ala Thr 105	Phe Ala Thr S	er Asp Cys 10	
Tyr Leu Leu A 115	la Met Met Ala	Val Asp Pro 120	Tyr Val Ala I 125	le Cys Lys	
Pro Leu His T	yr Thr Val Ile	Met Ser Arg	Thr Val Cys I	le Arg Leu	

OCID: <WO _____03089583A2 1 >

	13	0				. 13	5			160	J 200 140		r fi	NAL.	ST25	
Va 14	1 Al 5	a Gl	y Se	r Ty	r Il 15	e Met O	G 1	y Sei	r Ile	2 Ası 15	n Ala	a Se	r Va	1 G1	n Th:	
G1	y Ph	e Th	r Cy	s Se 16	r Le	บ Sei	r Ph	e Cys	5 Ly:	s Sei	c Ası	s Sei	r Il	e As. 17		3
Ph	e Ph	e Cy	s As 18	p Va O	l Pr	o Pro	110	e Lei 185	ı Ala	Let	ı Ser	: Cy:	s Se 19		n Val	l
Asj	11	e As 19	n Il 5	e Me	t Lei	u Leu	200	l Val	Phe	· Val	Gly	Se 1		n Lei	u Ile	:
Phe	210	r G1	y Le	u Va.	l Val	l Ile 215	Phe	e Ser	Туг	lle	220		: Me	t Ala	a Thr	
11e 225	Lei	ı Ly:	s Me	t Se	r Sei 230	s Ser	Ala	9 Gly	Arg	Lys 235		Ser	Pho	e Sei	240	
Cys	: Ala	a Sei	r His	s Lee 24!	ı Thr	Ala	Va]	Thr	11e 250		Туг	G1 y	Th:	r Lei 255		
Tyr	Met	: Ту	r Lei 260	o Glr)	n Ser	His	Ser	265		Ser	Gln	Glu	270		Lys	
Val	Ala	275	e Ile	≥ Phe	e Tyr	Gly	Thr 280	Val	lle	Pro	Met	Leu 285		n Pro	Leu	
Ile	Туг 290	Ser	. Lev	ı Arç) Asn	Lys 295	Glu	val	Lys	Glu	Ala 300	Leu	Lys	val	Ile	
Gly 305		Lys	. Leu	Phe	•											
<21 <21 <21 <21	1> 2>	189 522 DNA Homo	sap	iens												
<22 <22 <22 <22	1> 2>	CDS (1).	. (52	2)												
<400 atg Met l	ctc	189 caa Gln	agc Ser	ttc Phe 5	acg Thr	gaa Glu	gaa Glu	aag Lys	aat Asn 10	ttg Leu	ata Ile	tca Ser	ttt Phe	tgg Trp 15	ggc Gly	48
gc Cys	atg Met	ata Ile	caa Gln 20	tta Leu	ttg Leu	gtt Val	tat Tyr	gca Ala 25	aca Thr	ttt Phe	gca Ala	acc Thr	agt Ser 30	gac Asp	tgt Cys	96
at Yyr	ctc Leú	ctg Leu 35	gct Ala	atg Met	ata Ile	gca Ala	gtg Val 40	gac Asp	cat His	tat Tyr	gtt Val	gca Ala 45	atc Ile	tgt Cys	aag Lys	144
ro	ctt Leu 50	cac His	tat Tyr	acc Thr	gta Val	atc Ile 55	acg Thr	tcc Ser	caa Gln	aca Thr	gtc Val 60	tgc Cys	atc Ile	cat His	ttg Leu	192
ta 'al	gct Ala	ggt Gly	tca Ser	tac Tyr	atc Ile 70	atg Met	ggc Gly	tca Ser	Ile	aat Asn 75	gcc Ala	tct Ser	gta Val	cat His	aca Thr 80	240
gt	ttt	gca	ttt	tca	ctg	tct	ttc	tgc	aag	tcc	aat	aac	atc	aac	cac	288

Gly	Ph	e Al	a Ph	e Se 85		ı Se	r Ph	е Су	s Ly 90	s Se		0 PC in As			n His	
ttt Phe	t t Ph	c tg e Cy	t ga s As 10	p Gl	t ccc y Pro	CC.	a at	t ct e Le 10	u Al	c ct a Le	t to u Se	a tg r Cy	c tc s Se 11	r As	t att n Ile	336
gac Asp	ate 11	c aa e As 11	n 11	c at e Me	g cta t Lei	cti Le	t gti u Val 120	l Va	c tt l Ph	t gt e Va	g gg	a tt y Ph 12	e As	c tt n Le	g atg u Met	384
ttc Phe	act Thi	GI	g tte	g ga u Gl	g aat u Asr	ato Mei	t Lys	a gte s Va.	g gce l Ala	c tc a Se	t at r Il]4	e Ph	t ta e Ty	t gg r Gl	c act y Thr	432
gtt Val 145	att Ile	CCC Pro	c ate	g tte	g aat u Asn 150	Pro	tta Lei	ato 1110	tai Tyi	t age r Sei 15!	r Le	g ag u Ar	a aa g Ası	t aa n Ly	g gaa s Glu 160	480
gta Val	aaa Lys	gaa Glu	a gci u Ala	t tta Lev 165	a aaa u Lys S	t t g Leu	ata Ile	999 Gly	3 aaa 7 Lys 170	Lys	g tt	c tt e Pho	t taa	a		522
-216																•
<210 <211	! >	190 173														
<212 <213		PRT Homo	sap	piens	.											
<400)>	190														
Met 1	Leu	Glr	Ser	Phe 5	Thr	Glu	Glu	Lys	Asn 10	Leu	116	Ser	Phe	15	Gly	
Cys	Met	Ile	Gln 20	Leu	Leu	Val	Тyr	Ala 25	Thr	Phe	Ala	Thr	Ser 30	Asp	Cys	
T yr	Leu	Leu 35	Ala	Met	Ile	Ala	Val 40	Asp	His	Tyr	Val	Ala 45	Ile	Cys	Lys	
Pro	Leu 50	His	Тyr	Thr	Val	11e 55	Thr	Ser	Gln	Thr	Val 60	Cys	Ile	His	Leu	
Val . 65	Ala	Gly	Ser	Туr	11e 70	Met	Gly	Ser	Ile	Asn 75	Ala	Ser	Val	His	Thr 80	
Gly	Phe	Ala	Phe	Ser 85	Leu	Ser	Phe	Cys	Lys 90	Ser	Asn	Asn	lle	Asn 95	His	
Phe I	Phe	Cys	Asp 100	G1 y	Pro	Pro	lle	Leu 105	Ala	Leu	Ser	Cys	Ser 110	Asn	lle	
Asp I	lle	Asn 115	lle	Met	Leu	Leu	Val 120	Val	Phe	Val	G1 y	Phe 125	Asn	Leu	Met	
Phe 1	hr 30	G1 y	Leu	Glu	Asa	Met 135	Lys	Val	Ala	Ser	Jle 140	Phe	Tyr	G1 y	Thr	
Val I 145	le	Pro	Met	Leu	Asn 150	Pro	Leu	lle	Tyr	Ser 155	Leu	Arg	Asn	Lys	Glu 160	
Val L	ys	Glu	Ala	Leu 165	Lys 1	Leu	Ile		Lys 170	Lys	Phe	Phe		,		<i>:</i>
<210><211><211><212><213>	4 Di	91 99 NA omo	sapi	ens												

	<22 <22	20> 21> 22> 23>	CDS (43	:) (372)												
	< 4 (00>	191														
	cgt	tat	gtgg	cct	tctgi	aa o	ссас	etcca	et ta	tcca	9999	gtt			cag Gln		5
	cto Lev 5	tg Cy	c at s Il	t aa e Ly	g Ctá s Lei	tta Lev 10	gtt Val	agt Sei	tca Ser	tat Tyr	gto Val 15	ato Met	3 991 : Gly	t tto / Phe	cta Lei	aat Asn 20	102
	gcc Ala	tc Se	t at r Il	a aa e As:	c ata n 11e 25	agt Ser	tto Phe	act Thi	tto Phe	tca Ser 30	tto Lei	g aad 1 Asr	tto Phe	tgc Cys	aaa Lys 35	tcc Ser	150
	aaa Lys	aca Thi	a at	t aa e Asi 40	t cac n His	ttt Phe	tto Phe	tgt Cys	gat Asp 45	gaa Glu	cct Pro	. cca o Pro	att Ile	att 11e 50	gcc Ala	cta Leu	198
	cca Pro	tge Cy:	s Sei	c aat	t att n Ile	gac Asp	ctc Leu	aac Asn 60	atc Ile	atg Met	tta Leu	tta Leu	aca Thr 65	gta Val	ttt. Phe	gtg	. 246
	gga Gly	tta Lei 70	a aat a Asi	t ttg n Lei	g atg u Met	t gc Cys	act Thr 75	gtg Val	atg Met	gtg Val	gtc Val	atc Ile 80	att	tcc Ser	t gc Cys	ata Ile	294
	tat Tyr 85	gt <i>o</i> Val	Lei	g gtt u Val	gcc Ala	atc Ile 90	ctg Leu	agg Arg	ata Ile	tct Ser	tct Ser 95	gct	gca Ala	999 Gly	aag Lys	aaa Lys 100	342
	aaa Lys	gto Val	tci Sei	: Cta	cat His 105	gtg Val	cct Pro	Pro	acc Thr	tga	cag	cagt	cac	catt	ttct	at	392
					catg										acaa	gaaaaa	452 499
	<21 <21 <21 <21	0> 1> 2>	192 109 PRT		iens	39 -				cuty		Bec					993
	<40		192														
:	Met 1	Ser	Gln	Arg	Leu 5	Cys	lle	Lys	Leu	Leu 10	Val	Ser	Ser	Tyr	Val 15	Met	
(Sly	Phe	Leu	Asn 20	Ala	Ser	lle	Asn	Ile 25	Ser	Phe	Thr	Phe	Ser 30	Leu	Asn	
- -	Phe	Cys	Lys 35	Ser	Lys	Thr	lle	Asn 40	His	Phe	Phe	Cys	Asp 45	Glu	Pro	Pro	
1	le	11e 50	Ala	Leu	Pro	Cys	Ser 55	Asn	lle	Asp	Leu	Asn 60	Ile	Met	Leu	Leu	
6	hr 5	Val	Phe	Val	G] y	Leu 70	Asn	Leu	Met	Cys	Thr 75	Val	Met	Val	Val	11e 80	
1	le	Ser	Cys	Ile	Tyr 85	Val	Leu	Val	Ala	Ile 90	Leu	Arg	Ile	Ser	Ser 95	Ala	

```
16U 200 PCT FINAL.ST25
    <210>
               193
    <211>
               681
    <212>
               DNA
    <213> Homo sapiens
    <220>
    <221>
              CDS
               (1)..(681)
    <222>
    <223>
   <400> 193
   atg gct tat gac cgc tac atg gca atc tcc aag ccc ctg ctt tat tcc
Met Ala Tyr Asp Arg Tyr Met Ala Ile Ser Lys Pro Leu Leu Tyr Ser
                                                                                                                        48
   cgg gcc aca ttc cca gag tta tgt gcc agt ctt gtt gag gct tca cac
Arg Ala Thr Phe Pro Glu Leu Cys Ala Ser Leu Val Glu Ala Ser His
                                                                                                                        96
   ctt ggc ggc ttt gta aac tca acc atc acc agt gag aca cct acc
Leu Gly Gly Phe Val Asn Ser Thr Ile Ile Thr Ser Glu Thr Pro Thr
   ttg agc ttc tgt ggc agc aat atc att gat gat ttc ttc tgt gat ctg
                                                                                                                     192
   Leu Ser Phe Cys Gly Ser Asn Ile Ile Asp Asp Phe Phe Cys Asp Leu
  ccc cca ctt gta aag ttg gtg tgt gat gtg aag gag cgc tac cag gct
Pro Pro Leu Val Lys Leu Val Cys Asp Val Lys Glu Arg Tyr Gln Ala
65 70 75 80
                                                                                                                      240
  gtg ctg cat ttt atg ctt gcc tcc aat cat cac tcc cac tgc act tat
Val Leu His Phe Met Leu Ala Ser Asn His His Ser His Cys Thr Tyr
                                                                                                                      288
                                                             90
  tct tgc gtc cat ctc ttc atc att gca gcc atc tcg aag atc cgt tcc
Ser Cys Val His Leu Phe Ile Ile Ala Ala Ile Ser Lys Ile Arg Ser
                                                                                                                     336
                                                      105
  att aag ggc cgc ctc cag gtc ttc tcc act tgt ggg tct ccc ctg acg
Ile Lys Gly Arg Leu Gln Val Phe Ser Thr Cys Gly Ser Pro Leu Thr
                                                                                                                     384
                                               120
 get etc ace ttg tae tat ggt gea ate tte ttt att tae tee caa eea Ala Leu Thr Leu Tyr Tyr Gly Ala Ile Phe Phe Ile Tyr Ser Gln Pro
                                                                                                                     432
 aga act agc tat gcc tta aaa atg gat aaa ttg ggg tca gtg ttc tat
Arg Thr Ser Tyr Ala Leu Lys Met Asp Lys Leu Gly Ser Val Phe Tyr
                                                                                                                     480
                                 150
 act gtg gtg att cca atg cta aac ccc ttg atc tat agc tta aga aat Thr Val Val Ile Pro Met Leu Asn Pro Leu Ile Tyr Ser Leu Arg Asn 165 170 175
                                                                                                                     528
 aag gat gtc aaa gat gcc ttg aag aaa atg tta gat aga ctt cag ttt
Lys Asp Val Lys Asp Ala Leu Lys Lys Met Leu Asp Arg Leu Gln Phe
180 185 185 190
                                                                                                                    576
ctt aaa gaa aaa tat tgt aga tat ggg ctg gcc tgt agt gag cgc tac
~Leu Lys Glu Lys Tyr Cys Arg Tyr Gly Leu Ala Cys Ser Glu Arg Tyr
195 200 205
                                                                                                                    624
 ctc ctg gct gcc atg ggt tat gac tgc tat gag gca atc tcc aag ccc
Leu Leu Ala Ala Met Gly Tyr Asp Cys Tyr Glu Ala Ile Ser Lys Pro
210 215 220
ctg ctt taa
                                                                                                                    681
Leu Leu
225
<210>
           194
<211>
           226
<212>
         PRT
          Homo sapiens
<213>
<400>
          194
```

Page 114

16U 200 PCT FINAL.ST25 Met Ala Tyr Asp Arg Tyr Met Ala Ile Ser Lys Pro Leu Leu Tyr Ser Arg Ala Thr Phe Pro Glu Leu Cys Ala Ser Leu Val Glu Ala Ser His Leu Gly Gly Phe Val Asn Ser Thr Ile Ile Thr Ser Glu Thr Pro Thr Leu Ser Phe Cys Gly Ser Asn Ile Ile Asp Asp Phe Phe Cys Asp Leu Pro Pro Leu Val Lys Leu Val Cys Asp Val Lys Glu Arg Tyr Gln Ala 65 70 75 80 Val Leu His Phe Met Leu Ala Ser Asn His His Ser His Cys Thr Tyr Ser Cys Val His Leu Phe Ile Ile Ala Ala Ile Ser Lys Ile Arg Ser Ile Lys Gly Arg Leu Gl \dot{n} Val Phe Ser Thr Cys Gly Ser Pro Leu Thr 115 120 125 Ala Leu Thr Leu Tyr Tyr Gly Ala Ile Phe Phe Ile Tyr Ser Gln Pro 130 135 140 Arg Thr Ser Tyr Ala Leu Lys Met Asp Lys Leu Gly Ser Val Phe Tyr 145 150 160 Thr Val Val Ile Pro Met Leu Asn Pro Leu Ile Tyr Ser Leu Arg Asn Lys Asp Val Lys Asp Ala Leu Lys Lys Met Leu Asp Arg Leu Gln Phe 180 185 190Leu Lys Glu Lys Tyr Cys Arg Tyr Gly Leu Ala Cys Ser Glu Arg Tyr 195 200 205 Leu Leu Ala Ala Met Gly Tyr Asp Cys Tyr Glu Ala Ile Ser Lys Pro 210 215 220 Leu Leu <210> 195 <211> 1095 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (1)..(1095) <223> <400> 195 atg gcc tct gag acc ttc aac act gaa gac cca gcc ggg ttg atg cac Met Ala Ser Glu Thr Phe Asn Thr Glu Asp Pro Ala Gly Leu Met His tcg gat gcc ggc acc agc tgc ccc gtc ctt tgc aca tgc cgt aac cag Ser Asp Ala Gly Thr Ser Cys Pro Val Leu Cys Thr Cys Arg Asn Gln

48

96

gt Vá	ig gi al Va	tg g al A 3	sp C	gt a	gc aç er Se	gc ca er Gl	ng cg n Ar 40	g Le	a tt eu Ph	c tc	c at	a cc	c co	a a	ST25 acct sple	α 144
Pr	a at o Me 50	t A	ac ac	ec co	ga aa rg As	c ct in Le 55	u Se	c ct r Le	g gc eu Al	c cad a His	c aad s Asi 60	c cg n Ar	c at	c ac e T)	ca go or Al	ca 192 .a
65	ıl Pr	O P	ro Gl	ly T)	r Le 70	u Th	r Cy:	ѕ Ту	r Me	t G1u 75	ı Lei	u Gl	n Va	l Le	eu As 80	p
t t Le	g ca u Hi	c aa s As	ncaa an As	nc to sn Se 85	r Le	a at u Me	g ga t Gli	g ct u Le	g cco u Pro 90	c cgg o Arg	3 gg6 3 Gly	c ct	c tt u Ph	c ct e Le 95	u Hi	t 288 s
gc Al	c aa a Ly	g co	gc tt g Le 10	u Al	a ca a Hi	c tte	g gad v Asj	cte Le 10	g ago u Sei S	tac Tyr	aac Asr	aai Asi	t tt n Ph 11	e Se	c ca r Hi	t 336 s
gt Va	g cc 1 Pr	a gc o Al 11	a As	c at p Me	g tt t Ph	c cad	g gag n Gli 120	ı Ala	c cat a His	: ggg : Gly	cta Leu	gte 1 Val 125	l Hi	c at s Il	c ga e As	c 384 p
c t	g ag u Se 13	r Hı	c aa s As	c cc n Pr	c tg o Trj	g cto p Lei 135	ı Arg	ago Aro	g gtg g Val	cat His	CCC Pro 140	Glr	g gc	c tt a Ph	t cad e Gli	g 432 n
99 G1: 14:	A rei	c at u Me	g ca t Gl	g cte n Le	c cga u Arg 150	g Asp	ctg Leu	gad Asp	c ctc c Leu	agt Ser 155	tat T yr	617 996	9 gg(/ Gl	ct y Le	g gco u Ala 160	3
t to Pho	c cto	ag J Se	c ct r Le	g gag u Gli 16	u Ala	t ctt	gag Glu	G) y	cta Leu 170	Pro	999 Gly	ctg Lev	gto Val	ace Th: 17	r Lei	g 528 1
Glr	ato Ile	gg G1	t gg y Gl ₂ 180	y Ası	cco Pro	tgg Trp	gtg Val	tgt Cys 185	ggc Gly	tgc Cys	acc Thr	atg Met	gaa Glu 190	Pro	c ctç o Lev	j 576 i
Leu	aag Lys	tg: Tr ₁	o Lei	g cga u Arg	aac Asn	cgg Arg	atc Ile 200	cag Gln	cgc Arg	tgt Cys	aca Thr	gca Ala 205	Glu	tca Sei	aggt rGly	624
Ser	210	Lei	ı Pro	o Glu	ı Glu	Ser 215	Glu	Pro	gag Glu	Ser	Trp 220	Thr	Gly	Glr	Arg	
225	. Ala	vai	. 61t) Phe	230	Asp	Leu	Met	cag Gln	Leu 235	Gln	Asp	Leu	Asp	240	
agc Ser	tac Tyr	gaç Glu	aac Asn	ctg Leu 245	gct Ala	ttc Phe	ctc Leu	aaa Lys	ctc Leu 250	aag Lys	gcc Ala	ctg Leu	agc Ser	agt Ser 255	Val	768
aac Asn	ttt Phe	9 9 9	His 260	Arg	caa Gln	gcg Ala	gtt Val	gtg Val 265	ggt Gly	gga Gly	ctt Leu	tcc Ser	aat Asn 270	CCC Pro	ctc Leu	816
tcc Ser	ttc Phe	cct Pro 275	999 Gly	tac Tyr	ctc Leu	acc Thr	ctc Leu 280	cct Pro	ggc Gly	ttc Phe	Cys	gtt Val 285	aca Thr,	gat Asp	tct Ser	864
cag Gln	ctg Leu 290	gct Ala	gag Glu	t gc Cys	cgg Arg	ддс G1 у 295	cct Pro	cct Pro	gaa Glu	Val (gag Glu 300 -	Gly	gcc Ala	ccg Pro	ctc Leu	912
ttc Phe 305	tca Ser	ctc Leu	act Thr	gag Glu	gag Glu 310	agc Ser	ttc Phe	aag Lys	gcc Ala	tgc o Cys I 315	cac His	ctg Leu	acc Thr	ctg Leu	acc Thr .320	960
ctg Leu	gat Asp	gat Asp	tac Tyr	cta Leu 325	ttc Phe	att Ile	gcg Ala	ttc Phe	gtg Val 330	ggc t Gly I	ttc (gtg Val	gtc Val	tcc Ser 335	att Ile	1008
gct Ala	tct Ser	gtg Val	gcc Ala 340	acc Thr	aac Asn	ttc Phe	Leu i	ctg Leu 345	ggc (Gly :	atc a Ile 1	hr I	Ala .	aac Asn 350	tgc Cys	tgc Cys	1056

Page 116

160 200 PCT FINAL ST25

										160	200	PCT	FIN	AL.S	r25	
			• Ser		gcc Ala			Glu								1095
<21 <21 <21 <21	1> 2>	196 364 PRT Homo	sap	iens												
< 40	0>	196														
Met 1	Ala	Ser	Glu	Thr 5	Phe	Asn	Thr	Glu	Asp 10	Pro	Ala	Gly	Leu	Met 15	His	
Ser	Asp	Ala	G1 y 20	Thr	Ser	Cys	Pro	Val 25	,Leu	Cys	Thr	Cys	Arg 30	Asn	Gln	
Val	Val	Asp 35	Cys	Ser	Ser	Gln	Arg 40	Leu	Phe	Ser	Val	Pro 45	Pro	Asp	Leu	
Pro	Met 50	Asp	Thr	Arg	Asn	Leu 55	Ser	Leu	Ala	His	Asn 60	Arg	Ile	Thr	Ala	
Va) 65	Pro	Pro	Gly	Туr	Leu 70	Thr	Cys	Туг	Met	Glu 75	Leu	Gln	Val	Leu	Asp 80	
Leu	His	Asn	Asn	Ser 85	Leu	Met	Glu	Leu	Pro 90	Arg	Gly	Leu	Phe	Leu 95	His	
Ala	Lys	Arg	Leu 100		His	Leu	Asp	Leu 105		Туr	Asn	Asn	Phe 110	Ser	His	
Val	Pro	Ala 115	Asp	Met	Phe	Gln	Glu 120	Ala	His	Gly	Leu	Val 125	His	Ile	Asp	
Leu	Ser 130		Asn	Pro	Trp	Leu 135	Arg	Arg	Val	His	Pro 140	Gln	Ala	Phe	Gln	
Gly 145	Leu	Met	Gln	Leu	Arg 150	Asp	Leu	Asp	Leu	Ser 155	Tyr	G1 y	G1 y	Leu	Ala 160	
Phe	Leu	Ser		Glu 165		Leu	Glu		Leu 170		Gly	Leu	Val	Thr 175	Leu	
Gln -	Ile	Gly	Gly 180	Asn	Pro	Trp	Val	Cys 185	Gly	Cys	Thr	Met	Glu 190	Pro	Leu	
Leu	Lys	Trp 195	Leu	Arg	Asn	Arg	11e 200	G1n	Arg	Cys	Thr	Ala 205	Glu	Ser	Gly	
Ser	Gly 210	Leu	Pro	Glu	Glu	Ser 215	Glu	Pro	Glu	Ser	Trp 220	Thr	G] y	Gln	Arg	
Ala 225	Ala	Val	Glu	Phe	Gln 230	Asp	Leu	Met	Gln	Leu 235	Gln	Asp	Leu	Asp ,	Leu 240	
Ser	Tyr	Glu	Asn	Leu 245	Ala	Phe	Leu	Lys	Leu 250	Lys	Ala	Leu	Ser	Ser 255	Val	

Asn Phe Gly His Arg Gln Ala Val Val Gly Gly Leu Ser Asn Pro Leu 260 265 270

Ser Phe Pro Gly Tyr Leu Thr Leu Pro Gly Phe Cys Val Thr Asp Ser Gln Leu Ala Glu Cys Arg Gly Pro Pro Glu Val Glu Gly Ala Pro Leu Phe Ser Leu Thr Glu Glu Ser Phe Lys Ala Cys His Leu Thr Leu Thr 305 310 315 320 Leu Asp Asp Tyr Leu Phe Ile Ala Phe Val Gly Phe Val Val Ser Ile Ala Ser Val Ala Thr Asn Phe Leu Leu Gly Ile Thr Ala Asn Cys Cys His Arg Trp Ser Lys Ala Ser Glu Glu Glu Glu Ile <210> 197 <211> 27 <212> DNA <213> Homo sapiens <400> 197 gggatttggt gtccaacacg aatttca 27 <210> 198 <211> 34 <212> DNA <213> Homo sapiens <400> 198 gagcctataa tatatgagcc agctacgagt tgga 34 <210> 199 <211> 32 <212> DNA <213> Homo sapiens <400> 199 gtcactgaat tctatcttct gggatttggt gc 32 <210> 200 <211> 32 <212> DNA <213> Homo sapiens <400> 200 aaacctgttt gtacagaggc atttattgag cc 32 <210> 201 <211> 35 <212> DNA <213> Homo sapiens gatatcattt tggggctgca tgatacaatt attgg 35 <210> 202 <211> 33 <212> DNA <213> Homo sapiens <400> 202 ctccaaccca gtgaacatca agttaaatcc cac

Page 118

33

```
<210> 203
 <211>
        36
 <212>
        DNA
 <213>
       Homo sapiens
 <400> 203
 ttaagctatt agttagttca tatgtcatgg gtttcc
                                                                      36
 <210> 204
 <211> 36
 <212>
       DNA
 <213>
       Homo sapiens
 <400> 204
 ctcattaata cgatggcata gatacatgta agagag
                                                                      36
 <210> 205
 <211> 50
 <212>
       DNA
 <213> Homo sapiens
 atgttccatc taaatgaagc ctgagaaacc cagcactacc cacttgttag
                                                                     50
 <210> 206
 <211>
        50
 <212> DNA
 <213> Homo sapiens
 <400> 206
 acatccatta tataacaggg ttaatatact tgtaaagaat agcacctaga
                                                                     50
<210> 207
 <211>
        50
 <212> DNA
<213> Homo sapiens
<400> 207
aaatgtataa attctgcatg aaattggggg tggggcttgt actacttttg
                                                                     50
<210>
       208
<211>
       50
<212> DNA
<213> Homo sapiens
<400> 208
atgttccatc taaatgaagc ctgagaaacc cagcactacc cacttgttag
                                                                     50
<210> 209
<211>
       50
<212>
       DNA
<213>
       Homo sapiens
-<400> 209
acatccatta tataacaggg ttaatatact tgtaaagaat agcacctaga
                                                                     50
<210>
       210
<211>
       50
<212>
       DNA
<213> Homo sapiens
<400> 210
aaatatatat tttaaattgg ccaggcgcgg tggctcacgc ctataatccc
                                                                  50
<210> 211
<211> 50
<212> DNA
<213> Homo sapiens
<400> 211
```

gg	ictca	cgc	: tat	taato	cca	gçad	tttg	gg a	ggco				T ÈI gatca		ST25	50
<2 <2	10> 11> 12> 13>	212 50 DNA Hon	1	pier	ıs											
	00> ccaa	212 atat		tata	tac	acac	acac	ac a	caca	càca	c ac	atat	atat			50
<2 <2	10> 11> 12> 13>	213 50 DNA Hom		pien	s											
	00> caca	213				caca	cata	ta t	ttat	aatc	a tt	taac	aaca			50
<2: <2:	10> 11> 12> 13>	214 933 DNA Hom		pien	s										-	
·<22	22>	CDS (1)	(9)	30)												
<40 ato Met 1	gca	214 gaq Glu	g ato u Met	g aad t Asr 5	c cto 1 Lei	aco Thi	tto Lei	g gtg u Val	aco Thi	gaç Glu	g tto D Phe	cte Le	c ctt u Leu	att Ile 15	gca Ala	48
t t c Phe	act Thr	gaa Glu	a tat 1 Tyr 20	cct Pro	gaa Glu	tgg Trp	gca Ala	cto Leu 25	cct Pro	cto Leu	tto Phe	cto Lei	ttg Leu 30	t t t Phe	tta Leu	96
t t t Phe	atg Met	tat Tyr 35	cto Lev	ato Ile	acc Thr	gta Val	Leu 40	61 g	aac Asn	tta Leu	gag Glu	atg Met 45	att Ile	att	ctg Leu	144
atc Ile	ctc Leu 50	atg Met	gat Asp	cac His	cag Gln	ctc Leu 55	cac His	gct Ala	cca Pro	atg Met	tat Tyr 60	t t c	ctt Leu	ctg Leu	agt Ser	192
cac His 65	ctc Leu	gct Ala	ttc Phe	atg Met	gac Asp 70	gtc Val	t g c C y s	tac Tyr	tca Ser	tct Ser 75	atc Ile	act	gtc Val	ccc Pro	cag Gln 80	240
atg Met	ctg Leu	gca Ala	gtg Val	ctg Leu 85	ctg Leu	gag Glu	cat His	999 Gly	gca Ala 90	gct Ala	tta Leu	tct Ser	tac Tyr	aca Thr 95	cgc Arg	288
tgt Cys	gct Ala	gct Ala	cag Gln 100	Phe	ttt Phe	ctg Leu	ttc Phe	acc Thr 105	ttc Phe	ttt Phe	ggt Gly	tcc Ser	atc Ile 110	gac Asp	tgc Cys	336
tac Tyr	ctc Leu	ttg Leu 115	gcc Ala	ctc Leu	atg Met	gcc Ala	tat Tyr 120	gac Asp	cgc Arg	tac Tyr	ttg Leu	gct Ala 125	gtg Val	tgc Cys	cag Gln	384
ccc Pro	ctg Leu 130	ctt Leu	tat Tyr	gtc Val	acc Thr	atc Ile 135	ctg Leu	aca Thr	cag Gln	cag Gln	gcc Ala 140	cgc Arg	ttg Leu	agt Ser	ctt Leu	432
gtg Val 145	gct Ala	ggg G1 y	gct Ala	tac Tyr	gtt Val 150	gct Ala	ggt Gly	ctc Leu	atc Ile	agt Ser 155	gcc Ala	t t g Le u	gtg Val	Arg	aca Thr 160	480
gtc Val	tca Ser	gcc Ala	ttc Phe	act Thr 165	ctc Leu	tcc Ser	ttc Phe	tgt Cys	9ga Gly 170	acc Thr	agt Ser	gag Glu	att Ile	gac Asp 175	ttt Phe	528
att Ile	ttc Phe	tgt Cys	gac Asp 180	ctc Leu	cct Pro	cct Pro	ctg Leu	tta Leu 185	aag Lys	ttg Leu	acc Thr	tgt Cys	999 Gly 190	gag Glu	agc Ser	576

			gaa Glu													624
		Met	gtg Val													672
	Met		atc													720
			ctc Leu													768
			aga Arg 260	Gl y												816
			ctt Leu													864
		Leu	agg Arg													912
			aag Lys			taa										933
<21 <21 <21 <21	1> 2>	215 310 PRT Homo	sap	iens												
- 40	n>	215														
<40		213														
			Met	Asn 5	Leu	Thr	Leu	Val	Thr 10	Glu	Phe	Leu	Leu	11e 15	Ala	
Met 1	Ala	Glu	Met Tyr 20	5					10					15		
Met 1 Phe	Ala Thr	Glu Glu	Туг	5 Pro	Glu	Trp	Ala	Leu 25	10	Leu	Phe	Leu	Leu 30	15 Phe	Leu	
Met 1 Phe	Ala Thr Met	Glu Glu Tyr 35	Туг 20	5 Pro	Glu Thr	Trp Val	Ala Leu 40	Leu 25 Gly	10 Pro Asn	Leu Leu	Phe Glu	Leu Met 45	Leu 30	15 Phe Ile	Leu Leu	
Met 1 Phe Phe	Ala Thr Met Leu 50	Glu Glu Tyr 35 Met	Tyr 20 Leu	5 Pro Ile His	Glu Thr Gln	Trp Val Leu 55	Ala Leu 40 His	Leu 25 Gly Ala	10 Pro Asn Pro	Leu Leu Met	Phe Glu Tyr 60	Leu Met 45 Phe	Leu 30 Ile Leu	15 Phe Ile Leu	Leu Leu Ser	
Met 1 Phe Phe His 65	Ala Thr Met Leu 50	Glu Tyr 35 Met	Tyr 20 Leu Asp	Pro Ile His	Glu Thr Gln Asp 70	Trp Val Leu 55 Val	Ala Leu 40 His Cys	Leu 25 Gly Ala Tyr	Pro Asn Pro	Leu Leu Met Ser 75	Phe Glu Tyr 60	Leu Met 45 Phe Thr	Leu 30 Ile Leu Val	Phe Ile Leu Pro	Leu Leu Ser Gin 80	
Met 1 Phe Phe His 65	Ala Thr Met Leu 50 Leu	Glu Glu Tyr 35 Met Ala	Tyr 20 Leu Asp	Pro Ile His Met	Glu Thr Gln Asp 70 Leu	Trp Val Leu 55 Val	Ala Leu 40 His Cys	Leu 25 Gly Ala Tyr	Pro Asn Pro Ser Ala	Leu Leu Met Ser 75	Phe Glu Tyr 60 Ile	Leu Met 45 Phe Thr	Leu 30 Ile Leu Val	Phe Ile Leu Pro Thr 95	Leu Leu Ser Gin 80	
Met 1 Phe Phe His 65	Ala Thr Met Leu 50 Leu Ala	Glu Tyr 35 Met Ala Ala	Tyr 20 Leu Asp Phe Val	Pro Ile His Met Leu 85	Glu Thr Gln Asp 70 Leu	Trp Val Leu 55 Val Glu Leu	Ala Leu 40 His Cys	Leu 25 Gly Ala Tyr Gly Thr	Pro Asn Pro Ser Ala 90	Leu Met Ser 75 Ala	Phe Glu Tyr 60 Ile Leu Gly	Leu Met 45 Phe Thr Ser	Leu 30 Ile Leu Val Tyr	Phe Ile Pro Thr 95	Leu Leu Ser Gin 80 Arg	
Met 1 Phe Phe His 65 Met Cys	Ala Thr Met Leu 50 Leu Ala	Glu Tyr 35 Met Ala Ala Leu 115	Tyr 20 Leu Asp Phe Val Gln 100	Pro Ile His Met Leu 85 Phe	Glu Thr Gln Asp 70 Leu Phe	Trp Val Leu S5 Val Glu Leu	Ala Leu 40 His Cys Phe	Leu 25 Gly Ala Tyr Gly Thr 105	Pro Asn Pro Ser Ala 90 Phe	Leu Met Ser 75 Ala Phe Tyr	Phe Glu Tyr 60 Ile Leu Gly	Leu Met 45 Phe Thr Ser Ser	Leu 30 Ile Leu Val Tyr Ile 110	Phe Leu Pro Thr 95 Asp	Leu Ser Gln 80 Arg Cys	

		16U 200 F	CT FINAL. ST25
Val Ser Ala Phe Thi 165	r Leu Ser Phe	Cys Gly Thr Ser (170	Glu Ile Asp Phe 175
lle Phe Cys Asp Leu 180		Leu Lys Leu Thr C 185	ys Gly Glu Ser 190
Tyr Thr Gln Glu Val 195	Leu Ile Ile I 200		he Val Ile Pro OS
Ala Ser Met Val Val 210	lle Leu Val S 215	Ser Tyr Leu Phe I 220	le lle Val Ala
lle Met Gly Ile Pro 225	Ala Gly Ser (230	In Ala Lys Thr P 235	he Ser Thr Cys 240
Thr Ser His Leu Thr 245	Ala Val Ser I	eu Phe Phe Gly T 250	hr Leu 11e Phe 255
Met Tyr Leu Arg Gly 260	Asn Ser Asp G	ln Ser Ser Glu L 65	ys Asn Arg Val 270
Val Ser Val Leu Tyr 275	280	28	35
Tyr Ser Leu Arg Asn 290		ys Glu Ala Leu Ai 300	g Lys Ile Leu
Asn Arg Ala Lys Leu 305	Ser 310		
<210> 216 <211> 933 <212> DNA <213> Homo sapiens		·	
<220> <221> CDS <222> (1)(930) <223>			
<400> 216 atg gaa ggc aac aag Met Glu Gly Asn Lys 1 5	aca tgg atc ac Thr Trp Ile Th	a gac atc acc tt r Asp Ile Thr Le 10	g ccg cga ttc 48 u Pro Arg Phe 15 .
cag gtt ggt cca gca Gln Val Gly Pro Ala 20	ctg gag att ct Leu Glu Ile Le 25	u Leu Cys Gly Le	t ttc tct gcc 96 u Phe Ser Ala 30
ttc tat aca ctc acc of the Tyr Thr Leu Thr 1	ctg ctg ggg aa Leu Leu Gly As 40	t ggg gtc atc tt n Gly Val Ile Pho 45	t ggg att atc 144 e Gly Ile Ile
tgc ctg gac tgt aag o Cys Leu Asp Cys Lys 1 50	ctt cac aca cc Leu His Thr Pr 55	c atg tac ttc ttc b Met Tyr Phe Phe 60	c ctc tca cac 192 e Leu Ser His
ctg gcc att gtt gac a Leu Ala Ile Val Asp I 65	ata tcc tat gc lle Ser Tyr Al 70	t tcc aac tat gto a Ser Asn Tyr Val 75	ccc aag atg 240 Pro Lys Met 80
ctg acg aat ctt atg a Leu Thr Asn Leu Met A 85	aac cag gaa ago Asn Gln Glu Sei	acc atc tcc ttt Thr Ile Ser Phe	ttt cca tgc 288 Phe Pro Cys 95
ata atg cag aca ttc t Ile Met Gln Thr Phe L	tg tat ttg gct eu Tyr Leu Ala	ttt gct cac gta Phe Ala His Val	gag tgt ctg 336 Glu Cys Leu

			100					105		1 6U	200	PCT	FINA 110	L.ST	25	
		gtg Val 115														384
		tac Tyr														432
		tcc Ser														480
		ctg Leu														528
		gaa Glu														576
		cag 61n 195														624
		tgc Cys														672
		atc Ile														720
		cac His														768
		atg Met														816
		ctg Leu 275														864
		cta Leu														912
		gag Glu				tga										933
<210 <210 <210 <210	1> : 2> :	217 310 PRT Homo	sapi	iens												
_<400)> 2	217														
Met 1	Glu	Gly	Asn	Lys 5	Thr	Trp	Ile	Thr	Asp 10	Ile	Thr	Leu	Pro	Arg 15	Phe	
Gln	Val	Gly	Pro 20	Ala	Leu	Glu	Ile	Leu 25	Leu	Cys	Gly	Leu	Phe 30	Ser	Ala	
Phe	Tyr	Thr 35	Leu	Thr	Leu	Leu	Gly 40	Asn	Gly	val	lle	Phe 45	Gly	Ile,	Ile	
Cys	Leu 50	Asp	Cys	Lys	Leu	His 55	Thr	Pro	Met	Tyr	Phe 60	Phe	Leu	Ser	His	
Leu	Ala	lle	Val	Asp	lle	Ser	Tyr	Ala	Ser	Asn	Туг	Val	Pro	Lys	Met	

65					70					75		J PC	r F1	NAL.	80	
Let	Th	r Asn	Lec	Met 85	Asr	Glr	Glı	ı Sei	7h: 90	r 1,1	e Se	r Ph	e Ph	e Pr 95	o Cys	
11e	Met	: Gln	Thr 100	Phe	e Leu	Туг	Let	105		e Al	a His	s Va	11:		s Leu	
Ile	Let	1 Val 115		Met	Ser	Tyr	Asp 120		туі	r.Ala	a Asp	125		s Hi	s Pro	
Leu	130	Tyr	Asn	Ser	Leu	Met 135		Trp	Arç	y Val	1 Cys		va:	l Lei	ı Ala	
Val 145		Ser	Trp	Val	Phe 150		Phe	Leu	Leu	155		val	. Pro) Lei	val 160	
Leu	Ile	Leu	Ser	Leu 165		Phe	Cys	G1 y	Pro 170		Glu	lle	Ası	175	s Phe	٠
Phe	Cys	Glu	Ile 180	Leu	Ser	Val	Leu	Lys 185		Ala	Cys	Ala	Asp 190		Trp	
Leu	Asn	Gln 195	Val	Va1	lle	Phe	Ala 200		Cys	Val	Phe	11e 205		val	Gly	
Pro	Leu 210	Cys	Leu	Val	Leu	Val 215	Ser	Tyr	Leu	Arg	11e 220		Ala	Ala	lle	
Leu 225	Arg	Ile	Gln	Ser	Gly 230	Glu	Gly	Arg	Arg	Lys 235		Phe	Ser	Thr	Cys 240	
Ser	Ser	His	Leu	Cys 245	Val	Val	G1 y	Leu	Phe 250	Phe	Gly	Ser	Ala	Ile 255	Val	
Thr	Туr	Met	Ala 260	Pro	Lys	Ser	Arg	His 265	Pro	Glu	Glu	Gln	Gln 270	Lys	Val	
Leu	Ser	Leu 275	Phe	Tyr	Ser	Leu	Phe 280	Asn	Pro	Met	Leu	Asn 285	Pro	. Leu	Ile	
	Ser 290	Leu	Arg	Asn		G1u 295	Val	Lys	Gly	Ala	Leu 300	Arg	Arg	Ala	Leu	
Arg 305	Lys	Glu .	Arg		Thr 310											
<210 <211 <212 <213	> 9 > b	18 27 NA Omo :	sapi	ens												
<220: <221: <222: <223:	> CI	DS 1)	(924))												÷
<400: atg (Met)	gcc a	18 etg o Met 7	gac a Asp /	i azi	gtc a Val 1	aca ç îhr <i>F</i>	gca (Val :	ttt Phe	cag Gln	ttt Phe	ctc Leu	ctt Leu	att Ile 15	ggc Gly	48
att t	ct a	ac t			caa t	gg a	ıga (ttt	ttc .	aca	tta		ctg	96
												ige :		-		

lle	Ser	Asn	Туг 20	Pro	Gln	Trp	Arg	Asp 25	Thr			PCT Thr				
		tac Tyr 35														144
		ttt Phe														192
		tct Ser														240
		gtg Val														288
		gct Ala														336
		ctg Leu 115														· 384
		cgt Arg														432
		acc Thr														480
		ctg Leu														528
		gag Glu														576
		gaa Glu 195														624
		61 y														672
		att Ile														720
		cac His														768
atg -Met		atg Met														816
		gtg Val 275														864
tat Tyr	agc Ser 290	ctg Leu	aga Arg	aaa Lys	Lys	gat Asp 295	gtt Val	aaa Lys	cgg Arg	gca Ala	ata Ile 300	agg Arg	aaa Lys	Val	atg Met	912
		agg Arg		tga												927
<210 <211 <212	> 3	19 08 RT														

<213> Homo sapiens

<400> 219

Met Ala Met Asp Asn Val Thr Ala Val Phe Gln Phe Leu Leu Ile Gly
1 5 10 15

lle Ser Asn Tyr Pro Gln Trp Arg Asp Thr Phe Phe Thr Leu Val Leu 20 25 30

lle 11e Tyr Leu Ser Thr Leu Leu Gly Asn Gly Phe Met 11e Phe Leu 35 40 45

lle His Phe Asp Pro Asn Leu His Thr Pro lle Tyr Phe Phe Leu Ser 50 60

Asn Leu Ser Phe Leu Asp Leu Cys Tyr Gly Thr Ala Ser Met Pro Gln 65 70 75 80

Ala Leu Val His Cys Phe Ser Thr His Pro Tyr-Leu Ser Tyr Pro Arg 85 90 95

Cys Leu Ala Gln Thr Ser Val Ser Leu Ala Leu Ala Thr Ala Glu Cys 100 105 110

Leu Leu Ala Ala Met Ala Tyr Asp Arg Val Val Ala Ile Ser Asn 115 120 125

Pro Leu Arg Tyr Ser Val Val Met Asn Gly Pro Val Cys Val Cys Leu 130 135 140

Val Ala Thr Ser Trp Gly Thr Ser Leu Val Leu Thr Ala Met Leu Ile 145 150150155160

Leu Ser Leu Arg Leu His Phe Cys Gly Ala Asn Val Ile Asn His Phe 165 170 175

Ala Cys Glu Ile Leu Ser Leu Ile Lys Leu Thr Cys Ser Asp Thr Ser 180 $$185\$

Leu Asn Glu Phe Met Ile Leu Ile Thr Ser Ile Phe Thr Leu Leu Leu 195 200

Pro Phe Gly Phe Val Leu Leu Ser Tyr 1le Arg Ile Ala Met Ala Ile 210 215 220

Tile Arg Ile Arg Ser Leu Gln Gly Arg Leu Lys Ala Phe Thr Thr Cys 225- 236- 235- 240

Gly Ser His Leu Thr Val Val Thr 11e Phe Tyr Gly Ser Ala 11e Ser 245 250 255

Met Tyr Met Lys Thr Gln Ser Lys Ser Tyr Pro Asp Gln Asp Lys Phe 260 265 270

Ile Ser Val Phe Tyr Gly Ala Leu Thr Pro Met Leu Asn Pro Leu $^\circ$ Ile 275 280285

Tyr Ser Leu Arg Lys Lys Asp Val Lys Arg Ala 11e Arg Lys Val Met 290 295 300

Leu 305		, Arg	Thr	:													
<21 <21 <21 <21	1> 2>	220 1008 DNA Homo		oiens	;												
<22 <22 <22 <22	1> 2>	CDS	. (10	05)													
	gaa														tcc Ser	4.8	ì
															ttg Leu	96	;
												ttg Leu 45				144	ĺ
												cta Leu			gac Asp	192	!
												ctg Leu				240	,
												gtc Val				288	i
				Phe								cag Gln				336	•
												tgc Cys 125				384	
		Leu										ctc Leu				432	
												ttc Phe				480	
ttt Phe	cac His	cct Pro	cac His	ttc Phe 165	gtg Val	ctg Leu	acc Thr	ctc Leu	tcc Ser 170	tgc Cys	gtt Val	ggc Gly	ttc Phe	ttc Phe 175	cca Pro	· 528	
												ctc Leu				576	
												gca Ala 205				624	
gct Ala	gga Gly 210	ggt Gly	tat Tyr	cga Arg	tcc Ser	cca Pro 215	cgg Arg	act Thr	ccc Pro	agc Ser	gac Asp 220	ttc Phe	aaa Lys	gct Ala	ctc Leu	672	
cgt Arg 225	act Thr	gtg Val	tct Ser	gtt Val	ctc Leu 230	att Ile	61 Y 999	agc Ser	ttt Phe	gct Ala 235	cta Leu	tcc Ser	tgg Trp	acc Thr	Pro 240	720	
ttc Phe	ctt Leu	atc Ile	act Thr	ggc Gly 245	att Ile	gtg Val	cag Gln	gtg Val	gcc Ala 250	tgc Cys	cag Gln	gag Glu	tgt Cys	cac His 255	ctc Leu	768	

tac Tyr	cta Leu	gtg Val	ctg Leu 260	gaa Glu	cgg Arg	tac Tyr	ctg Leu	tgg Trp 265	ctg Leu	ctc Leu	ggc Gly	gtg Val	ggc Gly 270	aac Asn	tcc ·Ser	816
ctg Leu	ctc Leu	aac Asn 275	cca Pro	ctc Leu	atc Ile	tat Tyr	gcc Ala 280	tat Tyr	tgg Trp	cag Gln	aag Lys	gag Glu 285	gtg Val	cga Arg	ctg Leu	864
cag Gln	ctc Leu 290	tac Tyr	cac His	atg Met	gcc Ala	cta Leu 295	gga Gly	gtg Val	aag Lys	aag Lys	gtg Val 300	ctc Leu	acc Thr	tca Ser	ttc Phe	912
ctc Leu 305	ctc Leu	ttt Phe	ctc Leu	tcg Ser	gcc Ala 310	agg Arg	aat Asn	tgt Cys	ggc Gly	cca Pro 315	gag Glu	agg Arg	ccc Pro	agg Arg	gaa Glu 320	960
agt Ser	tcc Ser	tgt Cys	cac His	atc Ile	gtc Val	act Thr	atc Ile	tcc Ser	agc Ser	tca Ser	gag Glu	ttt Phe	gat Asp	ggc Glv	taa	1008

<210> 221 <211> 335

<212> PRT

<213> Homo sapiens

325

<400> 221

Met Glu Ser Ser Phe Ser Phe Gly Val Ile Leu Ala Val Leu Ala Ser 1 10 15

Leu lle lle Ala Thr Asn Thr Leu Val Ala Val Ala Val Leu Leu Leu 20 25 30

lle His Lys Asn Asp Gly Val Ser Leu Cys Phe Thr Leu Asn Leu Alà $35 \hspace{1.5cm} 40 \hspace{1.5cm} 45$

Val Ala Asp Thr Leu Ile Gly Val Ala Ile Ser Gly Leu Leu Thr Asp 50 60

Gln Leu Ser Ser Pro Ser Arg Pro Thr Gln Lys Thr Leu Cys Ser Leu 65 70 75 80

Arg Met Ala Phe Val Thr Ser Ser Ala Ala Ala Ser Val Leu Thr Val 85 90 95

Met Leu Ile Thr Phe Asp Arg Tyr Leu Ala Ile Lys Gln Pro Phe Arg 100 105 110

Tyr Leu Lys Ile Met Ser Gly Phe Val Ala Gly Ala Cys Ile Ala Gly 115 120 125

Leu Trp Leu Val Ser Tyr Leu Lle Gly Bhe Leu Bro Leu Gly Ile Pro-130 135 140

Met Phe Gln Gln Thr Ala Tyr Lys Gly Gln Cys Ser Phe Phe Ala Val 145 150 155 160

Phe His Pro His Phe Val Leu Thr Leu Ser Cys Val Gly Phe Phe Pro

Ala Met Leu Leu Phe Val Phe Phe Tyr Cys Asp Met Leu Lys Ile Ala 180 185 190

Ser Met His Ser Gln Gln Ile Arg Lys Met Glu His Ala Gly Ala Met 195 200 205

A.	la G 2	ly (10	Sly '	Tyr 🏻	arg S	er	Pro 215	Arg	Th	r Pi	co s		Asp 220		e L	ys A	la	Leu		
A1 22	rg T 25	hr V	al s	Ser V	'al L 2	eu : 30	lle	61 y	Se:	r Pł	e A 2	la 35	Leu	Se	r Tı	p T	hr	Pro 240		
Pì	e L	eu I	le 1	hr G 2	ly I 45	le 1	/al	Gln	۷a)	1 Al 25	a C:	ys (Gln	G1	u Cy		is 55	Leu		
Ту	r L	eu V	al 1 2	еи G 60	lu A	rg T	yr :	Leu	Trp 265) Le	u L	eu (Gly	Va	1 G1 27		ā	Ser		
Le	u Le	2 A	sn P 75	ro L	eu I	le T	yr i	Ala 280	Тyr	Tr	p G	ln 1	Lys	G1: 28:		l Ar	g	Leu		
G1	n Le 29	е и Т 90	уг н	is M	et A	la L 2	eu (95	51 y	Val	Ŀу	s Ly		/al 300	Lei	ı Th	r Se	r	Phe		
Le:	u Le 5	eu Pl	ne L	eu Se	er Al	a A 10	rg A	Isn	Cys	G1;	y Pr 31	o 0	Slu	Arq) Pr	o Ar		Glu 320		
Se	r Se	r Cy	ys H	is 11 32	le Va 25	1 T	hr I	le	Ser	Se:	r Se	r G	lu	Phe	As ₁	p G1 33				
<21 <21	10> 11> 12> 13>	222 975 DNA Hom	5 1	ріеп	ıs															
<22	20> 21> 22> 23>	CDS	(9	72)																
<40 atg Met 1	cg	222 g cc g Pr	t ca	g ga n As 5	c ag p Se	c ac r Th	c go	gg (gtc Val	gcg Ala 10	ga Gli	g c	t <i>c</i>	cag Gln	gag Glu	cce Pro	c (999 Sly		48
ct g Leu	Pro	g ct > Le	a ac u Th 20	g ga r As	cga pAs _l	t gc o Al	a co a Pi	ro I	ccg Pro 25	ggc Gly	gco Ala	a a a	ct (gag Glu	30 G1 n	ccg Pro	J 9	gcg Ma		96
gcc Ala	gcc Ala	: ga G1: 35	g gc. D Al	agc: aAla	t ggg a Gly	g gc / Al	g co a Pi 40	O	gac Asp	cg c Arg	gtg Va]	9 9 9 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Ly S	tct Ser 15	tta Leu	t t t Phe	. g	itt 'al	1	44
aaa Lys	aaa Lys 50	gto Val	g caa	gaq n Asp	c gto Val	: са Ні 55	t go s Al	t ç la V	gta /al	gag Glu	att	ag Se 60	r	gcg Ala	ttt Phe	cga Arg	t	gt ys	1	92
gtg Val 65	ttc Phe	Caa Glr	ato Met	cta Leu	gtt Val 70	gt Va	t at	c c e P	ro	tgc Cys	tta Leu 75	at Il	a t e T	ac	aga Arg	aaa Lys	T	ct hr 0	2	40
999 G1 y	ttt Phe	ata Ile	990 Gly	cca Pro 85	aaa Lys	ggt G1)	ca Gl	ac n A	rg	att 11e 90	ttc Phe	ct Le	са в I	tt le	ctc Leu	aga Arg 95	g G	ga ly	28	38
gtc Val	ctt Leu	ggt Gly	tct Ser 100	1111	gcc Ala	atg Met	at Me	t L	tt . eu : 05	ata Ile	tac Tyr	ta Ty	t g r A	la	tac Tyr 110	cag Gln	a (T)	ca hr	, 33	36
atg Met	tcc Ser	ctc Leu 115	gct Ala	gat Asp	gcc Ala	aca Thr	gt: Va: 120	1 I.	tc a le :	acg Thr	ttt Phe	ag Se	r S	gt er 25	cca Pro	gtg Val	t (t t he	38	4
ecg Thr	tcc Ser	ata Ile	ttt Phe	gct Ala	tgg Trp	ata Ile	tg! Cys	t ci	tc a	ag Lys	gaa Glu	aa. Lys	at,	at d	agc Ser	cct Pro	t ç Tı	cb 33	43	2

	13	0					13:	5			16	U 20 14		T FI	NAL.	ST25	
ga As 14	p Al	t ci a Le	tt t eu P	tc he	acc Thr	gtq Val 150	l Phe	c ac	a ater Ile	c ac e Th	t gg r Gl 15	y Va	g at	c ct le Le	t at u Il	c gtg e Val 160	
ag. Ar	a cc g Pr	a co o Pi	ca t	he	ttg Leu 165	Phe	: ggt	t to	c gad r Asj	c ac p Th: 17	r Se	g gg r G1	g at y Me	g ga t Gl	ia ga u Gl 17	a agc u Ser 5	528
ta: Ty:	t tc r Se	a gç r Gl	y H	is 1	ctt Leu	aag Lys	998 Gly	aca Thi	tto Pho 18	e Ala	agc aAl	a at a Il	t gg e Gl	a ag y Se 19	r Al	c gta a Val	576
tt1 Phe	gc Al	t go a Al 19	a Se	eg a	act Thr	cta Leu	gtt Val	11e 200	e Lei	a aga u Arg	a aa g Ly	a at s Me	g gg t G1 20	у Lу	a tc s Se	t gtg r Val	624
gac Asp	ta 7y: 21	r Ph	t ci	g a	agc Ser	att Ile	tgg Trp 215	Tyr	tat Tyr	gta Val	a gt	e ct Le 22	u Gl	c ct y Le	cgt uVa	t gaa l Glu	672
agt Ser 225	· Va.	c at l 11	c at e Il	e I	ctc Leu	tct Ser 230	Val	tta Leu	gga Gly	gaç Glu	g tg 235 235	se:	t ct r Le	g cc u Pr	t ta o Ty:	c tgt r Cys 240	.720
G1 y	Lei	ga 1 As	c ag p Ar	g I	cta Seu 245	ttt Phe	ctc Leu	ata Ile	t t c Phe	att 11e 250	: G1	g cto / Lei	tt i Ph	t gg e Gl	t tte y Lei 25	g ggg 5 5	768
ggt Gly	Caç Glr	at.	atte Ph 26	e I	le	aca Thr	aaa Lys	gca Ala	ctt Leu 265	Gln	ata Ile	gaa Glu	a aaa a Ly:	a gca s Ala 270	9 G1	g cca / Pro	816
gta Val	gca Ala	110 27	e Me	ga t L	ag ys	aca Thr	atg Met	gat Asp 280	gtg Val	gtc Val	ttt Phe	gct Ala	285	e Ile	ttt Phe	cag Gln	864
att Ile	att 11e 290	Phe	tt Ph	ta e A	at sn	aat Asn	gtg Val 295	cca Pro	acg Thr	tgg Trp	tgg Trp	aca Thr 300	Va]	g ggt L Gly	ggt Gly	gct Ala	912
ctc Leu 305	tgc Cys	gt <i>a</i>	gt Va	ag lA	la	agt Ser 310	aat Asn	gtt Val	gga Gly	gcg Ala	gcc Ala 315	lle	cgt Arg	aaa Lys	tgg Trp	tac Tyr 320	960
			Ly:		ga					•							975
<210 <211 <212 <213	l> ?> }>	223 324 PRT Homo	saj	oier	ns												
			G) r	As 5	sp S	Ser	Thr	61 y	Val	Ala 10	Glu	Leu	Gln	Glu	Pro 15	Gly	
Leu	Pro	Leu	Thr 20	As	sp #	Asp .	Ala	Pro	Pro 25	.Gly	Ala	Thr	Glu	Glu 30	Pro	Ala	
Ala	Ala	G1 ս 35	Ala	Al	a G	Sly A		Pro 40	Asp	Arg	Va]	Gly	Ser 45	Leu	Phe	Val '	
Lys	Lys 50	Val	Gln	As	pν	/al	His 1	Ala	Val	Glu	lle	Ser 60	Ala	Phe		Cys 	
Val 65	Phe	G1 n	Met	Le	u V 7	al V 0	/al :	Ile	Pro		Leu 75	lle	Tyr	Arg			
Gly I	Phe	Ile	Gly	Pr	o L	ys (Sly (Sln i	Arg	lle	Phe	Leu	lle	Leu	Arg	Gl y	

16U 200 PCT FINAL.ST25 5 90 95

Val Leu Gly Ser Thr Ala Met Met Leu Ile Tyr Tyr Ala Tyr Gln Thr 100 105 110

Met Ser Leu Ala Asp Ala Thr Val Ile Thr Phe Ser Ser Pro Val Phe 115 120 125

Thr Ser Ile Phe Ala Trp Ile Cys Leu Lys Glu Lys Tyr Ser Pro Trp 130 135 140

Asp Ala Leu Phe Thr Val Phe Thr Ile Thr Gly Val Ile Leu Ile Val 145 150 155 160

Arg Pro Pro Phe Leu Phe Gly Ser Asp Thr Ser Gly Met Glu Glu Ser 165 170 175

Tyr Ser Gly His Leu Lys Gly Thr Phe Ala Ala Ile Gly Ser Ala Val 180 185 190

Phe Ala Ala Ser Thr Leu Val Ile Leu Arg Lys Met Gly Lys Ser Val 195 200 205

Asp Tyr Phe Leu Ser Ile Trp Tyr Tyr Val Val Leu Gly Leu Val Glu 210 215 220

Ser Val Ile Ile Leu Ser Val Leu Gly Glu Trp Ser Leu Pro Tyr Cys 225 235 240

Gly Leu Asp Arg Leu Phe Leu Ile Phe Ile Gly Leu Phe Gly Leu Gly 255

Gly Gln Ile Phe Ile Thr Lys Ala Leu Gln Ile Glu Lys Ala Gly Pro 260 265 270

Val Ala Ile Met Lys Thr Met Asp Val Val Phe Ala Phe Ile Phe Gln 275 280 285

11e 11e Phe Phe Asn Asn Val Pro Thr Trp Trp Thr Val Gly Gly Ala 290 295 300

Leu Cys Val Val Ala Ser Asn Val Gly Ala Ala Ile Arg Lys Trp Tyr 305 310 315 320

Gln Ser Ser Lys

<210> 224

<211> 876

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (1)..(873)

<223>

<400> 224

atg tac aac atg agt gac cat ggt aca ggc ctg ttc atc ctt ttg ggt Met Tyr Asn Met Ser Asp His Gly Thr Gly Leu Phe Ile Leu Gly 1 5 10 15

atc cct gga ctt gag cag tac cac gtc tgg atc agc atc cca ttc tgc

96

48

11	e Pr	o G1	y Lei 20	ı Gle	a Glr	Туг	His	Val 25	l Trp					AL.S	т 25 : Суѕ	
															ctc Leu	144
									ccc Pro							192
									tcc Ser							240
									gac Asp 90							288
atg Met	gca Ala	ttt Phe	gac Asp 100	Arg	tat Tyr	atg Met	gcc Ala	att Ile 105	tgc Cys	tca Ser	ccc Pro	ttg Leu	aga Arg 110	Tyr	act Thr	336
			Thr						aaa Lys							384
		Ser							tgt Cys							432
tta Leu 145	Pro	t t c Phe	tgc Cys	agg Arg	aca Thr 150	cat His	atc Ile	att Ile	tct Ser	cac His 155	aca Thr	tac Tyr	tgt Cys	gag Glu	cac His 160	480
ata Ile	ggt Gly	gtt Val	gcc Ala	cag Gln 165	ctt Leu	gcc Ala	tgt Cys	gct Ala	gat Asp 170	atc Ile	tcc Ser	atc Ile	aat Asn	atc Ile 175	tgg Trp	528
tgt Cys	gga Gly	ttt Phe	tgt Cys 180	gtt Val	ccc Pro	atc Ile	atg Met	acg Thr 185	gtg Val	atg Met	aca Thr	gac Asp	gtg Val 190	atc Ile	ctc Leu	576
att Ile	gct Ala	gtc Val 195	tcc Ser	tac Tyr	acc Thr	ctc Leu	atc Ile 200	ctc Leu	tgt Cys	gct Ala	gtc Val	ttt Phe 205	tgc Cys	ctc Leu	ccc Pro	624
tcc Ser	caa Gln 210	gat Asp	gcc Ala	cgt Arg	cag Gln	aag Lys 215	gcc Ala	ctt Leu	tgc Cys	tcc Ser	tgt Cys 220	ggt Gly	tcc Ser	cat His	gtc Val	672
tgt Cys 225	gtt Val	atc lle	ctc Leu	ata Ile	ttc Phe 230	tat Tyr	ata Ile	cca Pro	gca Ala	ttc Phe 235	ttc Phe	tcc Ser	att Ile	ctt Leu	gcc Ala 240	720
His	Cys	Phe	G1 y	His 245	Asn	Va]	Pro	His	acc Thr 250	Phe	His	lle	Met	Phe 255	Ala	768
_Asn	Leu	Tyr	Val 260	Ile	lle	Pro	Pro	Ala 265		Asn	Ser	Ile '	Val 270	Tyr	Arg	816
ata Ile	aag Lys	acc Thr 275	aag Lys	caa Gln	atc (Ile (Gln	aac Asn 280	aga Arg	atc Ile	ctt Leu	Leu	ctc Leu 285	ttt Phe	CCC Pro	aag Lys	864
GJ A GG A			tga				٠	•								876
<210 <211 <212 <213	> 2 > P	25 91 RT omo	sapi	ens										•		
<400	> 2	25														

Met Tyr Asn Met Ser Asp His Gly Thr Gly Leu Phe Ile Leu Leu Gly 1 5 10 15

lle Pro Gly Leu Glu Gln Tyr His Val Trp Ile Ser Ile Pro Phe Cys 20 25 30

Leu 11e Tyr Leu Met Ala Val Val Ala As
n Ser 11e Leu Leu Tyr Leu 35 40 45

Ile Val Val Glu His Ser Leu His Ala Pro Met Phe Phe Leu Ser 50 60

Met Leu Ala 11e Thr Asp Leu I1e Leu Ser Thr Thr Cys Val Pro Lys 65 70 75 80

Thr Leu Ser Ile Phe Cys Phe Val Leu Asp Ser Ala Ile Leu Leu Ala 85 90 95

Met Ala Phe Asp Arg Tyr Met Ala Ile Cys Ser Pro Leu Arg Tyr Thr $100 \hspace{1.5cm} 105 \hspace{1.5cm} 110 \hspace{1.5cm}$

Thr Ile Leu Thr Pro Lys Thr Ile Val Lys Ile Ala Val Gly Ile Cys 115 120 125

Phe Arg Ser Phe Cys Val Phe Val Pro Cys Val Phe Leu Val Asn Arg 130 135 140

Leu Pro Phe Cys Arg Thr His Ile Ile Ser His Thr Tyr Cys Glu His 145 150 155 160

Ile Gly Val Ala Gln Leu Ala Cys Ala Asp Ile Ser Ile Asn Ile Trp 165 170 175

Cys Gly Phe Cys Val Pro Ile Met Thr Val Met Thr Asp Val Ile Leu 180 185 190

Ile Ala Val Ser Tyr Thr Leu Ile Leu Cys Ala Val Phe Cys Leu Pro 195 200 205

Ser Gln Asp Ala Arg Gln Lys Ala Leu Cys Ser Cys Gly Ser His Val 210 215 220

Cys Val Ile Leu Ile Phe Tyr Ile Pro Ala Phe Phe Ser Ile Leu Ala 225 230 235 240

_His Cys Phe Gly His Asn Val Pro His Thr Phe His Ile Met Phe Ala 245 250 255

As Leu Tyr Val Ile Ile Pro Pro Ala Leu As n Ser Ile Val Tyr Arg 260 265 270

Ile Lys Thr Lys Gln Ile Gln Asn Arg Ile Leu Leu Leu Phe Pro Lys 275 280 285

Gly Ser Gln

<210> 226 <211> 1949 <212> DNA

<213>	Homo s	apiens			16	U 200 PC	T FINAL	. ST25	
<220> <221> <222> <223>	CDS (430).	. (1164)							
<400> agaggg	226 gcgg ga	cttctcc	ggtcaag	gcc ag	gtctctt	c cctgct	cggt gc	tatgttcc	60
tgttcc	acgg gg	tggcgggt	cctggga	ggg ag	gaagccca	g acccag	tgga ca	ctgacatt	120
gtctct	gct gt	tcccagco	tttcca	ggc gt	gtgactt	a atccgt	ttcc ac	agccagac	180
cttttc	ccg tg	agttcctc	: agccagg	act go	tgccatg	c cggtga	ctgt tad	ccaccca	240
accgtca	acga cca	accatgcg	gtccccc	acc gt	cgtaggg	t cctcta	gggc ccl	gatccag	300
ccctg	gec te	ctccgcct	gctgcag	ctg gt	gtccacc	t gcgtggi	cctt gto	actggtg	360
gccagcç	itgg gc	gcctggaa	ggggcct	atg gg	taactgg	t ccatgt	tcac cta	gtgtttc	420
tgctttg	icc atg Met I	acc ctg Thr Leu	gtc atc Val 11e 5	ctc c Leu L	tc gtg (eu Val (gag ctg (Glu Leu (10	ggc ggc Sly Gly	tcc cag Ser Gln	471
gcc cgc Ala Arg 15	ttc co	c ttg to Leu P	tt tgg co he Trp Ai O	gc aac g Asn	ttc ccc Phe Pro 25	atc acc	ttt go r Phe Al	c tgc a Cys 30	519
tat gcg Tyr Ala	gcc ct Ala Le	c ttg to b Leu C 35	gc ctc to ys Leu Se	g gcc r Ala	tcc ato Ser Ile 40	atc tac	c ccc ac Pro Th 45	r Thr	567
tac ttg Tyr Leu	cag tt Gln Ph 50	e ren 26	cc cac gg er His Gl	c cgt y Arg 55	tcc cgc Ser Arg	gac cac Asp His	gcc at Ala Il 60	c gcc e Ala	615
gcc atc Ala Ile	gtc tt Val Ph 65	c tct go e Ser Gl	gc atc gc y Ile Al 70	a Cys	gtg gct Val Ala	tac gcc Tyr Ala 75	acc gad	a gta u Val	663
acc tgg Thr Trp 80	acc cg Thr Ar	g gcc cg g Ala Ar	g ccc gg g Pro Gl 85	c gag y Glu	atc act Ile Thr	gac tac Asp Tyr 90	atg gcd Met Ala	c tcc s Ser	711
gag ctg Glu Leu 95	ggg cte Gly Le	g ctg aa u Leu Ly 10	g gtg ct s Val Le 0	g gag u Glu	acc ttc Thr Phe 105	gtg gcc Val Ala	tgc cto Cys Lei	atc Ile 110	759
ttc gtg Phe Val	ttc ato Phe Ile	aat ag Asn Se 115	c ccc tac r Pro Ty.	r Val	tac cac Tyr His 120	aac cgg Asn Arg	ccg gcc Pro Ala 125	Leu	807
gag tgg Glu Trp	tgg gtg Trp Va) 130	ATA VA	g tac gco l Tyr Ala	ctc Leu 135	tgc ttc Cys Phe	gtc ctg Val Leu	gcg gcc Ala Ala 140	ctc	855
act atc Thr Ile	ctg ctg Leu Leu 145	age et Ser Lei	g ggg cac u Gly His 150	Cys :	acc aac Thr Asn	atg ctg Met Leu 155	ccc atc Pro lle	cgc Arg	903
ttc ccc Phe Pro: 160	agt ttc Ser Phe	Leu Le	g ggg ctg Gly Leu 165	gcc (Ala)	ttg ctg Leu Leu	tcc gtc Ser Val 170	ctc ctc Leu Lev	tat Tyr	951
gcc act o Ala Thr i 175	gcc ctt Ala Leu	gtc ctc Val Leu 180	Trp Pro	ctc t Leu 1	tac cag Tyr Gln 185	ttc aac Phe Asn	gag aag Glu Lys	tat Tyr 190	999
ggt gtc (Gly Val (cag ccc Sln Pro	tgg cag Trp Gln 195	acg aga Thr Arg	Asp V	gtg agc Val Ser	tgc agc Cys Ser	gac aga [,] Asp Arg 205	aac Asn	1047
ccc tac c Pro Tyr 1	ett gtg eu Val 210	tgt atc Cys Ile	tgg gac Trp Asp	cgc c Arg A 215	ga ctg rg Leu	Ala Val :	acc aac Thr Asn 220	ctg Leu	1095
acg gcc g	tc aac	ttg ctg	gcc tat	gtg g	gc gac	ctg gtg (tac tct	gcc	1143

16U 200 PCT FINAL.ST25 Thr Ala Val Asn Leu Leu Ala Tyr Val Gly Asp Leu Val Tyr Ser Ala 225 230 235	
cac ctg gtt ttt gtc aag gtc taagactccc aaagggcccc gtttgcctct His Leu Val Phe Val Lys Val 240 245	1194
ccaacctctt catcctgccc ccgctgagtt ttctttattg agtattcatt tcctgggttt	1254
tectetteec tateteceet ceteceettt tettteette ecaatteate geaettteee	1314
agttetetga tgtatgttet tecettteet etgetgttte ettettgttt tgttetgttg	1374
cccacaacct gttttcaccc gtttctcttt ttccactctc tcttttgttt ctttcctctc	1434
aattotttto taggittoot gitggittic tiatoigoot atticoogac catottotoo	1494
tatttcctgg ggagccctga ggcttttctt ctcctgcccc caagcacctc cagcggtgat	1554
gagetecaca eccecacace cattgeaget gtggegecac gteeteccaa ggggeettet	1614
gcccgccccc gccctagctg tgccttagtc agtgtgtact tgtgtgtgtt tgggggagtg	1674
ggaattgggc cccctttctc ccagtggagg aaggtgtgct gtgcacctcc cctttaaatt	.1734
aaaaaaaatg tatgtatctc tggaagtcaa taatttccag tgagcgggag gcttcaagcg	1794
cagaccotgg gtccctagac ctcgcctagc actctgcctt gccagagatt ggctccagaa	1854
tttgtgccag acttacagaa aacccactgc ctagaggcca tcttaaagga agcaatggat	1914
ggatcccttt catcccaact gttcttcgcg gtatc	1949
<210> 227 <211> 245 <212> PRT <213> Homo sapiens <400> 227	
Met Thr Leu Val Ile Leu Leu Val Glu Leu Gly Gly Ser Gln Ala Arg 1 10 15	
Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys Tyr Ala	
Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys Tyr Ala 20 25 30 Ala Leu Leu Cys Leu Ser Ala Ser Ile Ile Tyr Pro Thr Thr Tyr Leu	
Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys Tyr Ala 20	
Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys Tyr Ala 20 Ala Leu Leu Cys Leu Ser Ala Ser Ile Ile Tyr Pro Thr Thr Tyr Leu 35 Gln Phe Leu Ser His Gly Arg Ser Arg Asp His Ala Ile Ala Ala Ile 50 Val Phe Ser Gly Ile Ala Cys Val Ala Tyr Ala Thr Glu Val Thr Trp	
Phe Pro Leu Phe Trp Arg Asn Phe Pro Ile Thr Phe Ala Cys Tyr Ala 20 Ala Leu Leu Cys Leu Ser Ala Ser Ile Ile Tyr Pro Thr Thr Tyr Leu 35 Gln Phe Leu Ser His Gly Arg Ser Arg Asp His Ala Ile Ala Ala Ile 50 Val Phe Ser Gly Ile Ala Cys Val Ala Tyr Ala Thr Glu Val Thr Trp 65 Thr Arg Ala Arg Pro Gly Glu Ile Thr Asp Tyr Met Ala Ser Glu Leu	

Trp Val Ala Val Tyr Ala Leu Cys Phe Val Leu Ala Ala Leu Thr Ile 130 $$135\$

Leu Leu Ser Leu Gly His Cys Thr Asn Met Leu Pro Ile Arg Phe Pro 145 150 155 160

	r Ph	e Le	u Le	u Gl 16	y Le	u Al	a Le	u Lei	3 Sea 170		Leu	l Le	u Ty	r Al 17	a Thr 5	
Αĵ	a Le	υ Va	l Le	u Trg	Pr	o Lei	ту:	r Gli 185	n Phe	Asn	Glu	Ly:	5 Ty:		y Val	
G 1	n Pr	o Tr 19	p Gl: 5	n Thi	Ar	g Ası	200		Cys	Ser	Asp	205		ı Pr	Tyr	
Le	u Va 21	1 Су. 0	s Ile	e Trp	Ası	215	a Arç	, Lec	ı Ala	Val	Thr 220		ı Lei	Th	r Ala	
Va. 22	l Ası 5	n Lei	u Lei	ala	Ту: 23(: Val	G1 y	/ Asp	Leu	Val 235	туг	Ser	A) a	His	240	
Va:	l Phe	e Val	l Lys	245												-
<21 <21	10> 11> 12> 13>	228 2980 DNA Homo) sap	iens												
<22	22>	CDS (213	3)(2336)											
)0> :agag	228 acc	cagg	ccgc	gg a	a. actg	gcag	g cg	tttca	agag	cgto	caga	ggc	tgcg	gatgag	60
cag	actt	gga	ggac	tcca	gg c	caga	gact	a gg	ctgg	gcga	agag	gtcg	agc	gtga	aggggg	120
ctc	cggg	cca	gggt	gaca	gg a	ggcg	tgct	t ga	gagga	ana	2011		aaia	nnss	ccaata	180
cga									, ,,	uga	ayıı	.yac	999		ccagig	100
	icggc	aaa	tctc	gtgaa	эс с	ttgg	ggga		atg		agg	atg	cgg	gtc	ccc	233
Ala	ctc Leu	ctc Leu 10	gtc Val	ctc Leu	ctc Leu	ttc Phe	tgc Cys 15	ttc Phe	atg Met 1 aga Arg	ctc Leu 999 Gly	agg Arg aga Arg	atg Met gca Ala 20	cgg Arg 5 ggc Gly	gtc Val ccg Pro	ccc Pro tcg Ser	
ccc Pro	cat His	ctc Leu 10 ttc Phe	gtc Val ctg Leu	ctc Leu caa Gln	ctc Leu cag Gln	ttc Phe cca Pro 30	tgc Cys 15 gag Glu	ttc Phe gac Asp	atg Met 1 aga Arg ctg Leu	ctc Leu 9gg Gly gtg Val	agg Arg aga Arg gtg Val 35	atg Met gca Ala 20 ctg Leu	cgg Arg 5 ggc Gly ctg Leu	gtc Val ccg Pro ggg Gly	ccc Pro tcg Ser gag Glu	233
ccc Pro gaa Glu 40	cat His 25 gcc	ctc Leu 10 ttc Phe	gtc Val ctg Leu ctg	ctc Leu caa Gln ccg Pro	ctc Leu cag Gln tgt Cys 45	ttc Phe cca Pro 30 gct Ala	tgc Cys 15 gag Glu ctg Leu	ttc Phe gac Asp ggc Gly	atg Met 1 aga Arg ctg Leu gcc Ala	ctc Leu 999 Gly gtg Val tac Tyr	agg Arg aga Arg gtg Val 35 tgg	atg Met gca Ala 20 ctg Leu ggg Gly	cgg Arg 5 ggc Gly ctg Leu cta	gtc Val ccg Pro ggg Gly gtt Val	ccc Pro tcg Ser gag Glu cag Gln 55	233
ccc Pro gaa Glu 40	cat His 25 gcc Ala	ctc Leu 10 ttc Phe cgg Arg	gtc Val ctg Leu ctg Leu	ctc Leu caa Gln ccg Pro	ctc Leu cag Gln tgt Cys 45	ttc Phe cca Pro 30 gct Ala	tgc Cys 15 gag Glu ctg Leu	ttc Phe gac Asp ggc Gly	atg Met 1 aga Arg ctg Leu gcc Ala	ggg Gly gtg Val tac Tyr	agg Arg aga Arg gtg Val 35 tgg Trp	atg Met gca Ala 20 ctg Leu ggg Gly	cgg Arg 5 ggc Gly ctg Leu cta Leu	gtc Val ccg Pro ggg Gly gtt Val	ccc Pro tcg Ser gag Glu cag Gln 55	233 281 329
ccc Pro gaa Glu 40 tgg Jrp	catc Leu cat His 25 gcc Ala act Thr	ctc Leu 10 ttc Phe Cgg Arg Lys	gtc Val ctg Leu ctg Leu agt Ser tac Tyr 75	ctc Leu Caa Gln Ccg Pro 9gg Gly 60 tgg	ctc Leu cag Gln tgt Cys 45 ctg Leu ata Ile	ttc Phe cca Pro 30 gct Ala gcc Ala	tgc Cys 15 gag Glu ctg Leu cta Leu	ttc Phe gac Asp ggc Gly ggg Gly	atg Met 1 aga Arg ctg Leu gcc Ala ggc Gly 65	gtg Gly Val tac Tyr 50 caa Gln i	agg Arg aga Arg gtg gval 35 tgg Trp agg Arg	atg Met gca Ala 20 ctg Leu ggg Gly gac Asp	cgg Arg 5 ggc Gly ctg Leu cta Leu cta Leu	gtc Val ccg Pro ggg Gly gtt Val cca Pro 70	tcg Ser gag Glu cag Gln 55 ggg Gly	233 281 329 377
ccc Pro gaaa Glu 40 tgg Trp tgg Trp	catched Catche	ctc Leu 10 ttc Phe cgg Arg Lys cgg Arg	gtc Val ctg Leu ctg Leu agt Ser tac Tyr 75 agg Arg	ctc Leu Caa Gln ccg Pro 999 Gly 60 tgg Trp	ctc Leu cag Gln tgt Cys 45 ctg Leu ata alle	ttc Phe cca Pro 30 gct Ala gcc Ala tca Ser	tgc Cys 15 gag Glu ctg Leu ggg Gly	ttc Phe gac Asp ggc Gly ggg Gly aat Asn 80 gag	atg Met 1 aga Arg ctg Leu gcc Ala ggc Gly 65 gca Ala	ggg Gly Yal tac Tyr 50 Caa Gln J	agg Arg aga Arg gtg Val 35 tgg Trp agg Arg	atg Met gca Ala 20 ctg Leu ggg Gly gac Asp ggc Gly	cggg S ggc Gly ctg Leu cta Leu cta Leu cta Leu	gtc Val ccg Pro ggg Gly gtt Val cca Pro 70 cat His	tcg Ser gag Glu cag Gln 55 ggg Gly gac Asp	233 281 329 377 425
ccc Pro gaa Glu 40 tgg Jrp tgg Trp	catc Leu cat His 25 gcc Ala act Thr tcc Ser cac His	ctc Leu 10 ttc Phe cgg Arg Lys Cgg Arg att Ile 90 aca Thr	gtc Val ctg Leu ctg Leu agt Ser tac Tyr 75 agg Arg	ctc Leu Caa Gln ccg Pro 60 tgg Trp ccc Pro	ctc Leu cag Gln tgt Cys 45 ctg Leu ata Ile gtg Val	ttc Phe cca Pro 30 gct Ala gcc Ala tca Ser gag Glu ctc Leu	tgc Cys 15 gag Glu ctg Leu ggg Gly cta Leu ggg Cly	ttc Phe gac Asp ggc Gly ggg Gly aat Asn 80 gag Glu	atg Met 1 aga Arg ctg Leu gcc Ala ggc Gly 65 gca Ala	gtg Gly Val tac Tyr 50 Caa Gln 1 ggaa ggaa ggaa ggaa ggaa ggaa ggaa g	agg aga aga Arg gtg Val 35 tgg Trp agg Arg	atg Met gca Ala 20 ctg Leu ggg Gly gac Asp ggc Gly	cggg Arg 5 5 ggc Gly ctg Leu cta Leu cta Leu cta Leu cag Gln 85 tat Tyr ctg Leu	gtc Val ccg Pro ggg Gly gtt Val cca Pro 70 cat His	tcg Ser gag Glu cag Gln 55 ggg Gly gac Asp	233 281 329 377 425

ct Le	ggt uVa	t g	ct g la G	TA A	tt c al P 40	ct go ro Al	eg aa la As	nc ct sn Le	g ac o Th	a tg	it co	io ac	nc cr	gt ge rg G	ST25 gg ga ly As 50	+ 665
gc Al	c co a Ar	gc co	ro 1	cc c hr P 55	ct ga ro G	aa ti lu Le	g ct u Le	g tg u Tr 16	p Ph	c cg e Ar	a ga g As	t gg p Gl	gg gt Ly Va 16	al Le	tg tt eu Le	.g 713 eu
ga As	t gg p Gl	y A.	cc a la T 70	cc t hr P	tc ca he Hi	at ca is Gl	ig ac in Th 17	r Le	g ct v Le	g aa u Ly	g ga s Gl	a gg u G1 18	y Th	cc cc or Pi	ct gg ro Gl	rg 761 Y
tc Se	a gt r Va 18	T C	aga lu S	gc a er Ti	cc ti	a ac u Th	r Le	g ac u Th	c cc r Pr	t tt o Ph	c ag e Se 19	r Hi	it ga s As	it ga sp As	at gg sp Gl	a 809 y
gc Al 20	a in	c tt r Ph	t g ne V	tc to	ge eg ys Ai 20	g Al	c cg a Ar	gag gSe	c ca r Gl	g gc n Al. 210	a Le	g cc u Pr	cac oTh	a gg ir Gl	a ag y Ar 21	g
ga- As	c ac p Th	a go r Al	t at a I	tcad leTh 22	ir Le	g ag eu Se	c ct	g car v Gl	g ta n Ty: 22:	r Pro	c cc	aga oGl	g gt u Va	g ac 1 Th 23	t ct r Le	g 905 u
t c	t gc r Al	t tc a Se	g co r Pr 23	co Hi	s Th	t gt r Va	g cad	g gag n Gli 240	0 G1	a gaq y Glu	g aad u Ly:	g gt s Va	c at l II 24	e Ph	c cte	g 953 u
tge Cys	ca s Gl	g gc n Al 25	a Th	a go ir Al	c ca a Gl	g cc n Pr	t cc: 0 Pro 25!	o Val	c aca	aggo rGly	tae 7 Tys	2 age	g Tr	g gc p Al	a aaa a Lys	e 1001 s
ggg G1	9 999 7 G1: 26:	y 5e	t cc r Pr	g gt o Va	g ct l Le	c ggg u Gly 270	y Ala	c cgo a Aro	g Gly	g cca y Pro	a agg Arg 275) Lei	a ga u Gli	g gt v Va	c gto l Val	g 1049 l
gca Ala 280	ASI	c gc	c to a Se	g tt r Ph	c ct e Le 28	u Thi	gag Glu	cco Pro	gto Val	s tcc Ser 290	Cys	gag Glu	g gto a Vai	c ag 1 Se	c aac r Asr 295)
gcc Ala	gto Val	99 G1	t ag y Se	c gc r Al 30	a Ası	n Arç	agt Ser	act Thr	gcg Ala 305	Leu	gat Asp	gtç Val	cto Lei	g tt: 3 Pho 310	tggg eGly O	1145
ccg Pro	att	. cte	g ca u G1 31	n Al	a aaq a Ly:	g ccg s Pro	gag Glu	ccc Pro 320	Val	tcc Ser	gtg Val	gac Asp	gto Val 325	Gly	g gaa y Glu	1193
лър	міа	330))	e Sei	r Cys	s Ala	335	Arg	Gly	Asn	Pro	Leu 340	Pro) Arç	g gta g Val	
acc Thr	tgg Trp 345	101	c cgo	c cgc g Arq	: ggt ; G1)	ggc Gly 350	Ala	cag Gln	gtg Val	ctg Leu	ggc Gly 355	tct Ser	gga Gly	gco Ala	aca Thr	1289
360	ALG	rec	Pro	Ser	365	Gly	Pro	Glu	Asp	Ala 370	Gly	Asp	Tyr	Val	375	1337
arg	HIG	GIU	Ala	380	Leu	tcg. Ser	Gly	Leu	385	Gly	Gly	Ala	Ala	Glu 390	Ala	1385
nrg	Leu	Int	395	Asn	Ala	ccc Pro	Pro	Val 400	Val	Thr	Ala	Leu	Hjs 405	Ser	Ala	1433
cct Pro	gcc Ala	ttc Phe 410	ctg Leu	agg Arg	ggc Gly	cct Pro	gct Ala 415	cgc Arg	ctc Leu	cag Gln	tgt Cys	ctg Leu 420	gtt Val	ttc Phe	gcc Ala	1481
tct Ser	ccc Pro 425	gcc Ala	cca Pro	gat Asp	gcc Ala	gtg Val 430	gtc Val	tgg Trp	tct Ser	tgg Trp	gat Asp 435	gag Glu	ggc Gly	ttc Phe	Ctg Leu	1529
gag Glu 440	gcg Ala	61 y	tcg Ser	cag Gln	ggc Gly 445	cgg Arg	ttc Phe	ctg Leu	Val	gag Glu 450	aca Thr	ttc Phe	cct Pro	gcc Ala	cca Pro 455	1577

ga Gl	g age u Sei	c cgc r Arg	: ggg	99a 61y 460	Lei	g ggt g G1 y	CC.	9 990 o 61	cto / Leu 465	11	c tcl e Sei	t gte r Va	g cta l Lei	a cad 3 His 470	att ile	1625
t co Ser	9 999 r Gly	g acc Thr	cag Gln 475	Glu	tct Ser	gac Asp	ttl Phe	t ago e Ser 480	Arg	age Se:	c ttt r Phe	aad Asi	tgc Cys 485	Ser	gcc Ala	1673
Arg	g aad g Asn	cgg Arg 490	Leu	GJ y	gag Glu	gga Gly	ggt Gly 495	/ Ala	cag Gln	gco Ala	ago Ser	cto Leu 500	g ggc i Gly	cgt Arg	aga Arg	1721
gac Asp	Leu 505	Leu	ccc Pro	act Thr	gtg Val	cgg Arg 510	lle	gtg Val	gcc Ala	G1)	gtg Val 515	Ala	gct Ala	gcc Ala	acc Thr	1769
aca Thr 520	Thr	ct c Leu	ctt Leu	atg Met	gtc Val 525	lle	act Thr	61 y	gtg Val	gcc Ala 530	Leu	tgc Cys	tgc Cys	tgg Trp	cgc Arg 535	1817
cac His	agc Ser	aag Lys	gcc Ala	tca Ser 540	gcc Ala	tct Ser	t t c Phe	tcc Ser	gag Glu 545	caa Gln	aag Lys	aac Asn	ctg Leu	atg Met 550	cga Arg	1865
atc Ile	cct Pro	ggc Gly	agc Ser 555	agc Ser	gac Asp	ggc Gly	tcc Ser	agt Ser 560	tca Ser	cga Arg	ggt Gly	cct Pro	gaa Glu 565	gaa Glu	gag Glu	1913
gag Glu	aca Thr	ggc Gly 570	agc Ser	cgc Arg	gag Glu	gac Asp	cgg Arg 575	ggc Gly	ccc Pro	att Ile	gtg Val	cac His 580	act Thr	gac Asp	cac His	1961
agt Ser	gat Asp 585	ctg Leu	gtt Val	ctg Leu	gag Glu	gag Glu 590	aaa Lys	9 9 9 61 y	act Thr	ctg Leu	gag Glu 595	acc Thr	aag Lys	gac Asp	cca Pro	2009
acc Thr 600	aac Asn	ggt Gly	tac Tyr	tac Tyr	aag Lys 605	gtc Val	cga Arg	gga Gly	gtc Val	agt Ser 610	gtg Val	agc Ser	ctg Leu	agc Ser	ctt Leu 615	2057
ggc Gly	gaa Glu	gcc Ala	Pro	gga Gly 620	gga Gly	ggt Gly	ctc Leu	ttc Phe	ctg Leu 625	cca Pro	cca Pro	ccc Pro	tcc Ser	ccc Pro 630	ctt Leu	2105
ggg Gly	ccc Pro	Pro	999 Gly 635	acc Thr	cct Pro	acc Thr	ttc Phe	tat Tyr 640	gac Asp	ttc Phe	aac Asn	cca Pro	cac His 645	ctg Leu	ggc Gly	2153
atg Met	VaI	ecc Pro 650	ccc Pro (tgc Cys	aga Arg	Leu	tac Tyr 655	aga Arg	gcc Ala	agg Arg	gca Ala	660 61 y	tat Tyr	ctc Leu	acc Thr	2201
Thr	ccc Pro 665	cac o His I	cct (Pro /	cga Arg	Ala	ttc Phe 670	acc Thr	agc Ser	tac Tyr	atc Ile	aaa Lys 675	ccc Pro	aca Thr	tcc Ser	ttt Phe	2249
Gly 680 -	Pro .	Pro A	Asp I	Leu	A]a 685	Pro	G1 y	Thr	Pro	Pro 690	Phe	Pro	tat (Tyr)	Ala .	Ala 695	2297
ttc Phe	ccc a	aca c Thr f	ro S	agc (Ser 1	cac (His	ecq (cgt Arg	Leu (cag : Gln : 705	act Thr	cac His	gtg Val	tgac	atct	tt	2346
ccaa	tggaa	ag ag	tcct	ggga	a tct	сса	actt	gcc	ataaı	tgg	attg	ttct	ga _t1	ttct	gagga	2406
gcca	ggaca	aa gt	tggc	gaco	c tta	ctc	ctcc	aaaa	ectga	ac	acaa	9999	ag g	gaaaq	gatca	2466
ttaca	attt	gt ca	ggag	catt	tgt	ata	cagt	cago	ctcaç	gc <i>c</i>	aaag	gaga	tg co	ccaa	agtgg	2526
															gatgg	2586
															gccg	2646
															tgag	2706
aggaa	aggt	a gc	atag	gata	gat	gaag	atg	aaga	igcat	ac o	caggo	ccc	ec co	tggc	tctc	2766

WO 03/089583
16U 200 PCT FINAL.ST25 cctgagggga actttgctcg gccaatggaa atgcagccaa gatggccata tactcccta
gaacccaaga tggccaccat cttgatttta ctttccttaa agactcagaa agacttgga
ccaaggagtg gggatacagt gagaattacc actgttgggg caaaatattg ggataaaaa
atttatgttt aataataaaa aaaagtcaaa gagg
And And A
<210> 229 <211> 708
<212> PRT
<213> Homo sapiens
<400> 229
Met Leu Arg Met Arg Val Pro Ala Leu Leu Val Leu Leu Phe Cys Phe 1 10 15
Arg Gly Arg Ala Gly Pro Ser Pro His Phe Leu Gln Gln Pro Glu Asp 20 25 30
Leu Val Val Leu Leu Gly Glu Glu Ala Arg Leu Pro Cys Ala Leu Gly 35 40 45
Ala Tyr Trp Gly Leu Val Gln Trp Thr Lys Ser Gly Leu Ala Leu Gly 50 55 60
Gly Gln Arg Asp Leu Pro Gly Trp Ser Arg Tyr Trp Ile Ser Gly Asn 75 80
Ala Ala Asn Gly Gln His Asp Leu His 11e Arg Pro Val Glu Leu Glu 85 90 95
Asp Glu Ala Ser Tyr Glu Cys Gln Ala Thr Gln Ala Gly Leu Arg Ser 100 105 110
Arg Pro Ala Gln Leu His Val Leu Val Pro Pro Glu Ala Pro Gln Val 115 120 125
Leu Gly Gly Pro Ser Val Ser Leu Val Ala Gly Val Pro Ala Asn Leu 130 135 140
Thr Cys Arg Ser Arg Gly Asp Ala Arg Pro Thr Pro Glu Leu Leu Trp 145 150 155 160
Phe Arg Asp Gly Val Leu Leu Asp Gly Ala Thr Phe His Gln Thr Leu 165 170 175
Leu Lys Glu Gly Thr Pro Gly Ser Val Glu Ser Thr Leu Thr Leu Thr

Pro Phe Ser His Asp Asp Gly Ala Thr Phe Val Cys Arg Ala Arg Ser 195 200 205

185

Gln Ala Leu Pro Thr Gly Arg Asp Thr Ala Ile Thr Leu Ser Leu Gln 210 215 220

Tyr Pro Pro Glu Val Thr Leu Ser Ala Ser Pro His Thr Val Gln Glu 225 235 240

Gly Glu Lys Val Ile Phe Leu Cys Gln Ala Thr Ala Gln Pro Pro Val 245 250 . 255

- Thr Gly Tyr Arg Trp Ala Lys Gly Gly Ser Pro Val Leu Gly Ala Arg 260 265 270
- Gly Pro Arg Leu Glu Val Val Ala Asp Ala Ser Phe Leu Thr Glu Pro 275 280 285
- Val Ser Cys Glu Val Ser Asn Ala Val Gly Ser Ala Asn Arg Ser Thr 290 295 300
- Ala Leu Asp Val Leu Phe Gly Pro Ile Leu Gln Ala Lys Pro Glu Pro 305 310 315 320
- Val Ser Val Asp Val Gly Glu Asp Ala Ser Phe Ser Cys Ala Trp Arg 325 330 335
- Gly Asn Pro Leu Pro Arg Val Thr Trp Thr Arg Arg Gly Gly Ala Gln 340 345 350
- Val Leu Gly Ser Gly Ala Thr Leu Arg Leu Pro Ser Val Gly Pro Glu 355 360 365
- Asp Ala Gly Asp Tyr Val Cys Arg Ala Glu Ala Gly Leu Ser Gly Leu 370 375 380
- Arg Gly Gly Ala Ala Glu Ala Arg Leu Thr Val Asn Ala Pro Pro Val 385 390 395 400
- Val Thr Ala Leu His Ser Ala Pro Ala Phe Leu Arg Gly Pro Ala Arg 405 410 415
- Leu Gln Cys Leu Val Phe Ala Ser Pro Ala Pro Asp Ala Val Val Trp 420 425 430
- Ser Trp Asp Glu Gly Phe Leu Glu Ala Gly Ser Gln Gly Arg Phe Leu 435 445
- Val Glu Thr Phe Pro Ala Pro Glu Ser Arg Gly Gly Leu Gly Pro Gly 450 460
- Leu Ile Ser Val Leu His Ile Ser Gly Thr Gln Glu Ser Asp Phe Ser 465 470 475 480
- Arg Ser Phe Asn Cys Ser Ala Arg Asn Arg Leu Gly Glu Gly Gly Ala 485 490 495
- Glm Ala Ser. Leu Gly Arg Arg Asp Leu Leu Pro Thr Val Arg He Val 500 505 510
- Ala Gly Val Ala Ala Ala Thr Thr Thr Leu Leu Met Val Ile Thr Gly 515 520 525
- Val Ala Leu Cys Cys Trp Arg His Ser Lys Ala Ser Ala Ser Phe Ser 530 540
- Glu Gln Lys Asn Leu Met Arg Ile Pro Gly Ser Ser Asp Gly Ser Ser 545 550 555 560
- Ser Arg Gly Pro Glu Glu Glu Glu Thr Gly Ser Arg Glu Asp Arg Gly 565 570 575

Pro Ile Val His Thr Asp His Ser Asp Leu Val Leu Glu Glu Lys Gly 580 585 590

Thr Leu Glu Thr Lys Asp Pro Thr Asn Gly Tyr Tyr Lys Val Arg Gly 595 600 605

Val Ser Val Ser Leu Ser Leu Gly Glu Ala Pro Gly Gly Gly Leu Phe 610 620

Leu Pro Pro Pro Ser Pro Leu Gly Pro Pro Gly Thr Pro Thr Phe Tyr 625 630 635 640

Asp Phe Asn Pro His Leu Gly Met Val Pro Pro Cys Arg Leu Tyr Arg 645 650 655

Ala Arg Ala Gly Tyr Leu Thr Thr Pro His Pro Arg Ala Phe Thr Ser 660 665 670

Tyr Ile Lys Pro Thr Ser Phe Gly Pro Pro Asp Leu Ala Pro Gly Thr 675 680 685

Pro Pro Phe Pro Tyr Ala Ala Phe Pro Thr Pro Ser His Pro Arg Leu 690 695 700

Gln Thr His Val

705

<210> 230

<211> 5188 <212> DNA

<213> Homo sapiens

<220>

<221> CDS

<222> (887)..(2974)

<223>

<400> 230

egegetetet tectecetea gacaactege ecceegeet eegeceeet ecaegtaatt 60 ccgaaagagc agaagaaaga gaaggagaac aggaaaagaa gagctagtaa gcgagagcga 120 gagcacagaa aagaaaaaaa aaagccttaa gaggaccgaa ggggaggaaa ggaaaaggat ggacaaccac aaaacgcagc gattgcggaa attttccagc gccattggct gggcagcgtg 240 agtccttcgg tcgggcgtga tttcagcacc ggggggaactg gacagcacct cggggggact 300 tctgggcaac ccgcaaccac agcaagaact ccaccagcag cctcaacaac agaagccgcg 360 gaaaaccctg ctttgtatca gagaggcaag gtcagtccga cgcacagcca tgcacaggca 420 gtgcgcctgt actacgctgc aaaccctctg cttgtttctc taacatgcac ttgcttctaa 480 ttactagcat tgtttcattt ctgatcagtg aagatcagta gatgagattc tgtaagggtg 540 tacttttaat ttatatgtat atatttaact tettttetg ttattttaa agtgttgtgg 600 gggagtgggg tittiticct actititit tittititt tictitgcit gccitgcact 660 acgigccigg atagititgig gatataatta tigaciggeg teigggetat igcagigegg 720 gggggttagg gaggaaggaa tccacccca ccccccaaa ccctttctt ctcctttcct 780 ggcttcggac attggagcac taaatgaact tgaattgtgt ctgtggcgag caggatggtc 840 gctgttactt tgtgatgaga tcggggatga attgctcgct ttaaaa atg ctg ctt 895 Met Leu Leu

tg Tr	g at p 11 5	t c e L	tg t eu L	tg d eu 1	et g Leu	gag Glu	acq Thi	tc Se	t ct r Le	t tg u Cy	t tt s Ph	t gc e Al 15	a Al	t gg a Gl	a aa y As	nc gt sn Va	t 943 1
ac Th 20	a gg r Gl	ig g y A	acg spV	tt t al (gc ys	aaa Lys 25	gaq Glu	g aa u Ly	g ate s Ile	c tg e Cy	t tc s Se 30	r Cy	c aa s As	t ga n Gl	g at u Il	a ga e Gli 35	a 991 u
99 G1	gga yAs	c ci p L	cac eu H	is V	ita Val 10	gac Asp	tgt Cys	ga Gl	a aaa u Ly:	a aa s Ly 45	s Gl	c tt y Ph	c ac e Th	a ag r Se	t ct r Le 50	g ca u Gli	g 1039 n
Cgt Arg	tt g Ph	c ac e Tì	et ge or Al 5!	la P	cg	act Thr	tcc Ser	Gl:	g tti n Phe 60	t ta	c ca r Hi	t tt s Le	att uPh	t ct e Le 65	g ca u Hi	t ggd s Gly	2 1087 V
aat Asr	tc Se	c ct r Le 70	u Tì	et c	ga rg	ctt Leu	ttc Phe	Pro 75	t aat o Asr	ga Gl	g tte u Phe	c gc	t aa a As: 80	c tt n Ph	t ta e Ty	t aat r Ası	1135
gcg Ala	gt Va. 85	t ag l Se	t tt	g c	ac i	atg Met	gaa Glu 90	aac Asr	aat Asn	gg(tto y Lei	g cat u His 95	t ga s Gl	a ato u Ilo	e Va	t ccg l Pro	1183
999 Gly 100	Ala	t tt a Ph	t ct e Le	g g v G	ly I	ctg Lev 105	cag Gln	ct o	g gtg Val	Lys	agg Arg 110) Lei	g cae u Hi:	c ato	e Asi	c aac n Asn 115	L
aac Asn	aaq Lys	g at s Il	c aa e Ly	'S \$	ct t er f 20	ttt Phe	cga Arg	aag Lys	cag Gln	act Thi	Phe	cto Lev	g ggg 9 Gly	g cto y Lei	g gad 1 Asj 130	gat Asp	1279
ctg Leu	gaa Glu	a ta ı Ty	t ct r Le 13	u G	agg In <i>I</i>	gct Ala	gat Asp	ttt Phe	aat Asn 140	Leu	tta Leu	cga Arg	gat JAsp	ata 116	: Asp	c ccg o Pro	1327
999 G1y	gcc Ala	tt Ph 15	e G1	gga nAs	sc t	tg eu	aac Asn	aag Lys 155	Leu	gag Glu	gtg Val	ctc Leu	11e	Leu	aat Asr	gac Asp	1375
aat Asn	cto Leu 165	11	c ag	c ac	ec c	ta eu	cct Pro 170	gcc Ala	aac Asn	gtg Val	ttc Phe	Gln 175	Tyr	gtg Val	Pro	atc Ile	1423
acc Thr 180	cac His	Lei	ga JAS	c ct	υA	gg .rg 85	ggt Gly	aac Asn	agg Arg	ctg Leu	aaa Lys 190	Thr	ctg Leu	CCC Pro	tat Tyr	gag Glu 195	1471
gag Glu	gtc Val	Lei	g gag I Gli	g ca 3 G1 20	n I	tc le	cct Pro	ggt Gly	att 11e	gcg Ala 205	gag Glu	atc Ile	ctg Leu	cta Leu	gag Glu 210	Asp	1519
aac Asn	cct Pro	t g	9 ac Asp 215	су Су	ca sT	cc hr	tgt Cys	gat Asp	ctg Leu 220	ct <i>c</i> Lev	tcc Ser	ctg Leu	aaa Lys	gaa Glu 225	tgg Trp	ctg Leu	1567
gaa Glu -	aac Asn	att 11e 230	Pro	aa Ly	ga: sA:	at o	Ala	ctg Leu 235	atc Ile	ggc Gly	cga Arg	gtg Val	gtc Val 240	tgc Cys	gaa Glu	gcc Ala	1615
Pro	acc Thr 245	aga Arg	Ctg Leu	Gl	g go n Gl	ly 1	aaa Lys 250	gac Asp	ctc Leu	aat Asn	gaa Glu	acc Thr 255	acc Thr	gaa Glu	cag Gln	gac Asp	1663
ttg Leu 260	tgt Cys	cct Pro	t t g Leu	aa. Lys	a aa s As 26	sn A	cga (Arg '	gtg Val	gat Asp	tct Ser	agt Ser 270	ctc. Leu	ccg Pro	gcġ Ala	ccc Pro	cct Pro 275	1711
gcc Ala	caa Gln	gaa Glu	gag Glu	Thi 280	r Ph	it g	get e Na 1	Pro	Gly	ccc Pro 285	ctg Leu	cca Pro	act Thr	cct Pro	ttc Phe 290	Lys	1759
aca Thr	aat Asn	G1 y	caa Gln 295	gaç Glu	g ga a As	it c sp H	at q lis /	Ala	aca Thr 300	cca Pro	999 G1 y	tct Ser	gct Ala	cca Pro 305	aac Asn	gga Gly	1807
ggt i	aca	aag	atc	cca	gg	c a	ac t	gg	cag .	atc	aaa		aga age		aca	gca	1855

G1	y Th	r Ly 31	s 11 0	e Pro	o Gl	y Ası	7 Trp 315		ılle	16t Ly:	3 200 5 11	PC7 e Are 320	g Pro	AL.S	ST25 r Ala	
gc Al	g at a Il 32	e Al	g ace a Th	g ggt r Gly	t ago y Sei	tco Sei 330	Arg	aac Asr	aaa Lys	a cco	tta Lei 33	a Ala	t aad Asi	agt Sei	t tta r Leu	1903
Pro 34	о Су	c cc s Pr	t gg o Gl	g ggd y Gly	tgo Y Cys 345	s Ser	tgc Cys	gac Asp	cac His	350	Pro	a ggg	g tcg / Sei	ggt Gly	t tta y Leu 355	1951
aa Ly:	g at	g aa t As	c tgi n Cy:	c aad s Asr 360	n Ası	agg Arg	aac Asn	gtg Val	ser 365	: Sei	tto Lei	g gct 3 Ala	gat Asp	ttg Lev 370	g aag 1 Lys)	1999
Pro	c aa b Ly:	g cto s Leo	c tci u Sei 375	C Asr	gtg Val	g cag	gag Glu	Ctt Leu 380	Phe	cta Lev	cga Arg	gat g Asp	aac Asn 385	Lys	atc lle	2047
Cac His	age S Se:	c ato r 110 390	e Arc	a aaa ; Lys	tcg Ser	His	ttt Phe 395	Val	gat Asp	tac Tyr	aac Lys	aac Asn 400	Leu	att	ctg Leu	2095
Leu	405	Let	3 Gl	/ Asn	Asn	410	lle	Ala	Thr	Val	Glu 415	Asn	Asn	Thr	ttc Phe	2143
Lys 420	Asr	ı Leı	ı Leu	Asp	Leu 425	Arg	Trp	Leu	Tyr	Met 430	Asp	Ser	Asn	Tyr	Leu 435	2191
Asp	Thi	: Leu	ı Ser	440	Glu	Lys	Phe	Ala	Gly 445	Leu	Gln	Asn	Leu	Glu 450		2239
Leu	Asn	ı Val	455	Tyr	Asn	Ala	Ile	Gln 460	Leu	lle	Leu	Pro	Gly 465	Thr	ttc Phe	2287
Asn	Ala	470	Pro	Lys	Leu	Arg	11e 475	Leu	Ile	Leu	Asn	Asn 480	Asn	Leu		2335
Arg	Ser 485	Leu	cct Pro	Val	Asp	Val 490	Phe	Ala	Gly	Val	Ser 495	Leu	Ser	Lys	Fen	2383
500	Leu	His	aac Asn	Asn	Tyr 505	Phe	Met	Tyr	Leu	Pro 510	Val	Ala	Gly	Val	Leu 515	2431
Asp	GIn	Leu	acc Thr	Ser 520	Ile	11e	Gln	lle	Asp 525	Leu	His	Gly	Asn	Pro 530	Trp	2479
Glu	Cys	Ser	tgc Cys 535	Thr	Ile	Val	Pro	Phe 540	Lys	Gln	Trp	Ala	Glu 545	Arg	Leu	2527
PIÀ	Ser	550	gtg Val	Leu	Met	Ser	Asp 555	Leu	Lys	Cys	Glu	Thr 560	Pro	Val	Asn	2575
Pne	565	Arg	aag Lys	Asp	Phe	Met 570	Leu	Leu	Ser	Asn	Asp 575	Glu	lle	Cys	Pro	2623
580	ren	Туr	gct Ala	Arg	11e 585	Ser	Pro	Thr	Leu	Thr 590	Ser	His	Ser	Lys	Asn 595	2671
ser	Tnr	GIA	t t g Leu	Ala 600	Glu	Thr	G1 y	Thr	His 605	Ser	Asn	Ser	Tyr	Leu 610	Asp	2719
Thr	agc Ser	agg Arg	gtg Val 615	tcc Ser	atc Ile	tcg Ser	Val	ttg Leu 620	gtc Val	ccg Pro	gga Gly	ctg Leu	ctg Leu 625	ctg Leu	gtg Val	2767

Page 143

16U 200 PCT FINAL.ST25 ttt gtc acc tcc gcc ttc acc gtg gtg ggc atg ctc gtg ttt atc ctg Phe Val Thr Ser Ala Phe Thr Val Val Gly Met Leu Val Phe Ile Leu 630 635 640	2815
agg aac cga aag cgg tcc aag aga cga gat gcc aac tcc tcc gcg tcc Arg Asn Arg Lys Arg Ser Lys Arg Arg Asp Ala Asn Ser Ser Ala Ser 645 650 655	2863
gag att aat tcc cta cag aca gtc tgt gac tct tcc tac tgg cac aat Glu Ile Asn Ser Leu Gln Thr Val Cys Asp Ser Ser Tyr Trp His Asn 660 665 670 675	2911
ggg cct tac aac gca gat ggg gcc cac aga gtg tat gac tgt ggc tct Gly Pro Tyr Asn Ala Asp Gly Ala His Arg Val Tyr Asp Cys Gly Ser 680 685 690	2959
cac tcg ctc tca gac taagacccca accccaatag gggagggcag agggaaggcg His Ser Leu Ser Asp 695	3014
atacatectt ecceaecgea ggeaeceegg gggetggagg ggegtgtace caaateeeeg	3074
cgccatcagc ctggatgggc ataagtagat aaataactgt gagctcgcac aaccgaaagg	3134
gcctgacccc ttacttagct ccctccttga aacaaagagc agactgtgga gagctgggag	3194
agegeageca getegetett tgetgagage eeettttgac agaaageeca geacgaeeet	3254
gctggaagaa ctgacagtgc cctcgccctc ggccccgggg cctgtggggt tggatgccgc	3314
ggttctatac atatacat atatccacat ctatatagag agatagatat ctatttttcc	3374
cctgtggatt agccccgtga tggctccctg ttggctacgc agggatgggc agttgcacga	3434
aggcatgaat gtattgtaaa taagtaactt tgacttctga caaaaaacaa aaagtgctgc	3494
atggctcgca tggaatccac gcgctccagg gactctgccc gcccccgcga ctggagacgg	3554
catctcgttc acagcaccca ccctcttacc tgataagttc catcgtatca aactttctat	3614
aaacaaaata cagtataatc agaaagtgcc atttcgccat tatttgtgat cggtaggcag	3674
ttcagagcat aagttaactg tgaaaaaat gtaaaggttt tatttaggac atttgcatgg	3734
ctagtcatca gtccatttta tgagttaaca atgtattttg ttgagggaag tttttagggg	3794
ttgttttggg ttcttttatt ttgatggtga tgttttattt tattttattt ttttcagggg	3854
gtctttttt taatacatat ccaataatgc cttccatctg aatgtaaaat aagtacccat	3914
gatttctatt atagtatcag tgtaattatt taaaaaaatga ttttgaggca gttaagcatg	3974
accaattaat gtcactctag tgcttaggct gcgatcctat ggtagcaatt ctgtgctggt	4034
ataaatetta ettataaagt aggaaaagag aacegaggaa gcaegtgaaa ettaetaatt	4094
ctattcgagg attttataat ggcatatttt ttcagtatta aagcgaaaat gttttcaact .	4154
ctgggtcctt acctttttcc agcttcatat ttgcaagtgg taaattggat ttgcggtgga	4214
agagacaggg gagggaaacg gttggggtta gatcccttcc tgagctacat taaggctctt	4274
tetetaateg cettaettag ettittaece titaagtage teetetteee tegeceecae	4334
cetetacece accèceacet tegeteagae tttacegget ttececagte cataaaggte	4394
ttgccccaac actcacccct tetttttte ecetetecaa atgcageagt gaatceettt	4454
attaatactg gaaatccctc tctgctgctt ttgttggtgc tgcccacact gcagatatat	4514
taaggatgtt aggagagatt tgatttaatt gactctgcct agataggtct cattaaacag	4574
agtggagatt tcattggtca gcactcctca atgaaagaca gacctaatga ctggcatttg	4634
agatgctgct ggcattttga attcaacatc tgctgaaaac ggtaaaacta attagtgccc	4694
acceacete ecegececag caactgeata ttgaaatttg ttaaageact catetttatg	4754
gaaattaatc attatcctaa agaagtgttt ctctcccatc atccggattt ctggttgtgg	4814
Page 144	

cccagcaatt	аасаааааса	gcttcaactg	ttcgaatttt	atgaaccaat	gtaactctgg	4874
cctcaatcat	attcctctgg	gatttctaaa	cagcagttaa	gctacaaaaa	gcaaacaaaa	4934
ccacacatat	tgatggagtc	tgcattccac	cacatatcca	cccttgagaa	gtatgtcaaa	4994
agactgcaga	ctatagattt	ttttttaata	taggattata	aatcagctag	tgaaagacct	5054
cagagcagtt	gtaagtagat	ctgccatcta	gaactcatat	tctaaaggga	agtgatttct	5114
cagaacagtg	atgttctgga	atatgtatta	tttattttaa	cactttttta	ataaaatctt	5174
tattataaac	catg					5188

<210> 231

<211> 696

<212> PRT

<213> Homo sapiens

<400> 231

Met Leu Leu Trp Ile Leu Leu Leu Glu Thr Ser Leu Cys Phe Ala Ala 1 5 10 15

Gly Asn Val Thr Gly Asp Val Cys Lys Glu Lys Ile Cys Ser Cys Asn 20 25 30

Glu Ile Glu Gly Asp Leu His Val Asp Cys Glu Lys Lys Gly Phe Thr 35 40 45

Ser Leu Gln Arg Phe Thr Ala Pro Thr Ser Gln Phe Tyr His Leu Phe 50 . 55 60

Leu His Gly Asn Ser Leu Thr Arg Leu Phe Pro Asn Glu Phe Ala Asn 65 70 75 80

Phe Tyr Asn Ala Val Ser Leu His Met Glu Asn Asn Gly Leu His Glu 85 90 95

Ile Val Pro Gly Ala Phe Leu Gly Leu Gln Leu Val Lys Arg Leu His 100 105 110

Ile Asn Asn Asn Lys Ile Lys Ser Phe Arg Lys Gln Thr Phe Leu Gly 115 120 125

Leu Asp Asp Leu Glu Tyr Leu Gln Ala Asp Phe Asn Leu Leu Arg Asp 130 135 140

1le Asp Pro Gly Ala Phe Gln Asp Leu Asn Lys Leu Glu Val Leu Ile145150155160

Leu Asn Asp Asn Leu Ile Ser Thr Leu Pro Ala Asn Val Phe Gln Tyr 165 170 175

Val Pro Ile Thr His Leu Asp Leu Arg Gly Asn Arg Leu Lys Thr Leu 180 185 190

Pro Tyr Glu Glu Val Leu Glu Gln Ile Pro Gly Ile Ala Glu Ile Leu 195 200 205

Leu Glu Asp Asn Pro Trp Asp Cys Thr Cys Asp Leu Leu Ser Leu Lys 210 215 220

- Glu Trp Leu Glu Asn Ile Pro Lys Asn Ala Leu Ile Gly Arg Val Val 225 230 230 235 240
- Cys Glu Ala Pro Thr Arg Leu Gln Gly Lys Asp Leu Asn Glu Thr Thr 245 250 255
- Glu Gln Asp Leu Cys Pro Leu Lys Asn Arg Val Asp Ser Ser Leu Pro 260 265 270
- Ala Pro Pro Ala Glu Glu Glu Thr Phe Ala Pro Gly Pro Leu Pro Thr 275 280 285
- Pro Phe Lys Thr Asn Gly Gln Glu Asp His Ala Thr Pro Gly Ser Ala 290 295 300
- Pro Asn Gly Gly Thr Lys Ile Pro Gly Asn Trp Gln Ile Lys Ile Arg 305 310 315 320
- Pro Thr Ala Ala Ile Ala Thr Gly Ser Ser Arg Asn Lys Pro Leu Ala 325 330 335
- Asn Ser Leu Pro Cys Pro Gly Gly Cys Ser Cys Asp His Ile Pro Gly 340 345 350
- Ser Gly Leu Lys Met Asn Cys Asn Asn Arg Asn Val Ser Ser Leu Ala 355 360 365
- Asp Leu Lys Pro Lys Leu Ser Asn Val Gln Glu Leu Phe Leu Arg Asp 370 375 380
- Asn Lys Ile His Ser Ile Arg Lys Ser His Phe Val Asp Tyr Lys Asn 385 390 395 400
- Leu Ile Leu Leu Asp Leu Gly Asn Asn Asn Ile Ala Thr Val Glu Asn 405 410 415
- Asn Thr Phe Lys Asn Leu Leu Asp Leu Arg Trp Leu Tyr Met Asp Ser 420 425 430
- Asn Tyr Leu Asp Thr Leu Ser Arg Glu Lys Phe Ala Gly Leu Gln Asn 435 440
- Leu Glu Tyr Leu Asn Val Glu Tyr Asn Ala Ile Gln Leu Ile Leu Pro 450 455 460
- -Gly Thr Phe Asn Ala Met Pro Lys Leu Arg Ile Leu Ile Leu Asn Asn 465 470 475 480
- Asn Leu Leu Arg Ser Leu Pro Val Asp Val Phe Ala Gly Val Ser Leu 485 490 495
- Ser Lys Leu Ser Leu His Asn Asn Tyr Phe Met Tyr Leu Pro Val Ala 500 505 510
- Gly Val Leu Asp Gln Leu Thr Ser Ile Ile Gln Ile Asp Leu His.Gly 515 520 525
- Asn Pro Trp Glu Cys Ser Cys Thr Ile Val Pro Phe Lys Gln Trp Ala 530 535 540

Gl u 545	Arg	Leu	G1 y	Ser	Glu 550	Val	Leu	Met	Ser	Asp 555	Leu	Lys	Cys	Glu	Thr 560
Pro	Val	Asn	Phe	Phe 565	Arg	Lys		Phe	Met 570	Leu	Leu	Ser	Asn	Asp 575	Glu
Ile	Cys	Pro	Gln 580	Leu	Tyr	Ala	Arg	Ile	Ser	Pro	Thr	Leu	Thr	Ser	His

Ser Lys Asn Ser Thr Gly Leu Ala Glu Thr Gly Thr His Ser Asn Ser 595 600 605

Tyr Leu Asp Thr Ser Arg Val Ser Ile Ser Val Leu Val Pro Gly Leu 610 615 620

Leu Leu Val Phe Val Thr Ser Ala Phe Thr Val Val Gly Met Leu Val 625 630 635 640

Phe Ile Leu Arg Asn Arg Lys Arg Ser Lys Arg Arg Asp Ala Asn Ser 645 650 655

Ser Ala Ser Glu 11e Asn Ser Leu Gln Thr Val Cys Asp Ser Ser Tyr 660 665 670

Trp His Asn Gly Pro Tyr Asn Ala Asp Gly Ala His Arg Val Tyr Asp 675 680 685

Cys Gly Ser His Ser Leu Ser Asp

<210> 232 <211> 506 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (32)..(346) <223> <400> 232

ttcatctagc	tctggatggt	tgaactgtag (atg Met 1	gca Ala	aag Lys	atg Met	ttt Phe 5	gat Asp	ctc Leu	

agg acg aag atc atg atc ggc atc gga agc agc tta ctg gtt gcc gcg Arg Thr Lys lle Met lle Gly lle Gly Ser Ser Leu Leu Val Ala Ala 10 15 20

atg gtg ctc cta agt gtt gtg ttc tgt ctt tac ttc aaa gta gct aag 148 Met Val Leu Leu Ser Val Val Phe Cys Leu Tyr Phe Lys Val Ala Lys 25 30 35

gca cta aaa gct gca aag gac cct gat gct gtg gct gta aaa aat cac l96 Ala Leu Lys Ala Ala Lys Asp Pro Asp Ala Val Ala Val Lys Asn His 40 45 50 - 55

aac cca gac aag gtg tgt tgg gcc acg aac agc cag gcc aaa gcc acc Asn Pro Asp Lys Val Cys Trp Ala Thr Asn Ser Gln Ala Lys Ala Thr 60 60 70

acc atg gag tot tgt cca tot otc cag tgc tgt gaa ggt tgt aga atg
Thr Met Glu Ser Cys Pro Ser Leu Gln Cys Cys Glu Gly Cys Arg Met
75 80 85

cat gcc agt tct gat tcc ctg cca cct tgc tgt tgt gac ata aat gag
His Ala Ser Ser Asp Ser Leu Pro Pro Cys Cys Cys Asp Ile Asn Glu
90 95 100

Page 147

52

100

ggc ctc tgacttggga aagctgggca caaaaatctt catgagcaat atttctttct Gly Leu 105	396
taatagaalg tittattatt caagicaagi totagagigi tiacatacia tiatataatg	456
tacagtgtta ttttctgtac ttctgaataa atgtgcaata ttggaaataa	506
<210> 233 <211> 105 <212> PRT <213> Homo sapiens	
· <400> 233	
Met Ala Lys Met Phe Asp Leu Arg Thr Lys Ile Met Ile Gly Ile Gly 1 10 15	
Ser Ser Leu Leu Val Ala Ala Met Val Leu Leu Ser Val Val Phe Cys 20 25 30	
Leu Tyr Phe Lys Val Ala Lys Ala Leu Lys Ala Ala Lys Asp Pro Asp 35 40 45	
Ala Val Ala Val Lys Asn His Asn Pro Asp Lys Val Cys Trp Ala Thr 50 55 60	
Asn Ser Gln Ala Lys Ala Thr Thr Met Glu Ser Cys Pro Ser Leu Gln 65 70 75 80	
Cys Cys Glu Gly Cys Arg Met His Ala Ser Ser Asp Ser Leu Pro Pro 85 90 95	
Cys Cys Cys Asp 11e Asn Glu Gly Leu 100 105	
<210> 234 <211> 1037 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (180)(560)	
<223>	
<400> 234 gagcgaaggg aacatttaac cttgactttc cacagtcctg aggttcccaa aataaagggg	60
aaccggaaat accaaaggat tatctccaat attccagggc cttctttctc atctctgtct	120
ttaccatact tactggcctt ggctggctct tcagctcttg gatccttaat cgaggaagc	179
atg acc acc aac ttg gat ctg aag gta tcc atg ctc agc ttc atc tca Met Thr Thr Asn Leu Asp Leu Lys Val Ser Met Leu Ser Phe Ile Ser 1 5 10 15	227
gct acc tgc ttg ctc ctc tgc ctc aac ctg ttt gtg gca cag gtt cac Ala Thr Cys Leu Leu Cys Leu Asn Leu Phe Val Ala Gln Val His 20 25 30	275
tgg cat act agg gat gcc atg gag tca gat ctc cta tgg acc tat tat Trp His Thr Arg Asp Ala Met Glu Ser Asp Leu Leu Trp Thr Tyr Tyr 35 40 45 ::	323
ctt aac tgg tgc agt gac atc ttt tac atg ttt gct ggg atc atc tct Leu Asn Trp Cys Ser Asp Ile Phe Tyr Met Phe Ala Gly Ile Ile Ser 50 55 60	371
ctt ctc aac tac tta act tcc aga tcg cct gcc tgt gat gaa aac gtc	419
Page 148	

16U 200 PCT FINAL.ST25 Leu Leu Asn Tyr Leu Thr Ser Arg Ser Pro Ala Cys Asp Glu Asn Val 65 70 75 80	
act gtg att cca aca gag aga tca agg ctg ggg gtt ggt ccg gtg act Thr Val Ile Pro Thr Glu Arg Ser Arg Leu Gly Val Gly Pro Val Thr 85 90 95	467
aca gta tca cct gct aaa gat gaa ggg cca agg tct gag atg gaa tct Thr Val Ser Pro Ala Lys Asp Glu Gly Pro Arg Ser Glu Met Glu Ser 100 105 110	515
cta agt gtg aga gag aaa aat tta cca aag tca gga ctg tgg Leu Ser Val Arg Glu Lys Asn Leu Pro Lys Ser Gly Leu Trp Trp 115 120 125	560
tgataggaaa acctaactat agcttgtctt aaaagcaggg gagaagctga gttgggaatg	620
gtcacataaa ttctgggaaa ctctcctaat atcatgtcca tattacttga ggagacagca	680
ttaaagctga tgaaatgtct tttgcgtgca ttggatccaa aatatatatg atagtcataa	740
agtaaataac tcacttaaga aaaacatttc taaaagaaaa caacaatgtt tagagtcatg	800
aatgaaagaa actagtgaaa gatgcagtgt gtagaccaga gacctctttg ggtatcaggg	860
atctcatgga ccagaatggc ccgtggagaa gaatgttaat tacttctgtt tggaattttc	920
tttattatgt gtggctttgg gtatactcag gatggaaagc acttggacaa atactgttga	980
atctgaactt aatagcatta ccagaaatgg aataaatatc aatggatata agaccta	1037
<210> 235 <211> 127 <212> PRT <213> Homo sapiens <400> 235	
Met Thr Thr Asn Leu Asp Leu Lys Val Ser Met Leu Ser Phe Ile Ser 1 5 10 15	
Ala Thr Cys Leu Leu Cys Leu Asn Leu Phe Val Ala Gln Val His 20 25 30	
Trp His Thr Arg Asp Ala Met Glu Ser Asp Leu Leu Trp Thr Tyr Tyr 35 40 45	
Leu Asn Trp Cys Ser Asp Ile Phe Tyr Met Phe Ala Gly Ile Ile Ser 50 55 60	
Leu Leu Asn Tyr Leu Thr Ser Arg Ser Pro Ala Cys Asp Glu Asn Val 65 70 75 80	
Thr Val Ile Pro Thr Glu Arg Ser Arg Leu Gly Val Gly Pro Val Thr 85 90 95	
Thr Val Ser Pro Ala Lys Asp Glu Gly Pro Arg Ser Glu Met Glu Ser 100 105 110	
Leu Ser Val Arg Glu Lys Asn Leu Pro Lys Ser Gly Leu Trp Trp 115 120 125	
<210> 236 <211> 1054 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (152)(895)	

<	2	2	3	>

\2	237															
	00> tggc	236 attc	ggt	ggtco	etg (gcagt	tago	et ga	agcac	gccc	tc:	tgage	ccgc	tcg	gtggaca	60
cc	aggca	actc	tagi	taggo	ct	ggcct	acco	a ga	aaca	gcag	gag	gagag	gaag	aaad	caggcca	120
gc	tgtga	agaa	gcca	aagga	eca (ccgag	tcag	gt c	atg Met 1							172
															aaa Lys	220
Pro	gaç 5 Glu 25	gaa Glu	gac Asp	aag Lys	aaç Lys	g gac 30	ggt Gly	aaç Lys	g gag s Glu	CCA Pro	tcg Ser 35	gac Asp	aaa Lys	cct Pro	caa Gln	268
															gcg Ala 55	316
gtç Val	cag Gln	Pro	aag Lys	His 60	gaa Glu	gtg Val	ggc Gly	acg Thr	agg Arg 65	agg Arg	999 Gly	tgt Cys	cgc	cgc Arg 70	tac Tyr	364
cgg Arg	tgg Trp	gaa Glu	tta Leu 75	aaa Lys	gac Asp	agc Ser	aat Asn	aaa Lys 80	gag Glu	ttc Phe	tgg Trp	Leu	Leu 85	999 Gly	cac His	412
Ala	Glu	11e 90	Lys	He	Arg	Ser	Leu 95	Gly	tgc Cys	Lev	lle	Ala 100	Ala	Met	lle	460
Leu	Leu 105	Ser	Ser	Leu	Thr	Val 110	His	Pro	atc Ile	Leu	Arg 115	Leu	Ile	Ile	Thr	508
Met 120	Glu	Ile	Ser	Phe	Phe 125	Ser	Phe	Phe	atc Ile	Leu 130	Leu	Tyr	Ser	Phe	Ala 135	556
lle	His	Arg	Tyr	11e 140	Pro	Phe	lle	Leu	tgg Trp 145	Pro	Ile	Ser	Asp	Leu 150	Phe	604
Asn	Asp	Leu	11e 155	Ala	Cys	Ala	Phe	Leu 160	gtg Val	Gly	Ala	Val	Val 165	Phe	Ala	652
Val	Arg	Ser 170	Arg	Arg	Ser	Met	Asn 175	Leu	cac His	Tyr	Leu	Leu 180	Ala	Val	Ile	700
Leu	11e 185	Gly	Ala	Ala	Gly	Val 190	Phe	Ala	ttt Phe	Ile	Asp 195	Val	Cys	Leu	Gln	748
-Arg 200	Asn	His	Phe	Arg	Gly 205	Lys	Lys	Ala		Lys 210	His	Met	Leu	Val	Pro 215	796
Pro	Pro	Gly	Lys	Glu 220	Lys	Gly	Pro	Gln	cag Gln 225	Gly	Lys	G1 y	Pro -	Glu 230	Pro	844
Ala	Lys	Pro	Pro 235	Glu	Pro	Gly	Lys	Pro 240	cca Pro	Gl y	Pro	Ala	Lys 245	Gly	aag Lys	892
Lys									cgg							945
atat	gttt	сс а	ctct	cttc	c tt	gtct	tctt	tct	ggaa	tgg	ttt	cttt	tc c	attt	tcatt	1005
acca	cctt	tg c	ttgg	aaaa	g aa	tgga	ttaa	tgg	attc	taa .	aagc	ctaa	a			1054

<210> 237

<211> 248

PRT <213> Homo sapiens

<400> 237

Met Ala Pro Lys Ala Ala Lys Gly Ala Lys Pro Glu Pro Ala Pro Ala 1 5 10 15

Pro Pro Pro Pro Gly Ala Lys Pro Glu Glu Asp Lys Lys Asp Gly Lys 20 25 30

Glu Pro Ser Asp Lys Pro Gln Lys Ala Val Gln Asp His Lys Glu Pro 35 40 45

Ser Asp Lys Pro Gln Lys Ala Val Gln Pro Lys His Glu Val Gly Thr 50 60

Arg Arg Gly Cys Arg Arg Tyr Arg Trp Glu Leu Lys Asp Ser Asn Lys 65 70 75 80

Glu Phe Trp Leu Leu Gly His Ala Glu Ile Lys Ile Arg Ser Leu Gly 85 90 95

Cys Leu Ile Ala Ala Met Ile Leu Leu Ser Ser Leu Thr Val His Pro $100 \hspace{1cm} 105 \hspace{1cm} 110$

Ile Leu Arg Leu lle Ile Thr Met Glu Ile Ser Phe Phe Ser Phe Phe 115 120 125

lle Leu Leu Tyr Ser Phe Ala Ile His Arg Tyr Ile Pro Phe Ile Leu 130 135 . . . 140

Trp Pro Ile Ser Asp Leu Phe Asn Asp Leu Ile Ala Cys Ala Phe Leu 145 150 155 160

Val Gly Ala Val Val Phe Ala Val Arg Ser Arg Arg Ser Met Asn Leu 165 170 175

His Tyr Leu Leu Ala Val Ile Leu Ile Gly Ala Ala Gly Val Phe Ala 180 $$180\,$

Phe 11e Asp Val Cys Leu Gln Arg Asn His Phe Arg Gly Lys Lys Ala 195 200 205

Lys Lys His Met Leu Val Pro Pro Pro Gly Lys Glu Lys Gly Pro Gln 216 226

Gln Gly Lys Gly Pro Glu Pro Ala Lys Pro Pro Glu Pro Gly Lys Pro

Pro Gly Pro Ala Lys Gly Lys Lys 245

<210> 238

<211> 487

<212> DNA

<213> Homo sapiens

<220>

<221> CDS

16U 200 PCT <222> (17)(418)	FINAL.ST25
<223>	
<400> 238 agtggcagct tggctg atg agc tat aag cca gcc ttg ttt gg Met Ser Tyr Lys Pro Ala Leu Phe Gl 1 5	g ttc cta ttc 52 y Phe Leu Phe 10
ctt ctg ctg ttg ctt agc aac tgg ttg gtc aag tat gaa Leu Leu Leu Leu Leu Ser Asn Trp Leu Val Lys Tyr Glu 15 20 25	cac aag ctc 100 His Lys Leu
acc ctc cca gag ccc cag cag gag gaa gag aaa cca aag a Thr Leu Pro Glu Pro Gln Gln Glu Glu Glu Lys Pro Lys 3 30 35 40	act tct gaa 148 Thr Ser Glu
aac gac tcc aag aac agc aag gcc gtg aac aca aaa gaa g Asn Asp Ser Lys Asn Ser Lys Ala Val Asn Thr Lys Glu V 45 50 55	gtc aat aga 196 Val Asn Arg 60
acg cat gcc tgc ttt gcc ctc cag gac gag atc ctc caa c Thr His Ala Cys Phe Ala Leu Gln Asp Glu Ile Leu Gln A 65 70	egg ctg ttg 244 Arg Leu Leu 75
	Phe lle lle 10
tgg aat aaa atg aat cac cac ggg cgg tca agc aga cat c Trp Asn Lys Met Asn His His Gly Arg Ser Ser Arg His A 95 100 105	rg Asn Phe
CCC atg aaa aaa cac aga atg agg agg cat gag tca att t Pro Met Lys Lys His Arg Met Arg Arg His Glu Ser Ile C 110 115 120	ys Pro Thr
ctg tct gac tgt act tcg agt tcc ccc agc taatgaggcc ga Leu Ser Asp Cys Thr Ser Ser Ser Pro Ser 125 130	
ggcctctgcc galgttacct tttacctcag taaaacccag tcacagcct	487
<210>. 239 <211> 134 <212> PRT <213> Homo sapiens	
<400> 239	
Met Ser Tyr Lys Pro Ala Leu Phe Gly Phe Leu Phe Leu Lo 1 5 10	eu Leu Leu 15
Leu Ser Asn Trp Leu Val Lys Tyr Glu His Lys Leu Thr Le 20 25 30	
Pro Gln Glu Glu Glu Lys Pro Lys Thr Ser Glu Asn As 35 40 .45	sp Ser Lys
Asn Ser Lys Ala Val Asn Thr Lys Glu Val Asn Arg Thr Hi 50 55 60	s Ala Cys
Phe Ala Leu Gln Asp Glu Ile Leu Gln Arg Leu Leu Phe Se 65 70 75	80
Lys Met Lys Val Leu Glu Asn Gln Met Phe Ile Ile Trp As 85 90	95
Asn His His Gly Arg Ser Ser Arg His Arg Asn Phe Pro Me 100 105 11	

His Arg Met Arg Arg His Glu Ser Ile Cys Pro Thr Leu Ser Asp Cys

115

120

16U 200 PCT FINAL.ST25 125

Th	r Se 13		er Se	r Pr	o Se	r										
<2 <2	10> 11> 12> 13>	240 846 DNA Hom	,	pien	s											
<2: <2:	20> 21> 22> 23>	CDS (10	8)	(725)											
	00> tcta	240 gaga		tgati	t aa	ctan	rcag:	at a	aact	nact.	a ac	taaa	~~~		gtgggt	- 60
													t ato	g gat	t tcc Ser	g 60 116
Caa Gli	a cad Gli 5	g ga n Gl	g gad u Ası	c cto p Lei	g cgo	c tto g Phe 10	c cct Pro	gg() Gl	g ato y Met	g tgg	g gte p Vai 15	c tca l Sei	a ttg c Lev	tac Ty	ttt Phe	164
gga G1 <u>y</u> 20	ato Ile	c cte	a 617	g cto y Lei	tgt Cys 25	t tct s Ser	gtg Val	ata Ile	act Thi	: gga : G1 ₃ 30	a ggg	g tgo y Cys	att ille	ato	ttt Phe 35	212
ctg Leu	cac His	c tgo	g agg p Arg	j aag Lys 40	aac Asr	ttg 1 Leu	agg Arg	ego Aro	g gaa g Glu 45	gaç Glu	g cat n His	t gcc s Ala	cag Gln	61 Gln	tgg Trp	260
gtg Val	gaç Glu	g gto 1 Val	atg Met 55	aga Arg	gct Ala	gcc Ala	aca Thr	Phe 60	acc Thr	tac Tyr	: ago : Ser	cca Pro	ttg Leu 65	ttg Leu	tac Tyr	308
ırp	116	70	ту5	Arg	Arg	Arg	Tyr 75	Gly	Met	Asn	Ala	Ala 80	Ile	Asn	acg Thr	356
GIY	85) Ala	Pro	Ala	Val	7hr 90	Lys	Thr	Glu	Thr	G1 u 95	val	Gln	Asn	cca Pro	404
100	vai	ren	Тгр	Asp	105	Asp	lle	Pro	Glu	Gly 110	Arg	agc Ser	His	Ala	Asp 115	452
GIN	ASP	ser	ASN	120	Lys	Ala	Glu	Ala	Pro 125	Ala	Pro	ctg Leu	Gln	Pro 130	Ala	500
Leu	GIN	Leu	135	Pro	Gln	Gln	Pro	Gl n 140	Ala	Arg	Ser	cca Pro	Phe 145	Pro	Leu	548
PIO	116	150	GID	GIU	lev	Pro	Phe 155	Aľa	Pro	Pro	Leu	tgc Cys 160	Æsn	Leu	Pro	596
ccc Pro	ctg Leu 165	ctg Leu	aac Asn	cac His	tct Ser	gtc Val 170	tcc Ser	tat Tyr	cct Pro	ttg Leu	gcc Ala 175	acc Thr	tgt Cys	cct Pro	gaa Glu	644
agg Arg 180	aat Asn	gtt Val	ctc Leu	ttc Phe	cat His 185	tcc Ser	ctc Leu	ctg Leu	aat Asn	ctg Leu 190	gcc Ala	cag Gln	gaa Glu	gac Asp	cat His 195	692
agc Ser	ttc Phe	aat Asn	Ala	aag Lys 200	cct Pro	ttt Phe	cct Pro	tca Ser	gaa Glu 205	ctg Leu	tago	ectec	tc t	cact	.gaagg	745
tggg	agct	gc a	iggaa	tcag	g tg	caga	gtag	gaa	atgg	aac	taac	ctca	gg a	aggt	ggtat	805
tgac	agag	igt c	agga	ссса	c ct	ggat	gtca	tgc	tatg	aaa		200	162			846

<210> 241 <211> 206 PRT <212> <213> Homo sapiens <400> 241 Met Asp Ser Gln Glu Asp Leu Arg Phe Pro Gly Met Trp Val Ser Leu Tyr Phe Gly Ile Leu Gly Leu Cys Ser Val Ile Thr Gly Gly Cys 20 25 30Ile Ile Phe Leu His Trp Arg Lys Asn Leu Arg Arg Glu Glu His Ala Gln Gln Trp Val Glu Val Met Arg Ala Ala Thr Phe Thr Tyr Ser Pro Leu Leu Tyr Trp Ile Asn Lys Arg Arg Arg Tyr Gly Met Asn Ala Ala 65 70 75 80 $^{\circ}$ lle Asn Thr Gly Pro Ala Pro Ala Val Thr Lys Thr Glu Thr Glu Val Gln Asn Pro Asp Val Leu Trp Asp Leu Asp Ile Pro Glu Gly Arg Ser 105 His Ala Asp Gln Asp Ser Asn Pro Lys Ala Glu Ala Pro Ala Pro Leu Gln Pro Ala Leu Gln Leu Ala Pro Gln Gln Pro Gln Ala Arg Ser Pro Phe Pro Leu Pro Ile Phe Gln Glu Val Pro Phe Ala Pro Pro Leu Cys Asn Leu Pro Pro Leu Leu Asn His Ser Val Ser Tyr Pro Leu Ala Thr Cys Pro Glu Arg Asn Val Leu Phe His Ser Leu Leu Asn Leu Ala Gln Glu Asp His Ser Phe Asn Ala Lys Pro Phe Pro Ser Glu Leu 195 200 205 <210> 242 <211> 663 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (40)..(585) <223> <400> 242 tagtteetag agetgetget tattaaaatg teaacatet tea tet tet age tgg Ser Ser Ser Trp gac aac ctc tta gag tot ctc tot ctc agc aca gta tgg aat tgg ata

Asp Asn Leu Leu Glu Ser Leu Ser Leu Ser Thr Val Trp Asn Trp Ile

15

10

Page 154

54

102

ca G1	a gc n Al	a a a S	er	ttt Phe 25	t t <u>c</u> Lev	9 99 9 G1	a gag y Glu	act Th	t ag r Se 30	r Al	a cc	t cad	g ca n Gl	a ac n Th 35	a ag r Se	t ttg r Leu	150
G1 99	a ct y Le	a t u L 4	eu .	gat Asp	aat Asr	cti Lei	t gct ı Ala	cca Pro 45	a gc	t gte a Val	g caa	a ato	2 at 11 50	c tte	g ag u Ar	g att g Ile	198
tc Se	t tt r Ph 55	c ti e L	tg (att Ile	tta Leu	tto Lei	gga Gly 60	ata Ile	a gga e Gly	a ata y Ilo	a tai e Tyi	t gco r Ala 65	tt.	a tg u Tr	g aa D Ly:	a cga s Arg	246
ag Se; 70	t at	t ca e Gi	3g 1	tca Ser	att	Caq G1r 75	aaa Lys	aca Thi	tto Lei	g tte	g tti u Phe 80	gta Val	ato L Ile	c aca	a cte	c tac u Tyr 85	294
aaa Lys	a ct	t ta u Ty	c a	aag Lys	aag Lys 90	G17	tca Ser	cat His	att ille	tt1 Phe 95	t gaç e Glu	get Ala	tte Le	g cta J Let	9 gcc 3 Ala 100	c aac a Asn D	342
eca Pro	gaa Glu	agg uGl	у 9	egt Ser 105	ggt Gly	ctc Leu	cga Arg	att	caa Glr 110	a Asp	aat Asn	aat Asn	aat Asr	ctt Lev 115	Phe	c ctg e Leu	390
t co Ser	t te	9 99 1 Gl 12	уI	tg .eu	caa Gln	gag Glu	aaa Lys	att 11e 125	Leu	aaa Lys	a aaa G Lys	ctt Leu	aag Lys 130	Thr	gtç Va]	gaa l Glu	438
aac Asn	: aaa Lys 135	s Me	ga t L	ag .ys	aac Asn	cta Leu	gaa Glu 140	G1 y	ata Ile	ato 11e	gtt Val	gct Ala 145	Glr	aaa Lys	cct	gcc Ala	486
acg Thr 150	Lys	g ag s Ar	g g g A	sp	tgc Cys	tcc Ser 155	tct Ser	gag Glu	Pro	tac Tyr	tgc Cys 160	Ser	t g c Cys	tct Ser	gac Asp	tgc Cys 165	534
Cag Gln	agt Ser	cc Pr	c t o L	eu :	tcc Ser 170	aca Thr	tca Ser	999 G1 y	ttt Phe	act Thr 175	Ser	ccc Pro	att 11e	tga		gtg Val 180	582
atg Met	gac	tcc	aat	c t	ttt	cag	ga aa	agca-	ctgt	t tc	cctc	atgt	gtg	cagt	ggt		635
gta	tcaa	taa	ag	ata	gaga	a c	gctat	tg									663
<21 <21 <21 <21	1> 2>	243 178 PRT Homo	o sa	apie	ens												
< 400	0>	243															
Ser 1	Ser	Sei	r Se	er 1	rp	Asp	Asn	Leu	Leu	Glu 10	Ser	Leu	Ser	Leu	Ser 15	Thr	
Val	Trp	Asn	2 Tı	rp I)	le	Gln	Ala	Ser	Phe 25	Leu	G1 y	Glu	Thr	Ser 30	Ala	Pro	
ala	alə	Thr 35	Se	er L	еп	G1 y	Leu	Leu 40	Asp	Asn	Leu	Ala	Pro 45	Ala	Val	Gln	
lle	Ile 50	Leu	Ar	g I	le :	Ser	Phe :	Leu	Ile	Leu	Leu	60 61 y	lle	G1 y	lle	Туг	4.
Ala 65	Leu	Trp	Ly	s A	rg :	Ser 70	Ile (Sln	Ser	Ile	Gln 75	Lys	Thr	Leu	Leu	Phe 80	
Va]	Ile	Thr	Le	u T	yr 1	Lys :	Leu ?	ryr	Lys	Lys	Gly	Ser	His	Ile	Phe	Glu	

Ala	Leu Le	100	Asn Pro	Glu G	ly Ser 105				FINAL.: Gln As 110		
Asn	Asn Lei 11!		Leu Ser		ly Leu 20	Gln	Glu Ly	s Ile 125	Leu Ly	s Lys	
Leu	Lys Thi 130	val (Glu Asn	Lys Mo	et Lys	Asn	Leu Gl		lle Il	e Val	
Ala (Gln Lys	Pro A	la Thr 150	Lys A	rg Asp		Ser Se 155	r Glu	Pro Ty	r Cys 160	
Ser (Cys Ser		ys Gln 65	Ser Pi	o Leu	Ser 170	Thr Se	r Gly	Phe Thi		
Pro 1	lle										
<210: <211: <212: <213:	541 DNA	sapie	ns								
<220><221><222><222><223>	CDS (62)	(349)								
<400> catat		gccact	ctga gt	ttggca	tt atq	gtgtte	ga att	ttaac	ca cata	tctatt	60 -
g atg Met 1	tgc t	tt [:] gct he Ala	ggt tt Gly Ph 5	t agt e Ser	ttt aa Phe Ly	ng gaq /s Glu 10	g aaa a u Lys I	ta tt le Ph	t att g e Ile A l	la Leu	109
gca t Ala T	gg atg rp Met	ccc ad Pro Ly 20	aa gct ys Ala	aca gt Thr Va	a cag 1 Gln 25	gct g Ala V	jtg tta /al Leu	Gly	cct ctg Pro Leu 30	gct Ala	157
cta g Leu G	aa aca lu Thr 35	gca ag Ala Ai	ga gtc cg Val	tct gc Ser Al 40	a ccc a Pro	cac t His I	tg gaa .eu Glu	cca (Pro 1 45	tat gcg Tyr Ala	aag Lys	205
gat g Asp V 5	al Met	tca gt Ser Va	a gca al Ala	ttt tt. Phe Lec 55	a gcc u Ala	atc t lle S	cg atc er lle 60	aca o	gct cca Na Pro	aat Asn	253
gga g Gly A 65	ct cta la Leu	ctt at Lev Me	.g ggc et Gly 70	att cto Ile Le	9 999 1 Gly	Pro L	aa atg ys Met 5	ctt a Leu T	ca cgc	cat His 80	301
tat ga Tyr A:	at cca sp Pro	agc aa Ser Ly 85	a ata 's Ile	aaa cto Lys Led	ı Gln	ttg t Leu S 90	ca aca er Thr	tta g Leu G	aa cat lu His 95	cat His	349
taaaaa	agttt a	cctgtc	atc at	etgect	c ttc	tttta	at gaal	tatt	c acato	gacaga	409
			ata tg								469
tgattt	cagt a	cagggc	ttt tc	tggact	t ttt	actcc	aa agtt	aattt	a ataaa	aataa	529
tattaa	atgg a	a									541
<210>	245										
<211> <212>	96 Prt									•	
<213>		sapien	s								
<400>	245										
Met Cy l	's Phe i	Ala Gly 5	y Phe S	er Phe		Slu Ly 10	ys Ile	Phe I	le Ala 15	Leu	

Ala Trp Met Pro Lys Ala Thr Val Gln Ala Val Leu Gly Pro Leu Ala Leu Glu Thr Ala Arg Val Ser Ala Pro His Leu Glu Pro Tyr Ala Lys Asp Val Met Ser Val Ala Phe Leu Ala Ile Ser Ile Thr Ala Pro Asn Gly Ala Leu Leu Met Gly Ile Leu Gly Pro Lys Met Leu Thr Arg His Tyr Asp Pro Ser Lys Ile Lys Leu Gln Leu Ser Thr Leu Glu His His <210> 246 <211> 2499 <212> DNA <213> Homo sapiens <220> <221> CDS <222> (128)..(2284) <223> <400> 246 gcaagaggcc cettgtggcc accgagtcct ccgacgccct cgccaggctg gcctttgggt tggcccaggc aggacgggct gccgagagca ctcgggccgc gtcgccagga gccgcccagg 120 gtgagcc atg ttc gta ggc gtc gcc cgg cac tct ggg agc cag gat gaa Met Phe Val Gly Val Ala Arg His Ser Gly Ser Gln Asp Glu 1 5 10 gtc tca agg gga gta gag ccg ctg gag gcc gcg gcg ccg cca cct gct Val Ser Arg Gly Val Glu Pro Leu Glu Ala Ala Arg Ala Gln Pro Ala 15 aag gac agg agg gcc aag gga acc ccg aag tcc tcg aag ccc ggg aaa Lys Asp Arg Arg Ala Lys Gly Thr Pro Lys Ser Ser Lys Pro Gly Lys aaa cac cgg tat ctg aga cta ctt cca gag gcc ttg ata agg ttc ggc Lys His Arg Tyr Leu Arg Leu Leu Pro Glu Ala Leu Ile Arg Phe Gly 50 55 60 ggt ttc cga aaa agg aaa aaa gcc aag tcc tca gtt tcc aag aag ccg 361 Gly Phe Arg Lys Arg Lys Lys Ala Lys Ser Ser Val Ser Lys Lys Pro gga gaa gtg gat gac agt ttg gag cag ccc tgt ggt ttg ggc tgc tta 409 Gly Glu Val Asp Asp Ser Leu Glu Gln Pro Cys Gly Leu Gly Cys Leu gtc agc acc tgc tgt gag tgt tgc aat aac att cgc tgc ttc atg att 457 Val Ser Thr Cys Cys Glu Cys Cys Asn Asn Ile Arg Cys Phe Met Ile ttc tac tgc atc ctg ctc ata tgt caa ggt gtg gtg ttt ggt ctt ata Phe Tyr Cys Ile Leu Leu Ile Cys Gln Gly Val Val Phe Gly Leu Ile 505 gat gtc agc att ggc gat ttt cag aag gaa tat caa ctg aaa acc att Asp Val Ser lle Gly Asp Phe Gln Lys Glu Tyr Gln Leu Lys Thr lle 553 gag aag ttg gca ttg gaa aag agt tac gat att tca tct ggc ctg gta 601 Glu Lys Leu Ala Leu Glu Lys Ser Tyr Asp Ile Ser Ser Gly Leu Val 150

gca ata ttt ata gca ttc tat gga gac aga aaa aaa gta ata tgg ttt

Ala Ile Phe Ile Ala Phe Tyr Gly Asp Arg Lys Lys Val Ile Trp Phe

Page 157

649

	160					· 165				160	200 170		FIN	AL.S	r25	
	gct Ala	tcc							gga Gly							697
									agt Ser 200							745
				Ile					ggt Gly							793
									ttc Phe							841
		Ile							atc Ile							889
									ggt Gly							· 937
									ctg Leu 280							985
									act Thr							1033
									tgg Trp							1081
									aca Thr							1129
									cgg Arg							1177
Lys	Gln	Leu	His	Phe 355	Phe	Asp	Ser	Arg	ctt Leu 360	Lys	Asp	Leu	Lys	Leu 365	Gly	1225
Thr	Asn	Ile	Lys 370	Ásp	Leu	Cys	Ala	Ala 375	ctt Leu	Trp	lle	ren	Met 380	Arg	Asn	1273
Pro	Val	Leu 385	Ile	Cys	Leu	Ala	Leu 390	Ser	aaa Lys	Ala	Thr	Glu 395	Tyr	Leu	Val	1321
_Ile	11e 400	Gly	Àla	Ser	Glu	Phe 405	Leu	Pro		Tyr	Leu 410	Glu	Asn	Gln	Phe	1369
11e 415	Leu	Thr	Pro	Thr	Val 420	Ala	Thr	Thr	Ctt Leu	Ala 425	Gly	Leu	Val	Leu	11e 430	1417
Pro	Gly	ĞÌy	Ala	Leu 435	ĞÎy	G1n	Leu	Leu	gga Gly 440	Gly	Val	Ile	Va1	Ser 445	Thr	1465
Leu	Glu	Met	Ser 450	Cys	Lys	Ala	Leu	Met 455	aga Arg	Phe	Ile	Met	Val 460	Thr	Ser	1513
Val	Ile	Ser 465	Leu	Ile	Leu	Leu	Val 470	Phe	att Ile	Ile	Phe	Val 475	Arg	Cys	Asn	1561
cca	gtg	caa	ttt	gct	999	atc	aat	gaa	gat	tat	gat	gga	aca	agg	aag	1609

Pro	Val 480	Gln	Phe	Ala	Gly	11e 485	Asn	Glu	Asp	16U Tyr	200 Asp 490	PCT Gly	FINI Thr	AL.SI Arg	r25 Lys	
ttg Leu 495	gga Gly	aac Asn	ctc Leu	acg Thr	gct Ala 500	cct Pro	tgc Cys	aat Asn	gaa Glu	aaa Lys 505	tgt Cys	aga Arg	tgc Cys	tca Ser	tct Ser 510	1657
tca Ser	att Ile	tat Tyr	tct Ser	tct Ser 515	ata Ile	tgt Cys	gga Gly	aga Arg	gat Asp 520	gat Asp	att Ile	gaa Glu	tat Tyr	ttt Phe 525	tct Ser	1705
								tct Ser 535								1753
atg Met	tac Tyr	tac Tyr 545	aat Asn	tgt Cys	tct Ser	tgc Cys	att 11e 550	aaa Lys	gaa Glu	gga Gly	tta Leu	ata Ile 555	act Thr	gca Ala	gat Asp	1801
gca Ala	gaa Glu 560	ggt Gly	gat Asp	ttt Phe	att Ile	gat Asp 565	gcc Ala	aga Arg	ccc Pro	ggg Gly	aaa Lys 570	tgt Cys	gat Asp	gca Ala	aag Lys	1849
tgc Cys 575	tat Tyr	aag Lys	tta Leu	cct Pro	ttg Leu 580	ttc Phe	att Ile	gct Ala	ttt Phe	atc 11e 585	ttt Phe	tct Ser	aca Thr	ctt Leu	ata Ile 590	1897
ttt. Phe	tct Ser	ggt Gly	ttt Phe	tct Ser 595	ggt Gly	gta Val	cca Pro	atc 11e	gtc Val 600	ttg Leu	gcc Ala	atg Met	acg Thr	cgg Arg 605	gtt Val	1945
gta Val	cct Pro	gac Asp	aaa Lys 610	ctg Leu	cgt Arg	tct Ser	ctg Leu	gcc Ala 615	ttg Leu	ggt Gly	gta Val	agc Ser	tat Tyr 620	gtg Val	att Ile	1993
ttg Leu	aga Arg	ata Ile 625	ttt Phe	G1 y	act Thr	att Ile	cct Pro 630	gga Gly	cca Pro	tca Ser	atc Ile	ttt Phe 635	aaa Lys	atg Met	tca Ser	2041
Gly	gaa Glu 640	act Thr	tct Ser	tgt Cys	att Ile	tta Leu 645	cgg Arg	gat Asp	gtt Val	aat Asn	aaa Lys 650	tgt Cys	gga Gly	cac His	aca Thr	2089
gga Gly 655	cgt Arg	tgt Cys	tgg Trp	ata Ile	tat Tyr 660	aac Asn	aag Lys	aca Thr	aaa Lys	atg Met 665	gct Ala	ttc Phe	tta Leu	ttg Leu	gta Val 670	2137
gga Gly	ata Ile	tgt Cys	Phe	ctt Leu 675	tgc Cys	aaa Lys	cta Leu	tgc Cys	act Thr 680	atc Ile	atc Ile	ttc Phe	act Thr	act Thr 685	att lle	2185
gca Ala	ttt Phe	Phe	ata Ile 690	tac Tyr	aaa Lys	cgt Arg	cgt Arg	cta Leu 695	aat Asn	gag Glu	aac Asn	Thr	gac Asp 700	ttc Phe	cca Pro	2233
gat (Asp	Val '	act Thr 705	gtg Val	aag Lys	aat Asn	Pro	aaa Lys 710	gtt Val	aag Lys	aaa Lys	Lys	gaa Glu 715	gaa Glu	act Thr	gac Asp	2281
_Leu	taac	t gga	tc a	tcat	tgtg	a tt	gcag	atca	ttt	gagg	atc.	agag	tgtg	aa		2334
aacga	gtti	tc to	cttt	taca	g at	tctc	caag	att	tgtt	tct	gtgc	ccaa	ct t	tcag	aagag	2394
gaaaa	tca	ca ca	atta	tgtt	t ac	ataa	gtag	caa	aaat	ata	ttta	tggt	ga t	ctgc	atttt	2454
cataa	itaaa	ag t	gtcci	tatt	g tg	aaac	aaaa	aaa	aaaa.	aaa	aaaa	а				2499
<210; <211;																
<2112 <212> <213>	PF	T.	sapie	ens										,		
<400>																
Met F	he v	/al (51y V	/al /	Ala i	Arg I	lis :		51y 5 10	Ser (31n <i>)</i>	Asp (Val:	Ser	

- Arg Gly Val Glu Pro Leu Glu Ala Ala Arg Ala Gln Pro Ala Lys Asp 20 25 30
- Arg Arg Ala Lys Gly Thr Pro Lys Ser Ser Lys Pro Gly Lys Lys His $35 \hspace{1cm} 40 \hspace{1cm} 45 \hspace{1cm}$
- Arg Tyr Leu Arg Leu Leu Pro Glu Ala Leu 11e Arg Phe Gly Gly Phe 50 55 60
- Arg Lys Arg Lys Lys Ala Lys Ser Ser Val Ser Lys Lys Pro Gly Glu 65 70 75 80
- Val Asp Asp Ser Leu Glu Gln Pro Cys Gly Leu Gly Cys Leu Val Ser 85 90 95
- Thr Cys Cys Glu Cys Cys Asn Asn Ile Arg Cys Phe Met Ile Phe Tyr 100 105 110
- Cys lle Leu Leu Ile Cys Gln Gly Val Val Phe Gly Leu Ile Asp Val 115 120 125
- Ser Ile Gly Asp Phe Gln Lys Glu Tyr Gln Leu Lys Thr Ile Glu Lys 130 135 140
- Leu Ala Leu Glu Lys Ser Tyr Asp Ile Ser Ser Gly Leu Val Ala Ile 145 150
- Phe Ile Ala Phe Tyr Gly Asp Arg Lys Lys Val Ile Trp Phe Val Ala 165 170 175
- Ser Ser Phe Leu Ile Gly Leu Gly Ser Leu Leu Cys Ala Phe Pro Ser 180 185 190
- Ile Asn Glu Glu Asn Lys Gln Ser Lys Val Gly Ile Glu Asp Ile Cys 195 200 205
- Glu Glu Ile Lys Val Val Ser Gly Cys Gln Ser Ser Gly Ile Ser Phe 210 215 220
- Gln Ser Lys Tyr Leu Ser Phe Phe Ile Leu Gly Gln Thr Val Gln Gly 225 235 240
- Ile Ala Gly Met Pro Leu Tyr Ile Leu Gly Ile Thr Phe Ile Asp Glu 245 250 255
- Asn Val Ala Thr His Ser Ala Gly Ile Tyr Leu Gly Ile Ala Glu Cys 260 265 270
- Thr Ser Met Ile Gly Tyr Ala Leu Gly Tyr Val Leu Gly Ala Pro Leu 275 280 285
- Val Lys Val Pro Glu Asn Thr Thr Ser Ala Thr Asn Thr Thr Val Asn 290 295 300
- Asn Gly Ser Pro Glu Trp Leu Trp Thr Trp Trp Ile Asn Phe Leu Phe 305 310 315 320
- Ala Ala Val Val Ala Trp Cys Thr Leu Ile Pro Leu Ser Cys Phe Pro

16U 200 PCT FINAL.ST25 25 330 335

Asn Asn Met Pro Gly Ser Thr Arg Ile Lys Ala Arg Lys Arg Lys Gln 340 345 350

Leu His Phe Phe Asp Ser Arg Leu Lys Asp Leu Lys Leu Gly Thr Asn 355 360 365

11e Lys Asp Leu Cys Ala Ala Leu Trp Ile Leu Met Arg Asn Pro Val 370 380

Leu Ile Cys Leu Ala Leu Ser Lys Ala Thr Glu Tyr Leu Val Ile Ile 385 390 395 400

Gly Ala Ser Glu Phe Leu Pro Ile Tyr Leu Glu Asn Gln Phe Ile Leu 405 410 410 415

Met Ser Cys Lys Ala Leu Met Arg Phe Ile Met Val Thr Ser Val Ile 450 455 460

Ser Leu Ile Leu Leu Val Phe Ile Ile Phe Val Arg Cys Asn Pro Val 465 470 475 480

Gln Phe Ala Gly Ile Asn Glu Asp Tyr Asp Gly Thr Arg Lys Leu Gly 485 490 495

Asn Leu Thr Ala Pro Cys Asn Glu Lys Cys Arg Cys Ser Ser Ser Ile $500 \hspace{1cm} 505 \hspace{1cm} 510$

Tyr Ser Ser Ile Cys Gly Arg Asp Asp Ile Glu Tyr Phe Ser Ala Cys 515 520 525

Phe Ala Gly Cys Thr Tyr Ser Lys Ala Gln Asn Gln Lys Lys Met Tyr 530 535 540

Tyr Asn Cys Ser Cys Ile Lys Glu Gly Leu Ile Thr Ala Asp Ala Glu 545 550 555 560

Gly Asp Phe 11e Asp Ala Arg Pro Gly Lys Cys Asp Ala Lys Cys Tyr 565 570 575

Lys Leu Pro Leu Phe Ile Ala Phe Ile Phe Ser Thr Leu Ile Phe Ser 580 585 590

Gly Phe Ser Gly Val Pro Ile Val Leu Ala Met Thr Arg Val Val Pro 595 600 605

Asp Lys Leu Arg Ser Leu Ala Leu Gly Val Ser Tyr Val Ile Leu Arg 610 615 620

Ile Phe Gly Thr Ile Pro Gly Pro Ser Ile Phe Lys Met Ser Gly Glu 625 630 635 640

Th	ır Se	r Cy	s Il	e Le 64		g As	p Va	l As	n Ly: 65	s Cy:			r FII s Th		y Arg	
Су	s Tr	р 11	е Ту 66	r As O	n Ly	s Th	r Ly:	s Me 66		a Pho	e Le	u Le	u Va 67		y Ile	
Су	s Ph	e Le 67	ս Су 5	s Ly	s Le	u Cy	s Th:		e Ile	e Phe	e Th	r Th:		e Al	a Phe	
Ph	e 11 69	е Т у О	r Ly	s Ar	g Ar	g Lei 69:		o Gl	u Ası	1 Thi	700		e Pro	o As	p Val	
Th 70:	r Va 5	l Ly:	s Ası	n Pro	710		l Lys	. Ly:	s Lys	61u 715		th:	. Ası) Lei	ı	
<2: <2: <2: <2: <2:	10> 11> 12> 13> 20> 21>	CDS	o sap	oiens	5											
<22	23>			,31,												
	00> :tcto	248 cca	gctç	gagt	ag g	itggg	ggag	g cc	agac						cca Pro	54
gto Val	aga Arg	tco Ser	s ago Ser 10	ctt Leu	ttg Leu	ggg Gly	atc	ctg Leu 15	ttg Leu	cag Gln	gt t Val	acg Thr	agg Arg 20	Leu	tca Ser	102
gtg Val	Ctg Leu	ttg Leu 25	gtt Val	Cag Gln	aac Asn	cga Arg	gat Asp 30	cac His	ctc Leu	tat Tyr	aat Asn	ttc Phe 35	ctg Leu	ctc	ctc	150
aag Lys	atc Ile 40	aac Asn	Ctc Leu	ttc Phe	aac Asn	cac His 45	tgg Trp	gtg Val	tca Ser	ggg Gly	ctg Leu 50	gcc Ala	cag Gln	gag Glu	gcc Ala	198
cgg Arg 55	999 Gly	tcc Ser	tgt Cys	aac Asn	tgg Trp 60	cag Gln	gcc Ala	cac His	cta Leu	ccc Pro 65	ctg Leu	gga Gly	gct Ala	gca Ala	gcc Ala 70	246
t gc Cys	ccc Pro	Ctg Leu	Gly	cag Gln 75	gct Ala	Leu	Trp	Ala	80 61 y 999	ctg Leu	gct Ala	ctg Leu	ata Ile	cag Gln 85	gtc Val	294
ccc Pro	gta Val	tgg Trp	ctg Leu 90	gtg Va]	cta Leu	cag Gln	gga Gly	ccc Pro 95	agg Arg	ctg Leu	atg Met	tgg Trp	gct Ala 100	ggc Gly	atg Met	342
tgg -Trp	ggc Gly	agc Ser 105	acc Thr	aag Lys	ggc Gly	ctg Leu	ggс Gly 110	ctg Leu	gcc Ala	ttg Leu	ctc Leu	agt Ser 115	gcc Ala	tgg Trp	gag Glu	390
cag Gln	ctg Leu 120	ggc Gly	ctg Leu	tct Ser	gtg Val	gcc Ala 125	atc Ile	tgg Trp	aca Thr	gat Asp	ctg Leu 130	ttt Phe	ttg Leu -	tca Ser	tgt Cys	438
ctg Leu 135	cac His	ggc Gly	ctg Leu	atg Met	ttg Leu 140	gtg Val	gcc Ala	ttg Leu	ctc Leu	ttg Leu 145	gtg Val	gta Val	gtg Val	acc Thr	tgg Trp 150	486
agg Arg	gtg Val	tgt Cys	cag Gln	aag Lys 155	tcc Ser	cac His	tgc Cys	ttc Phe	cga Arg 160	ctg Leu	ggc Gly	agg Arg	cag Gln	ctc Leu 165	agt Ser	534
aag Lys	gcc Ala	Lev	caa Gln 170	gtg Val	aac Asn	tgc Cys	Val	gta Val 175	agg Arg	aag Lys	ctc Leu	ctg Leu	gta Val 180	cag Gln	ctg Leu	582

aga Arg	a cg g Ar	t cte g Lee 18	и Туі	t tgg	g tgg o Trp	gtg Val	ga Gl: 190	ı Thi	ato Met	act	200 t gcd r Ala	cto	aco Thi	tce	ST25 c tgg r Trp		630
cac His	c cto s Let 200	u Ala	c tat e Tyr	Let	ato 111e	acc Thr 205	Tr	g acc	acc Thr	tgo Cys	c cto Let 210	ı Ala	tco Ser	cac His	ctg Leu		678
cto Let 215	ı Glı	g gci n Ala	t gcc a Ala	ttt Phe	gag Glu 220	His	Thi	acc Thr	cag Glm	Leu 225	Ala	gaç Glu	gco Ala	caç Glı	g gag n Glu 230		726
gtt Val	gaa Glu	e cco	cag o Glr	gag Glu 235	val	tca Ser	GJ 7	tct Ser	Ser 240	Leu	g ctg i Lev	Pro	tea Ser	Leu 245	tct Ser		774
				Ser					Val					Gli	act Thr		822
		gaa g Glu 265		atgt	atc	ccca	tetç	icc									851
<21 <21 <21 <21	1> 2>	249 265 PRT Homo	sap	iens													
< 40	0>	249															
Met 1	Glu	ı Ala	Leu	Pro 5	Pro	Va]	Arg	Ser	Ser 10	Leu	Leu	Gly	Ile	Leu 15	Leu		
Gln	Val	Thr	Arg 20	Leu	Ser	Val	Leu	Leu 25	Val	Gln	Asn	Arg	Asp 30	His	Leu	-	
Tyr	Asn	Phe 35	Leu	Leu	Leu	Lys	11e 40	Asn	Leu	Phe	Asn	His 45	Trp	Val	Ser		
Gly	Leu 50	Ala	Gln	Glu	Ala	Arg 55	Gly	Ser	Cys	Asn	Trp 60	Gln	Ala	His	Leu		
Pro 65	Leu	Gly	Ala	Ala	Ala 70	Cys	Pro	Leu	Gly	Gl n 75	Ala	Leu	Тrр	Ala	Gly 80		
Leu	Ala	Leu	Ile	Gl n 85	Val	Pro	Val	Тгр	Leu 90	Val	Leu	Gln	G1 y	Pro 95	Arg	•	
Leu	Met	Trp	Ala 100	G1 y	Met	Trp	Gly	Ser 105	Thr	Lys	Gly	Leu	Gly 110	Leu	Ala		
Leu	Leu	Ser 115	Ala	Trp	Glu	Gln	Leu 1 <i>2</i> 0	Gly	Leu	Ser	Val	Ala 125	lle	Trp	Thr		
Asp	Leu 130	Phe	Leu	Ser	Cys	Leu 135	His	Gly	Leu	Met	Leu 140	Val	Ala	Leu	Leu		
Leu 145	Val	Val	Val	Thr	Trp 150	Arg	Val	Cys	Gln	Lys 155	Ser	His	Cys		160	-	
Leu	Gly	Arg	Gln	Leu 165	Ser	Lys .	Ala	Leu	Gln 170	Val	Asn	Cys	Val	Val 175		•	
Lys	Leu	Leu	Val 180	Gln	Leu .	Arg :	Arg	Leu 185	Туr	Trp	Trp	Val	Glu 190	Thr	Met		

Thr Ala Leu Thr Ser Trp His Leu Ala Tyr Leu Ile Thr Trp Thr Thr 195 200 205

Cys Leu Ala Ser His Leu Leu Gln Ala Ala Phe Glu His Thr Thr Gln 210 215 220

Leu Ala Glu Ala Gln Glu Val Glu Pro Gln Glu Val Ser Gly Ser Ser 225 230 235 240

Leu Leu Pro Ser Leu Ser Ala Ser Ser Asp Ser Glu Ser Gly Thr Val 245 250 255

Leu Pro Glu Gln Glu Thr Pro Arg Glu 260 265

<210>	250
<211>	784
<212>	DNA
<213>	Homo sapiens
<220> <221> <222> <223>	CDS (97)(579)

<400>	250						
gctttc	agtt	gtaacggact	tcatcacatc	acaaattgta	ctcgttctca	tccttttaag	60

aaagttcaga	cccaggaaaa	tttccatagt	acctta	atg	aaa	aag	ata	gaa	atc	114
				Met	Lys	Lys	lle	Glu	Ile	
	•			1			•	5		

agt ggg acg tgt ctt t	ccc ttt cat ctc ctt ttc	ggc ttg gaa atc aga	162
Ser Gly Thr Cys Leu S	Ger Phe His Leu Leu Phe	Gly Leu Glu Ile Arg	
10	15	20	

atg Met	aga Arg	agg Arg 25	att Ile	gtt Val	ttt Phe	gct Ala	ggt Gly 30	gtt Val	atc Ile	tta Leu	ttc Phe	cgc Arg 35	ct <i>c</i> Leu	tta Leu	ggt Gly	210
------------	------------	------------------	------------	------------	------------	------------	------------------	------------	------------	------------	------------	------------------	--------------------	------------	------------	-----

gtt Val	atc 11e 40	tta Leu	ttc Phe	cgc Arg	ctc Leu	tta Leu 45	ggt Gly	gtt Val	atc Ile	tta Leu	ttc Phe 50	ggc Gly	cgc Arg	tta Leu	ggt Gly	25	8
------------	------------------	------------	------------	------------	------------	------------------	------------	------------	------------	------------	------------------	------------	------------	------------	------------	----	---

gac Asp 55	ctg Leu	gga G1 y	acc Thr	tgc Cys	cag Gl·n 60	aca Thr	aaa Lys	cct Pro	ggt Gly	cag Gln 65	tac Tyr	tgg Trp	aaa Lys	gaa Glu	gag Glu 70	306
------------------	------------	-------------	------------	------------	-------------------	------------	------------	------------	------------	------------------	------------	------------	------------	------------	------------------	-----

gtc Val	cac His	att Ile	caa Gln	gat Asp 75	gtt Val	gga Gly	ggt Gly	t t g Le u	att Ile 80	t gc Cys	aga Arg	gca Ala	tgc Cys	aat Asn 85	ctt Leu	:	354
------------	------------	------------	------------	------------------	------------	------------	------------	---------------	------------------	-------------	------------	------------	------------	------------------	------------	---	-----

ser Leu Pro Phe His Gly	tgt ctt tta gac ctg Cys Leu Leu Asp Leu 95	gga acc tgc cag gca Gly Thr Cys Gln Ala 100	402
-------------------------	--	---	-----

gaa cct ggt cag tad Glu Pro Gly Gln Tyd 105	tgt aaa gaa Cys Lys Glu 110	Glu Val His	att caa ggt ggc a lle Gln Gly Gly 1 115	att 450 Ile
---	-----------------------------------	-------------	---	----------------

caa Gln	tgg Trp 120	ıyr	tca Ser	gtc Val	aaa Lys	ggc Gly 125	tgc Cys	aca Thr	aag Lys	aac Asn	aca Thr 130	tca Ser	gag Glu	tgc Cys	ttc Phe		498
------------	-------------------	-----	------------	------------	------------	-------------------	------------	------------	------------	------------	-------------------	------------	------------	------------	------------	--	-----

Lys	agt Ser	act Thr	ctc Leu	gtc Val	Lys	aga Arg	att Ile	ctg Leu	caa Gln	Leu	cat His	gaa Glu	ctt Leu	gta Val	'act Thr	546
135					140	_				145					150	

act Thr	cac His	tgc Cys	tgc Cys	aat Asn 155	cat His	tct Ser	ttg Leu	tgc Cys	aat Asn 160	ttc Phe	tgagtcagtg gcccatatct	599
				100					i nu			

aaaatgcttg gcagatcaat cagtctcgaa gcctgacctg gctatcacaa aatgatggct 65

att	gtca	att	agco	cact	tc a	gaaa	cctc	a ga	ccct	tgta	ggt	agaa	gga	attt	tgatct	719	
gaa	att	jact	ttgg	tttt	ca a	tatt	ccca	a ta	tctc	cccc	acc	acct	cca	acto	atctga	779	
gaa	at															784	
<21 <21 <21 <21	1> 2>	251 161 PRT Homo	sap	iens													
< 40	0>	251															
Met 1	Lys	. Lys	Ile	Glu 5	lle	Ser	Gly	Thr	Cys 10	Leu	Ser	Phe	His	Leu 15	Leu		
Phe	Gly	, Leu	Glu 20	Ile	Arg	Met	Arg	Arg 25	Ile	Val	Phe	Ala	G1 y	Val	Ile		
Leu	Phe	Arg 35	Leu	Leu	Gly	Val	Ile 40	Leu	Phe	Arg	Leu	Leu 45	Gly	Val	lle	•	
Leu	Phe 50	Gly	Arg	Leu	Gly	Asp 55	Leu	Gly	Thr	Cys	Gln 60	Thr	Lys	Pro	G] y		
Gln 65	Tyr	Trp	Lys	Glu	Glu 70	Val	His	Ile	Gln	Asp 75	Val	Gly	Gly	Leu	lle 80		
Cys	Arg	Ala	Cys	Asn 85	Leu	Ser	Leu	Pro	Phe 90	His	Gly	Cys	Leu	Leu 95	Asp		
Leu	Gly	Thr	Cys 100	Gln	Ala	G1 u	Pro	Gly 105	Gln	Туr	Cys	Lys	61u 110	Glu	Val		
His	lle	Gln 115	Gly	Gly	lle	G1n	Trp 120	Tyr	Ser	Val	Lys	Gly 125	Cys	Thr	Lys		
Asn	Thr 130	Ser	Glu	Cys	Phe	Lys 135	Ser	thr	Leu	Val	Lys 140	Arg	lle	Leu	Gln		
Leu 145	His	Glu	Leu	Val	Thr 150	Thr	His	Cys	Cys	Asn 155	His	Ser	Leu	Cys	Asn 160		
Phe																	
<210 <211 <212 <213	> ; '> i	252 2205 DNA Homo	sapi	ens													
<220 <221 <222 <223	> (>	CDS (24).	. (18	50)													
<400 gggc		252 jta g	tgca	ggtc	c gc	c at Me 1	g gc t Al	t ga a Gl	g gc u Al	g tc a Se 5	a cg r Ar	g tg g Tr	g ca p Hi	c cg s Air	a ggc g Gly 10	. 53	
999 Gly	gct Ala	tcg Ser	Lys	cat His 15	aag : Lys :	ttg Leu	cat His	Tyr	aga Arg : 20	aag Lys	gaa Glu	gta Val	Glu	att Ile 25	aca Thr	101	
acc .	aca	ctt	cag	gaa	ttg 1	tta	ctc	tac	ttt	att		tta age :		aac	cta	149	

Th	r Th	r Le	u G1: 30	n Gli	u Lei	ı Let	l Let	ту: 35	r Phe			PC1 e Le		e As	ST25 n Leu	
tg: Cy:	t at 5 11	a tte e Les 45	g ac	t tti	t ggg e Gly	atg / Met	gta Val 50	a aad Asi	cca Pro	a cat	t ate	g tai t Tyi 55	t ta r Ty	c tt. r Le	a aac u Asn	. 197
aaq Lys	g gt s Va: 60	t ate	g toa	e tol	t cta r Lev	ttt Phe 65	ttg Leu	gad Asp	act Thi	tct Sei	t gte Vai	g cct l Pro	t gg 5 G1	t gaa	a gaa u Glu	245
aga Arq 75	ace Th:	aac Asi	c tti n Phe	aaq Lys	s Ser 80	att	cgc Arg	e ago	ata Ile	act Thr 85	gat Ası	t ttt Phe	tge Tr	g aaq p Ly:	g ttt s Phe 90	293
at ç Me t	gaa Glu	gga Gly	a cco / Pro	ctt Lev 95	ttg Leu	gaa Glu	ggt Gly	ctg Lev	tac Tyr 100	Trp	gat Asp	t tca Ser	tge Tr	tac Tyr 10:	aat Asn	341
				Tyr					Ser					Ту	gaa Glu	389
aat Asn	ata Ile	ctt Leu 125	Leu	gga Gly	gtt Val	ccc Pro	aga Arg 130	Val	cgt Arg	caa Gln	cta Leu	aaa Lys 135	Va]	a cgo	aac Asn	437
aac Asn	Thr 140	Cys	aaa Lys	gtc Val	tat Tyr	tca Ser 145	tct Ser	ttt Phe	cag Gln	tct Ser	Leu 150	Met	agt Ser	gaa Glu	tgt Cys	485
	G1 y					gca Ala					Ser					533
caa Gln	att Ile	aat Asn	act Thr	gaa Glu 175	tgg Trp	aga Arg	tat Tyr	tct Ser	act Thr 180	Ser	aat Asn	acc Thr	aac Asn	Ser 185	Pro	581
tgg Trp	cac His	tgg Trp	gga Gly 190	t t t Phe	ctt Leu	ggt Gly	gtt Val	tac Tyr 195	cga Arg	aat Asn	999 Gly	gga Gly	tac Tyr 200	Ile	ttc Phe	629
						tct Ser										677
cga Arg	ctg Leu 220	aac Asn	agc Ser	tgg Trp	atc lle	aca Thr 225	aga Arg	61 y	act Thr	aga Arg	gtt Val 230	att Ile	ttt Phe	att Ile	gat Asp	725
ttt Phe 235	tcc Ser	tta Leu	tat Tyr	aat Asn	gct Ala 240	aat Asn	gta Val	aat Asn	cta Leu	ttt Phe 245	tgt Cys	att Ile	atc Ile	aga Arg	ttg Leu 250	773
Val	Ala	Glu	Phe	Pro 255	Ala	act Thr	Gly	G1 y	11e 260	Leu	Thr	Ser	Trp	G1n 265	Phe	821
tac -Tyr	tct Ser	gtg Val	aag Lys 270	ctc Leu	ctc Leu	aga Arg	Tyr	gtt Val 275	agc Ser	tac Tyr	tat Tyr	gac Asp	tat Tyr 280	ttt Phe	att Ile	869
gct Ala	tcc Ser	tgt Cys 285	gaa Glu	atc Ile	aca Thr	ttc Phe	tgt Cys 290	att Ile	ttt Phe	ctt Leu	ttt Phe	gtc Val 295	ttc Phe	aca Thr	aca Thr	917
caa Gln	gaa Glu 300	gtc Val	aaa Lys	aaa Lys	Ile	aaa Lys 305	gaa Glu	ttt Phe	aag Lys	tct Ser	gcc Ala 310	tat Tyr	ttc Phe	aaa Lys	agt Ser	965
11e 315	Trp	Asn	Trp	Leu	Glu 320	ttg Leu :	Leu I	Leu	Leu	Leu 325	Leu	Cys	Phe	Val	Ala 330 .	1013
gtt Val	tcc Ser	ttc Phe	Asn	aca Thr 335	tac Tyr	tat a Tyr i	aat (Asn 1	Val	caa Gln 340	att Ile	ttt Phe	ctc Leu	tta Leu	ctt Leu 345	gga Gly	1061

										gat	ttc	tat	ttt	L.ST ctt Leu	gca	1109
														ttt Phe		1157
														atg Met		1205
														gga Gly		1253
														gga Gly 425		1301
														aat Asn		1349
														gct Ala		1397
														act Thr		1445
														att Ile		1493
														aga Arg 505		1541
														aat Asn		1589
														aag Lys		1637
														ggc Gly		1685
														aaa Lys		1733
														tac Tyr 585		1781
_cct Pro														tac Tyr		1829
					agt Ser		tgad	aaaa	icg a	attt	aagt	a co	agco.	caagt	:	1880
acac	acga	itg a	tago	ttca	a gg	aata	caac	: tga	ctt	atg	atat	gaat	tt t	caaç	gaacg	1940
tato	ttat	at g	gatt	ttga	a ga	atct	tgtt	tgc	ttat	aag	aact	tcaa	aga a	gcct	aagct	2000
tggc	ttta	at t	ttct	tgta	c to	tctg	tact	cct	caag	jcac	tgga	acac	ga t	cct	tttct	2060
9990	atto	ct a	gggg	agaa	ia at	aaaa	tttg	taa	tgtt	cta	gaga	tcat	tt ç	ggaaa	aaaag	2120
atco	aaaa	gt t	gtct	taat	a tg	agac	atac	: tgt	tact	aaa	cata	agtt	ca a	ataa	iaaagt	2180
tgtt	ctga	aa a	aaaa	aaaa	a aa	aaa										2205

<210> 253
<211> 609
<212> PRT

<213> Homo sapiens

<400> 253

Met Ala Glu Ala Ser Arg Trp His Arg Gly Gly Ala Ser Lys His Lys $1 \hspace{1cm} 5 \hspace{1cm} 10 \hspace{1cm} 15$

Leu His Tyr Arg Lys Glu Val Glu Ile Thr Thr Thr Leu Gln Glu Leu 20 25 30

Leu Leu Tyr Phe Ile Phe Leu Ile Asn Leu Cys Ile Leu Thr Phe Gly $35 \hspace{1cm} 40 \hspace{1cm} 45$

Met Val Asn Pro His Met Tyr Tyr Leu Asn Lys Val Met Ser Ser Leu 50 55 60

Phe Leu Asp Thr Ser Val Pro Gly Glu Glu Arg Thr Asn Phe Lys Ser 65 70 75 80

Ile Arg Ser Ile Thr Asp Phe Trp Lys Phe Met Glu Gly Pro Leu Leu 85 90 95

Glu Gly Leu Tyr Trp Asp Ser Trp Tyr Asn Asn Gln Gln Leu Tyr Asn 100 105 110

Leu Lys Asn Ser Ser Arg Ile Tyr Tyr Glu Asn Ile Leu Leu Gly Val 115 120 125

Pro Arg Val Arg Gln Leu Lys Val Arg Asn Asn Thr Cys Lys Val Tyr 130 135 140

Ser Ser Phe Gln Ser Leu Met Ser Glu Cys Tyr Gly Lys Tyr Thr Ser 145 150 155 160

Ala Asn Glu Asp Leu Ser Asn Phe Gly Leu Gln Ile Asn Thr Glu Trp 165 170 . 175

Arg Tyr Ser Thr Ser Asn Thr Asn Ser Pro Trp His Trp Gly Phe Leu 180 185 190

Gly Val Tyr Arg Asn Gly Gly Tyr Ile Phe Thr Leu Ser Lys Ser Lys 195 200 205

Ser Glu Thr Lys Asn Lys Phe He Asp Leu Arg Leu Asn Ser Trp Ile 210 215 220

Thr Arg Gly Thr Arg Val lle Phe lle Asp Phe Ser Leu Tyr Asn Ala 225. 230 235 240

Asn Val Asn Leu Phe Cys Ile Ile Arg Leu Val Ala Glu Phe Pro Ala 245 250 255

Thr Gly Gly Ile Leu Thr Ser Trp Gln Phe Tyr Ser Val Lys Leu Leu 260 265 270

Arg Tyr Val Ser Tyr Tyr Asp Tyr Phe Ile Ala Ser Cys Glu Ile Thr 275 280 285

WO 03/089583 PCT/US03/11497

16U 200 PCT FINAL.ST25

Phe Cys Ile Phe Leu Phe Val Phe Thr Thr Gln Glu Val Lys Lys Ile 290 295 300

Lys Glu Phe Lys Ser Ala Tyr Phe Lys Ser Ile Trp Asn Trp Leu Glu 305 310 315 320

Leu Leu Leu Leu Leu Cys Phe Val Ala Val Ser Phe Asn Thr Tyr 325 330 335

Tyr Asn Val Gln Ile Phe Leu Leu Leu Gly Gln Leu Leu Lys Ser Thr 340 345 350

Glu Lys Tyr Ser Asp Phe Tyr Phe Leu Ala Cys Trp His Ile Tyr Tyr 355 360 365

Asn Asn Ile Ile Ala Ile Thr Ile Phe Phe Ala Trp Ile Lys Ile Phe 370 375 380

Lys Phe Ile Ser Phe Asn Lys Thr Met Ser Gln Leu Ser Ser Thr Leu 385 390 395 400

Ser Arg Cys Val Lys Asp Ile Val Gly Phe Ala Ile Met Phe Ile 405 415

lle Phe Phe Ala Tyr Ala Gl
n Leu Gly Phe Leu Val Phe Gly Ser Gl
n 420 425 430

Val Asp Asp Phe Ser Thr Phe Gln Asn Ser Ile Phe Ala Gln Phe Arg 435 440 445

lle Val Leu Gly Asp Phe Asn Phe Ala Gly Ile Gln Gln Ala Asn Pro 450 455 460

Ile Leu Gly Pro Ile Tyr Phe Ile Thr Phe Ile Phe Phe Val Phe 465 470 480

Val Leu Leu Asn Met Phe Leu Ala Ile Ile Asn Asp Thr Tyr Ser Glu 485 490 495

Val Lys Ala Asp Tyr Ser lle Gly Arg Arg Pro Asp Phe Glu Leu Gly 500 505 510

Lys Met Ile Lys Gln Ser Tyr Lys Asn Val Leu Glu Lys Phe Arg Leu 515 520 525

Lys Lys Ala Gln Lys Asp Glu Asp Lys Lys Thr Lys Gly Ser Gly Asp $530 \hspace{1.5cm} 535 \hspace{1.5cm} 540 \hspace{1.5cm}$

Leu Ala Glu Gln Ala Arg Arg Glu Gly Phe Asp Glu Asn Glu Ile Gln 545 550 560

Asn Ala Glu Gln Met Lys Lys Trp Lys Glu Arg Leu Glu Lys Lys Tyr 565 570 575

Tyr Ser Met Glu Ile Gln Asp Asp Tyr Gln Pro Val Thr Gln Glu Glu 580 585 590

Phe Arg Asp Gly Thr Thr Thr Lys Tyr Lys Met Arg Phe Ser Leu Ser Page 169 595 600 16U 200 PCT FINAL.ST25

Ala

<210> 254 <211> 1615 <212> DNA <213> Homo sapiens	
<220> <221> CDS <222> (1)(1584) <223>	
<400> 254 atg gcc gct tac caa caa gaa gag cag atg cag ctt ccc cga gct Met Ala Ala Tyr Gln Gln Glu Glu Gln Met Gln Leu Pro Arg Ala 1 5 10 15	t gat 48 a Asp
gcc att cgt tca cgt ctc atc gat act ttc tct ctc att gag cat Ala Ile Arg Ser Arg Leu Ile Asp Thr Phe Ser Leu Ile Glu His 20 25 30	ttg 96 Leu
caa ggc ttg agc caa gct gtg ccg cgg cac act atc agg gag tta Gln Gly Leu Ser Gln Ala Val Pro Arg His Thr Ile Arg Glu Leu 35 40 45	ctt 144 Leu
gat cct tcc cgc cag aag aaa ctt gta ttg gga gat caa cac cag Asp Pro Ser Arg Gln Lys Lys Leu Val Leu Gly Asp Gln His Gln 50 55 60	cta 192 Leu
gtg cgt ttc tct ata aag cct cag cgt ata gaa cag att tca cat Val Arg Phe Ser Ile Lys Pro Gln Arg Ile Glu Gln Ile Ser His 65 70 75	gcc 240 Ala 80
cag agg ctg ttg agc agg ctt cat gtg cgc tgc agt cag agg cca Gln Arg Leu Ser Arg Leu His Val Arg Cys Ser Gln Arg Pro 85 90 95	cct 288 Pro
ctt tct ttg tgg gcc gga tgg gtc ctt gag tgt cct ctc ttc aaa Leu Ser Leu Trp Ala Gly Trp Val Leu Glu Cys Pro Leu Phe Lys 100 105 110	aac 336 Asn
ttc atc atc ttc ctg gtc ttt ttg aat acg atc ata ttg atg gtt Phe Ile Ile Phe Leu Val Phe Leu Asn Thr Ile Ile Leu Met Val 115 120 125	gaa 384 Glu
ata gaa ttg ctg gaa tcc aca aat acc aaa cta tgg cca ttg aag Ile Glu Leu Leu Glu Ser Thr Asn Thr Lys Leu Trp Pro Leu Lys 130 135 140	ctg 432 Leu
acc ttg gag gtg gca gct tgg ttt atc ttg ctt att ttc atc ctg Thr Leu Glu Val Ala Ala Trp Phe Ile Leu Leu Ile Phe Ile Leu 145 150 155	gag 480 Glu 160
atc ctt ctt aag tgg cta tcc aac ttt tct gtt ttc tgg aag agt Ile Leu Leu Lys Trp Leu Ser Asn Phe Ser Val Phe Trp Lys Ser - 165 170 175	gcc 528 Ala
tgg aat gtc ttt gac ttt gtt gtt acc atg ttg tcc ctg ctt ccc Trp Asn Val Phe Asp Phe Val Val Thr Met Leu Ser Leu Leu Pro 180 185 190	gag 576 Glu
gtt gtg gta ttg gta ggg gta aca ggc caa tcg gtg tgg ctt cag Val Val Leu Val Gly Val Thr Gly Gln Ser Val Trp Leu Gln 195 200 205	ctt 624 Leu
ctg agg atc tgc cgg gtg ctg agg tct ctc aaa ctc ctt gca caa Leu Arg Ile Cys Arg Val Leu Arg Ser Leu Lys Leu Leu Ala Gln 210 215 220	ttc ∴672 Phe
cgt caa att caa att att att ttg gtc ctg gtc agg gcc ctc aag a Arg Gln Ile Gln Ile Ile Ile Leu Val Leu Val Arg Ala Leu Lys 9 225 230 235	agc 720 Ser 240
atg acc ttc ctc ttg atg ttg ctg ctc atc ttc ttc tac att ttt q	gct 768

Met	Thr	Phe	Leu	Leu 245	Met	Leu	Leu	Leu	11e 250			PCT Tyr		
						ttc Phe								816
						ttc Phe								864
						acc Thr 295								912
						gaa Glu								960
						ctt Leu								1008
_	-	_	_	-		aac Asn		-					 -	1056
						gag Glu								1104
						aga Arg 375								1152
						gag Glu								1200
						gtg Val								1248
						aca Thr								1296
						cag Gln								1344
			Ser	Ser	Ser	tct Ser 455	G1 u		Arg	Phe	Ser			1392
						ctt Leu								1440
						cgt Arg								1488
		Glu				aag Lys								1536
						gtg Val								1584
taaa	gcaa	tg g	atgg	cttc	a at	atco	ttgg	g					,	1615
<210 <211 <212 <213	> 5 > p	55 28 RT omo	sapi	ens										

<400> 255

Met Ala Ala Tyr Gln Gln Glu Glu Gln Met Gln Leu Pro Arg Ala Asp 1 5 10 15

Ala Ile Arg Ser Arg Leu Ile Asp Thr Phe Ser Leu Ile Glu His Leu 20 25 30

Gln Gly Leu Ser Gln Ala Val Pro Arg His Thr Ile Arg Glu Leu Leu 35 40 45

Asp Pro Ser Arg Gln Lys Lys Leu Val Leu Gly Asp Gln His Gln Leu 50 60

Val Arg Phe Ser Ile Lys Pro Gln Arg Ile Glu Gln Ile Ser His Ala 65 70 75 80

Gln Arg Leu Leu Ser Arg Leu His Val Arg Cys Ser Gln Arg Pro Pro 85 90 95

Leu Ser Leu Trp Ala Gly Trp Val Leu Glu Cys Pro Leu Phe Lys Asn 100 105 110

Phe Ile Ile Phe Leu Val Phe Leu Asn Thr Ile Ile Leu Met Val Glu 115 120 125

Ile Glu Leu Leu Glu Ser Thr Asn Thr Lys Leu Trp Pro Leu Lys Leu 130 135 140

Thr Leu Glu Val Ala Ala Trp Phe Ile Leu Leu Ile Phe Ile Leu Glu 145 150 155 160

lle Leu Leu Lys Trp Leu Ser Asn Phe Ser Val Phe Trp Lys Ser Ala 165 170 175

Trp Asn Val Phe Asp Phe Val Val Thr Met Leu Ser Leu Leu Pro Glu 180 185 190

Val Val Val Leu Val Gly Val Thr Gly Gln Ser Val Trp Leu Gln Leu 195 200 205

Leu Arg Ile Cys Arg Val Leu Arg Ser Leu Lys Leu Leu Ala Gln Phe 210 215 220

Arg Gln Ile Gln Ile Ile Ile Leu Val Leu Val Arg Ala Leu Lys Ser 225 230 235 240

Met Thr Phe Leu Leu Met Leu Leu Leu Ile Phe Phe Tyr Ile Phe Ala

Val Thr Gly Val Tyr Val Phe Ser Glu Tyr Thr Arg Ser Pro Arg Gln
260 265 . 270

Asp Leu Glu Tyr His Val Phe Phe Ser Asp Leu Pro Asn Ser Leu Val 275

Thr Val Phe Ile Leu Phe Thr Leu Asp His Trp Tyr Ala Leu Leu Gln 290 295 300

Asp Val Trp Lys Val Pro Glu Val Ser Arg Ile Phe Ser Ser Ile Tyr
. Page 172

16U 200 PCT FINAL.ST25 310 -305 Phe Ile Leu Trp Leu Leu Gly Ser Ile Ile Phe Arg Ser Ile Ile Val Ala Met Met Val Thr Asn Phe Gln Asn Ile Arg Lys Glu Leu Asn Glu Glu Met Ala Arg Arg Glu Val Gln Leu Lys Ala Asp Met Phe Lys Arg Gln Ile Ile Gln Arg Arg Lys Asn Met Ser His Glu Ala Leu Thr 370 375 380 Ser Ser His Ser Lys Ile Glu Asp Arg Gly Ala Ser Gln Gln Arg Glu 305 390 395 400 Ser Leu Asp Leu Ser Glu Val Ser Glu Val Glu Ser Asn Tyr Gly Ala 405 415Thr Glu Glu Asp Leu Ile Thr Ser Ala Ser Lys Thr Glu Glu Thr Leu Ser Lys Lys Arg Glu Tyr Gln Ser Ser Ser Cys Val Ser Ser Thr Ser 435 440 445 Ser Ser Tyr Ser Ser Ser Ser Glu Ser Arg Phe Ser Glu Ser Ile Gly 450 455 460 Arg Leu Asp Trp Glu Thr Leu Val His Glu Asn Leu Pro Gly Leu Met 465 470 475 480 Glu Met Asp Gln Asp Asp Arg Val Trp Pro Arg Asp Ser Leu Phe Arg Tyr Phe Glu Leu Leu Glu Lys Leu Gln Tyr Asn Leu Glu Glu Arg Lys Lys Leu Gln Glu Phe Ala Val Gln Ala Leu Met Asn Leu Glu Asp Lys <210> 256 <211> 24 <212> DNA <213> Homo sapiens **-<400> 256** 24 tcatggatca ccagctccac gctc <210> <211> 25 <212> DNA <213> Homo sapiens <400> 257 . 25 caccaagate accaccatgg aagca 50 DNA <213> Homo sapiens

Page 173

<400> 258

```
16U 200 PCT FINAL.ST25
  ggattcaggc cttttaaacc ccactcagtg ggtgcatggc agggctttga
                                                                       50
  <210> 259
  <211>
         24
  <212> DNA
  <213> Homo sapiens
  <400> 259
  tgctgacgaa tcttatgaac cagg
                                                                       24
  <210> 260
  <211> 26
  <212> DNA
  <213> Homo sapiens
  <400> 260
  teacgleage eletectice teaglg
                                                                       26
  <210> 261
  <211>
        50
  <212> DNA
 <213> Homo sapiens
 <400> 261
 tcacaaatca tataaattag gggaaagaga gaggcaggta tactctaaaa
                                                                      50
 <210> 262
 <211> 50
 <212> DNA
 <213> Homo sapiens
 <400> 262
 aatttettat ttaaaagace teagaaatgt caccatgett agttattta
                                                                      50
 <210> 263
 <211> 23
 <212> DNA
 <213> Homo sapiens
 <400> 263
 ggccatggac aatgtcacag cag
                                                                      23
 <210> 264
 <211> 31
 <212> DNA
<213> Homo sapiens
<400> 264
agcagacaca tactgggcca ttcataacca c
                                                                     31
<210> 265
<211> 50
<212> DNA
<213> Homo sapiens
<400> 265
ggtactattc tatattttgg gcacacagca atgaagaaaa cagaaaaacc
                                                                     50
<210>
       266
<211>
       50
<212>
       DNA
<213>
      Homo sapiens
<400> 266
ctgggtttca taaatatgga gcagaaagtt tttacaaata tagaacagca
                                                                     50
<210> 267
<211>
      50
<212>
     DNA
<213> Homo sapiens
```

Page 174

<400> 267 tagaatgtgt tataaaaaat gaagcagggc taggggaaag agatgggtga	50
<210> 268 <211> 23	
<211> 23 <212> DNA	
<213> Homo sapiens	
<400> 268	23
cctcattggc ttcctcccac tcg	23
<210> 269	
<211> 30	
<212> DNA <213> Homo sapiens	
<400> 269	20
gccatcaaac tctgagctgg agatagtgac	30
<210> 270	·
<211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 270 ccaaggaact tttaaaactc ccattgcaca gttaccaccc agaataatta	50
<210> 271	
<211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 271 catcctggaa tatatttgcg tccaactctg caccttgctc tctattccct	50
<210> 272	
<211> 50 <212> DNA	
<213> Homo sapiens	
<400> 272	50
ctggggcccc tcaaaaagct caccttccct cacttcccac ttcaactgat	
<210> 273	
<211> 26 <212> DNA	
<213> Homo sapiens	
<400> 273	26
tggcctcgtt gaaagtgtca tcatcc	
<210> 274	
<211> 24	
<212> DNA <213> Homo sapiens	
<400> 274	24
ttggtaccat ttacgaatgg ccgc	
<210> 275	
<211> 50	•
<212> DNA <213> Homo sapiens	
<400> 275	50
aaacggcatt ttaaaaatgc aggtttaaat tgttatcctc atctatggtt	
<210> 276	
<211> 29	

Page 175

```
16U 200 PCT FINAL. ST25
  <212> DNA
  <213> Homo sapiens
  <400> 276
  ctggacttga gcagtaccac gtctggatc
                                                                      29
  <210> 277
  <211> 28
  <212> DNA
  <213> Homo sapiens
 <400> 277
 catattccca cagcaatttt gacaatgg
                                                                      28
 <210> 278
 <211>
        50
 <212> DNA
 <213> Homo sapiens
 <400> 278
 attitggtta tatatagagg agtctaggaa aagactcgtg ggtctgattc
                                                                      50
 <210> 279
 <211>
        50
 <212>
       DNA
 <213> Homo sapiens
 <400> 279
 tactcatatt tatatagcag caacttacat tgacccaggg agaactcagt
                                                                      50
 <210> 280
 <211>
       24
 <212> DNA
 <213> Homo sapiens
 <400> 280
gttacccacc caaccgtcac gacc
                                                                      24
<210> 281
<211> 24
<212> DNA
<213> Homo sapiens
<400> 281
caggcgatgc cagagaagac gatg
                                                                     24
<210> 282
<211> 50
<212>
      DNA
<213> Homo sapiens
<400> 282
ctagaattta cataaaaagg actggaggag cttttgcagc aactttgcat
                                                                     50
<210> 283
<211> 50
<212> DNA
<213> Homo sapiens
ttttcttctt ttaaaaacac gctttcactc tcaaaacagc agagaatgaa
                                                                     50
<210> 284
<211> 50
<212> DNA
<213> Homo sapiens
aactggggtc tataagagag ccagggcact tattcatcca agggcagatg
                                                                    50
```

<210> 285 <211> 26 <212> DNA <213> Homo sapiens	
<400> 285 ctatgacttc aacccacacc tgggca	26
<210> 286 <211> 24 <212> DNA <213> Homo sapiens	24
<400> 286 aaggtcgcca acttgtcctg gctc	
<210> 287 <211> 50 <212> DNA <213> Homo sapiens	50
<400> 287 gggcgggagt aaaaggcaga gtccaattcc accggccccc agtgtgggtg	
<210> 288 <211> 24 <212> DNA <213> Homo sapiens	
<400> 288 tcaatgccat gcccaaactg agga	. 24
<210> 289 <211> 24 <212> DNA <213> Homo sapiens <400> 289 caacaccgag atggacaccc tgct	24
<210> 290 <211> 50 <212> DNA	
<213> Homo sapiens <400> 290 cttttaaggt taaaaatgtg ggttttagat gattgtcctt tctaaacagc	50
<210> 291 <211> 50 <212> DNA <213> Homo sapiens	50
-<400> 291 tcaggatgtc taaaaaagat ctctctagtg tacacacgtg cacacacaca	
<210> 292 <211> 50 <212> DNA <213> Homo sapiens <400> 292	. 50
<400> 292 agtaactcta tttaaaagac ctaaaaattt caaatcctaa aatgatctat	
<210> 293 <211> 50 <212> DNA <213> Homo sapiens	
<400> 293 aataaatgtt ttaaaagcac teettteega atggtggage tggtggggge Page 177	50

<210>			
<211>			
<212>	DNA		
<213>	Homo sapiens		
	•		
<400>	294		
			27
cicag	gacga agatcatgat cggcatc		21
<210>	295		
<211>	28		
<212>	DNA		
<213>			
12137	nomo suprens		
<400>	205		
<400>			
gaaga	ttttt gtgcccagct ttcccaag		28
<210>	296		
<211>	50		
<212>	DNA		
<213>			
(213)	Homo sapiens		
	200		
<400>	296		
tattct	cact tataagtggg agctaagcca tgagggcacc aaggcataag		50
<210>	297		
<211>	50		
<212>	DNA		
<213>	Homo sapiens		
<400>	297		
ttacat	atgt atacatgtgc catgctggtg tgctgcaccc attaactcgt		50
	•		
<210>	298		
<211>	27		
<212>	DNA		
<213>			
12132	Homo sapiens		
4000	200		
<400>	298		
tccatg	ctca gcttcatctc agctacc		27
<210>	299		
<211>	24		
<212>	DNA		
<213>	Homo sapiens		
	· · · · · · · · · · · · · · · · · · ·		
<400>	299		
			2.4
tccatc	tcag accttggccc ttca		24
<210>	300		
<211>	50		
<212>	DNA		
<213>	Homo sapiens		
<400>	300		
			ra
aaataa	cccc attaaaaagt gggcaaaggg catgaacact tttcaaaaga		50
.010	200		
<210>	301		
<211>	24		
<212>	DNA		
<213>	Homo sapiens		
	· • =		
<400>	301	*	
			24
-ggacy(gtaa ggagccatcg gaca		24
.016:			
<210>	302		
<211>	23		
<212>	DNA		
<213>	Homo sapiens		

160 200 PCT FINAL.3123	
<400> 302	23
cttgccaggt tctggtggct tgg	
<210> 303	
<210> 303 <211> 50	
<211> 30 <212> DNA	
<213> Homo sapiens	
<400> 303 tctttttgtc tataaatagg actttgattt tctggactag agaattgtat	50
tettetigie tatadalayy activipates (333337)	
<210> 304	
<211> 24	
<212> DNA	
<213> Homo sapiens	
<400> 304	24
acgactccaa gaacagcaag gccg	2.
acque even y	
<210> 305	
<211> 24 <212> DNA	
<213> Homo sapiens	
1137	
<400> 305	24
aaggtaacat cggcagaggc cagc	
<210> 306	
<211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 306	50
<400> 306 gctagcattt tttaaaagct gatgtcttca ctgggcacgg ggactcacac	• • • • • • • • • • • • • • • • • • • •
010. 207	
<210> 307 <211> 24	
<212> DNA	
<213> Homo sapiens	
202	•
<400> 307 cggccaggta ccaaagctca gctg	24
Egyceaggea codosystes y	
<210> 308	
<211> 29	
<212> DNA <213> Homo sapiens	
(213) Homo Soprom	
<400> 308	29
gccagattca ggagggaatg gaagagaac	
<210> 309	
<211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 309	50
tgatctactt tttaaaagga tcatgctggc tgctggtggg atttaggata	30
<210> 310	
<211> 50 <212> DNA	•
<212> DNA <213> Homo sapiens	
<400> 310	50
<400> 310 tgatagtgat aaaaaaaagt ggccagattt tggttatatt ttgaaataaa	
<210> 311	
<211> 50	
<212> DNA	
Page 179	

<213>	Homo sapiens	
<400>		
tatag	tgata tttaaagcca ggggtctggg tgagataact gatggaatga	50
<210>	312	
<211>		
<212>		
<213>	Homo sapiens	
<400>		
attgg	aggac tataaagagg ggagtcatta aaatggtgct aagaagctga	50
<210>	313	
<211>		
<212>		
<213>	Homo sapiens	
<400>	313	
agagg	ggagt cattaaaatg gtgctaagaa gctgagctac aagcagtggt	50 -
<210>	314	
<211>	50	
<212>	DNA	
<213>	Homo sapiens	
	•	
<400>	314	
gacatt	ccac ccaaaaaatg ccactggatg aagtcccctc cttccattaa	50
<210>	315	
<211>	26	
<212>	DNA	
<213>	Homo sapiens	
<400>	315	
ttggga	igaga ctagtgcacc tcagca	26
<210>	316	
<211>	24	•
<212>	DNA	
<213>	Homo sapiens	
<400>	316	
gagcaa	tece tettegtgge aggt	24
<210>	317	
<211>	50	
<212>	DNA	
<213>	Homo sapiens	
<400>	317	
aaaagt	gctt ttaaacaggg ggggtggagg ggcttatgag aaggggacca	50
<210>	210	
<210>	318 50	
<212>	DNA	
<213>	Homo sapiens	
<400>	319	
ccattt	ctac taaaaatgca gagatcagcc aggcgtggca cgtgcctgta	50
221As	710	
<210>	319	
<211> <212>	50	
<213>	DNA Homo sapiens	
	nome addicina	
<400>	319	
	laaa aaaaaaagcc ctgtttatat cctacctcct tgctgggtgc	50
<210>	320	

160 200 PC1 F18/12/20	
<211> 50 <212> DNA <213> Homo sapiens	
<400> 320 aaaataaaaa taaaaaatcc catctcctca catttccatt caacctcaat	50
<210> 321 <211> 35 <212> DNA <213> Homo sapiens	
<400> 321 acttccaaac atctacaact cctcagagtc tcatt	35
<210> 322 <211> 25 <212> DNA	
<213> Homo sapiens <400> 322 tgcagcacca tcatgtaagg gacaa	25
<210> 323 <211> 50 <212> DNA <213> Homo sapiens	
<213> Homo sapiens <400> 323 ttttttaaac tataaaaagt ggggatcaga aaacacagtc ataagggaaa	50
<210> 324 <211> 50 <212> DNA <213> Homo sapiens <400> 324 gtatatgcta tatatatcag gattcacttt aatggcattg agttccagga	50
<210> 325 <211> 50 <212> DNA <213> Homo sapiens	50
<400> 325 ataaacaatt taaaaattag cccaccatgg tggtacacac ctgtcgttct	50
<211> 50 <212> DNA <213> Homo sapiens	50
<400> 326 -aaaaagtgaa aaaaaaaggt gagggagact ttaactttct gaaatatatt	
<210> 327 <211> 24 <212> DNA <213> Homo sapiens	24
<400> 327 ccaagaagcc gggagaagtg gatg	. 24
<210> 328 <211> 28 <212> DNA <213> Homo sapiens	
<400> 328 tgacagaget aggeatatga geactgga	28

Page 181

OOCID: <WO_____03089583A2 1 >

```
<210>
         329
   <211>
         50
   <212> DNA
  <213> Homo sapiens
  <400> 329
  ctaaagagct tatatatcag cctaagaaaa gaaaaccaat aagaagttgc
  <210> 330
  <211>
        26
  <212> DNA
  <213> Homo sapiens
  <400> 330
  gcagttggtt cagaaccgag atcacc
                                                                   26
  <210> 331
  <211> 29
  <212> DNA
  <213> Homo sapiens
  <400> 331
  ggcagatggg gatacattta ttctctggg
                                                                  29
 <210> 332
 <211> 50
 <212>
       DNA
 <213> Homo sapiens
 actaaaaata caaaaaagta gccgggtatg gtggtaggcg cctataatcc
                                                                  50
 <210> 333
 <211> 50
 <212>
       DNA
 <213> Homo sapiens
 <400> 333
 ggtaggcgcc tataatccca gctacttggg aggctgaggc aggagaattg
                                                                  50
 <210> 334
 <211> 26
 <212>
       DNA
 <213> 'Homo sapiens
 <400> 334
tcggcttgga aatcagaatg agaagg
                                                                 26
<210> 335
<211>
       30
<212> DNA
<213> Homo sapiens
<400> 335
tgcacaaaga atgattgcag cagtgagtag
                                                                 30
<210>
      336
<211>
      50
      DNA
<213>
      Homo sapiens
<400> 336
<210>
      337
<211>
      50
<212>
      DNA
<213> Homo sapiens
<400> 337
```

Page 182

• :

16U 200 PCT FINAL. ST25	50
ggccaactta tataaaaggt ttatgttttt gttctgataa tttcgtttct	
<210> 338	
<211> 50	
<212> DNA	
<213> Homo sapiens	
<400> 338	50
<400> 338 aagttaagtt ttaaaaagaa caggctacaa agttatagct atggggtgat	
aagitaagee etabarry	
<210> 339	
<211> 21 <212> DNA	
<213> Homo sapiens	
(213) Beautiful Control of the Contr	
<400> 339	21
gggcggtgta gtgcaggtcc g	
<210> 340	
<211> 24	
<212> DNA	
<213> Homo sapiens	
<400> 340	24
cctccagttg cagggaattc tgcc	
Coccodition	
243	
<210> 341	
<211> 50 <212> DNA	
<212> DNA <213> Homo sapiens	
(213) Homo	
<400> 341	50
<400> 341 aattcaaata tttaaaacgg actgtctcct cttcacaaaa gtctagatct	
<210> 342	
<211> 24	
<212> DNA	
<213> Homo sapiens	
<400> 342	24
ggctgttgag caggcttcat gtgc	
<210> 343	
<211> 24	
<212> DNA	
<213> Homo sapiens	
<400> 343	24
ctcctctgga tgatctgccg cttg	
000000009900000000000000000000000000000	
<210> 344	
<210> 344 <211> 50	
<2112	
<213> Homo sapiens	
<400> 344 attgggtgca tatatattta ggatagttag etettettgt tgaattgate	50
actygytyca tatacacco gymriy	